

CHANSLOR & LYON STORES, INC.
740 POLK STREET
ORdway 7303
PRESENTED BY
ANDY LAX


# "Good will"

the greatest asset to be attained in business is "Good will"

To attain "Good will" one must shape his dealings with his fellow men so they will deal further with him and speak "well o' him"

It has ever been -- and will always be -- our greatest desire to attain "Good will"

In other words "we would rather make friends than money, unless we can make both"



The Home of Quality Products



# TOOLS WILL SELL IF YOU SHOW THEM

# Go After Service Tool Business Because:


- 1. The total market is 55 million annually.
- \*2. The average shop buys \$288.00 each year.
- \*3. Mechanics average \$44.44 each year.
  - 4. It is both a winter and summer market.
  - 5. It is a turnover market.
  - 6. It is an easy market that you contact every day.
  - 7. If you can not furnish the tools to install other items you sell, your customers might go where they can be served completely.

# Who is getting the Tool Business from the mechanic whom you are now serving with other items?

\*Statistics Furnished by Tools Associates of the M.E.M.A. and N.S.P.A.

POORLY EQUIPPED MECHANICS COST MORE THAN TOOLS






71/2 Feet of Attractive Stock and Display

There Are Two Sales Outlets for This 55 Million Dollar Market\*


\$13,600,000.00 from Jobbers 40% \$13,600,000.00 from other sources



The normal market for service tools increases 10% per year from new shops and new mechanics coming into the industry.

\*Data furnished by Service Tools Associates of the M.E.M.A. and N.S.P.A.

POORLY EOUIPPED MECHANICS COST MORE THAN TOOLS





# "HANDY-TWIN - HEX" 12-Point Box Wrenches

Forged from Chrome Vanadium Steel

# Regular Long Type Box Wrenches

Satin Finish with Polished Heads

This type wrench is popular with both the mechanic and the car owner. "Handy-Twin-Hex" 12 point box wrenches are mechanically right, have the reserve strength, comfortable handles, handsomely finished, clean, sharp broaching, and that feel of a quality tool so much appreciated by the mechanic.



Wrench No.	Sizes	Price	U. S. Std. Bolt Size	Hex. Cap Screws	S. A. E. Std. Screw and Nut	Length
02051 02052 02053 02054 02055 02056 02057 02058A 02058B	16"x 16" 15"x 16" 15"x 16" 16"x 16" 16"x 16" 16"x 16" 11"x 116" 11"x 116" 11"x 116"	\$0.85 .95 1.10 1.25 1.50 1.80 2.40 2.70 2.70	4k" 34" 77 " 54" 55" 54" 54" 54" 54"	78"	fa" 3/4" 16" 3/4" 16" 14" 14" 14" 14" 14" 15" 14"	754" 854" 934" 1154" 1253" 454" 16" 1734"

6 Wrenches Packed to a Carton

No. 02005F—Set of Five "Handy-Twin-Hex" Box Wrenches, openings 3/8" to 7/8" inclusive, Nos. 02051, 02053, 02053, 02054 and 02055, in a substantial carton. Shipping Weight, 3 lbs.

### 10° Angle Long Type Box Wrenches

Wrench No.	Sizes	Price	U. S. Std. Bolt Size	Hex. Cap Screwa	S. A. E. Std. Screw and Nut	Length
02011 02012 02013 02014 02015	%"x表" ½"x表" 表"x%" 抗"x别" 抗"x%"	\$0.85 .95 1.05 1.20 1.35	18" · · · · · · · · · · · · · · · · · · ·	表"%" 会"%" %"请"	\$\frac{1}{2}\tau. \frac{1}{2}\tau'' \$\frac{1}{2}\tau'' \cdots \frac{1}{2}\tau'' \$\frac{1}{2}\tau'' \cdots \frac{1}{2}\tau'' \$\frac{1}{2}\tau'' \cdots \frac{1}{2}\tau''	6¼" 7%" 9" 10" 11"



6 Wrenches Packed to a Carton

No. 02010-5F-Set of 5-10° Long Type Box Wrenches Nos. 02011-15 in carton. Shipping Weight, 2 lbs. . . Price \$5.40

### Double Crescent Box Wrenches

Wrench No.	Sizes	Price	U. S. Std. Bolt Size	Hex. Cap Screws	S. A. E. Std. Screw and Nut	Length
02068 02069 02070 02071 02072	34"×74" 32"×74" 74"×54" 14"×58" 34"×74"	\$1.10 1.20 1.30 1.45 1.65	16" 16"	売"・・½" 売"・・½" ½"・・売"	½"ta" 14"14"	5¾" 6½" 7¾" 8¾" 9¾"




6 Wrenches Packed to a Carton

Fully guaranteed as to material and workmanship



# "HANDY-TWIN-HEX" Display Board



Quality
Tools
Attractively
Displayed
Are Easily
Sold

The display board illustrated above provides a convenient as well as attractive method of displaying and stocking a small amount of each one of the wrenches listed below. The display board itself is made of substantial plywood in a heavy hard wood frame with a color scheme of black and gold, against which the highly polished and flat finished surfaces of the wrenches are strikingly brought out. The board contains 76 wrenches and is furnished free of charge with the initial order for this assortment of wrenches which is as follows:

6	No.	02051-Lon	g Box	Wrenches	3/8"×10"			02061-15°					.80
		02052- "	86	- 44	3/2"x1%"	.95	No.	02062-15	II.	11			.85
		02053 "	46	- 14		. 1.10	No.	02063-15°	44	**		A. B. Santa	.90
		THE PROPERTY AND ADDRESS OF THE PARTY OF THE				The second second second	No.	02064-15*	44	14	60	3/4"x##" 1	.10
		ALMOND A				1.25	No.	02041-45°	44	16	(1)	3/9"×10"	.80
6	No.	02055 "	**	**	HI"x7/8"	1.50	No.	02042-45"	46	44	44	1/2"x10"	.90
		02056- "			排"x1"	1.80	A THE	02043-45"	66	44	++	8/8"x+1" 1	
6	No.	647-Batter	Wret	nches 5/8"x	8/7	75 3	No.	02044-45"	44	44	46	3/4"x33" 1	.20
3	No.	02081-Star	ter and	d Manifold	Wrchs. %"x5/8"	1.35	No.	2050-12-M	ain Be	aring	Box Wren	nch 5/8" x3/4". 2	.10
N	lo. 1	931-76BW-	Displa	y Board wi	th 76 Box Wren	ches descri	bed a	bove. Shipp	ing W	eight,	58 lbs	Price \$85.	.85

Fully guaranteed as to material and workmanship



# "HANDY-TWIN-HEX" Box Wrenches





Short Type

Satin Finish with Polished Heads



Of the same quality, strength and finish as our full length Box Wrenches. Twelve Point openings. Drop forged from selected Chrome Vanadium Steel, heat treated, tempered and hardened. Designed for the mechanic, by mechanics, for tight places where the full length wrench proves to be too long.

Wrench No.	Size	Length	Price	U. S. Std. Bolt Size	Hex Cap Screw	S. A. E. Std. Screw and Nut	Wrench No.	Size	Length	Price
02041 02042 02043 02044	36"x4" 52"x4" 56"x41" 32"x88"	4½" 5¼" 6" 6¾"	\$0.80 .90 1.00 1.20	1/4" 	#"14" #"3%" #"3%"	4"34" 4"34" 4"	02061 02062 02063 02064	36"x 16" 36"x 16" 56"x 16" 34"x 18"	4" 4½" 5" 5½"	\$0.80 .85 .90 1.10

No. 02040-3-Set of three "Handy-Twin-Hex" Forty-Five Degree Short Wrenches Nos. 02041, 02042, and 02043, in canvas bag, Weight, 1/2 lb. .Price \$2.85 No. 02040-3F—Same as No. 02040-3, but in a substantial carton. Shipping Weight, ½ lb.... Price \$2.70 No. 02040-4-Set of four "Handy-Twin-Hex" Forty-Five Degree Short Wrenches Nos. 02041, 02042, 02043, and 02044, in canvas bag. Weight, 1 lb.... Price \$4.05 No. 02040-4F-Same as No. 02040-4, but in a substantial carton, Shipping Weight, I lb. ... Price \$3.90

# Battery and Starter Wrench



This 12 point 58" and 16" box wrench fits practically all battery terminals as well as starter units on many cars. Drop forged from high grade steel. Satin finish with polished heads. Length 6 in. 6 to a Carton, 13/4 lbs. No. 647-Battery and Starter Wrench . . . . Price \$0.75

No. 02060-3-Set of three "Handy-Twin-Hex" Fifteen Degree Short Wrenches Nos. 02061, 02062, and 02063. in canvas bag. Shipping Weight, 1/2 lb. Price \$2.70 No. 02060-3F-Same as No. 02060-3, but in a substantial carton. Shipping Weight, 1/2 lb ... Price \$2.55 No. 02060-4-Set of four "Handy-Twin-Hex" Fifteen Degree Short Wrenches Nos. 02061, 02062, 02063, and 02062, in canvas bag. Weight, I lb. Price \$3.80 No. 02060-4F-Same as No. 02060-4, but in a substantial carton. Shipping Weight, 1 lb... Price \$3.65

### Starter and Manifold Wrench



A Drop Forged, Chrome Vanadium Steel, 12-point wrench, especially designed as a time saving tool, not only for removing and replacing starters, but also for manifolds, carburetors and many other hard-to-get-at places. Triple plated satin finish, with polished heads, 9½" long, 5%" and 76" openings.

Packed 6 to the Carton, Weight, 2½ lbs.

No. 02081—Starter and Manifold Wrench. Price \$1.35

# Combination Box and Open End Wrenches



Drop forged from Chrome Vanadium Steel, triple plated satin finish with polished heads. Same opening on each end, one box type with 10° offset, the other open end. Especially useful for fast work in difficult places to reach.

No. 02030-4F—Set of four, sixes 7/16", ½", 9/16", and ½" in carton, Weight, 1½ lbs... Price \$3.80

No. 02030-4-Same set as above in leatherette roll. Price \$4.30

No.	Size	Length	Price
02031	367	7"	\$0.80
02032	18"	73/4"	.80
02033	3/4"	758"	.90
02034	18"	8"	1.00
02035	5/8"	81/2"	1.10
02036	11 "	834"	1.20


No. 02030-6F-Set of six wrenches described above, in 

No. 02030-6-Same set as above in leatherette roll. Price \$6.60

Fully guaranteed as to material and workmanship



### AUTOMOTIVE OPEN END WRENCHES



Drop forged from the finest of chrome alloy steel, which was selected for its outstanding tensile strength and elasticity, care-fully hardened and tempered to give the greatest resiliency

under the most severe shocks and strains. Designed to give that certain feeling of balance and assurance of a real tool. East on the hand. Accurate openings assure positive grip. Extra long


### OPEN END WRENCHES. AUTOMOTIVE TYPE

No.	Size Openings	Length	Wt. per Doz.	Price Ea
1721 1021 1722 1723	%6 & % %6 & 13/52 %6 & 7/16 % & 7/10	5"	1 lb.	\$0.60
1022 1023 1723A	%6 & 1/2 11/12 & 1/2 % & 1/2	5¾"	1 lb. 14 oz.	.70
1024 1725 1725A 1725B 1025	13/32 & 13/32 7/16 & 1/2 7/16 & 9/16 1/2 & 1/16 1/2 & 13/32	61/4"	2 lb. 4 oz.	.85
1726 1026 1727 1027 1027C	14 & 56 14 & 11/16 9/16 & 56 19/16 & 11/16 9/16 & 11/16	716"	3 lb, 6 oz.	.95
1728 1028 1028S 1028S 1729 1029 1030	19/16 & 3/4 19/52 & 25/52 5/5 & 25/52 9/5 & 3/4 11/16 & 25/52 13/16 & 7/6	81/4"	5 lb. 10 oz.	1.20
1731 1731A 1031 1731B 1032 1033A 1033 1732HB	34 & 13/16 34 & 7/8 25/32 & 7/8 13/16 & 7/8 25/32 & 31/32 7/8 & 15/16 7/8 & 31/32 3/4 & 11/16	9%"	7 lb. 8 oz.	1.60
1733 1033C 1034 1734 1035	76 & 1 15/16 & 1 76 & 11/16 76 & 11/6 31/12 & 11/16	105%"	12 lb. 6 oz.	2.15
1735 1036 1736 1037 1737	1 & 11/6 81/62 & 11/6 1 & 11/6 11/6 & 11/4 11/6 & 11/4	121/4"	18 lb.	2.90

### OBSTRUCTION END WRENCHES


No.	Size Openings	Length	Wt. per Doz.	Price Ea
1821 1823	36" x 36"	51/2"	1 lb. 3 oz. 1 lb. 5 oz.	\$0.75 .75
1825 1827	1/2" x 1/2" 0/2" x 1/2"	617,"	2 lb. 3 oz.	.90
1829	716 × 716 58 × 58	712"	2 lb. 3 oz. 2 lb. 15 oz.	1.10
1830 1831	34" x 34"	71/2"	2 lb. 15 oz. 2 lb. 15 oz.	$\frac{1.10}{1.10}$

### TAPPET WRENCHES




DIA	710" × 1/32	8"	2 lb. 8 oz.	.75
D2	½" x %16"	81/2"	2 lb. 12 oz.	.80
D3	%" x 11/16"	9"	3 lb.	.90
D4	34" x 76"	91/2"	4 lb.	1.10
D4A	34" x 1346"	952"	4 lb.	1.10

### EXTRA LONG HEAVY DUTY



### EXTRA LONG FOR BRAKE ECCENTRICS



6 Wrenches of one size to standard carton.

Fully guaranteed as to material and workmanship



# Special Angle End Wrenches

These wrenches have the same opening on each end, one end being offset at an angle of 221/2", the other end 60". They are especially adapted to reach hard to get at places such as manifolds, brakes, carburetors, etc. Slender oval, Drop Forged, Chrome-Vanadium steel and typical Duro-Chrome finish.

No.	Openings	Length	Weight per Dozen	Price Each
1881	16	61/4"	21/4 lbs.	\$1.00
1882	36"	61/4"	21/4 lbs.	1.00
1883	11."	73/4"	31/2 lbs.	1.25
1884	34"	73/4"	31/2 lbs.	1.25
1885	36"	9"	5½ lbs.	1.50




### Set Special Angle Wrenches

Five Wrenches described above are put up in substantial No. 1895—Set of 5 Special Angle End Wrenches in	self-lined leatherette roll as illustrated.  Roll. Shipping Weight, 11, 2 lts.  Price \$6.70
rio, 1075 Set of 5 Special ringer and inventor	Shipping Weight, 15/2 44s.
N. 190FF Come Cat in Fiber Pay	Price \$6,00


### Tappet Wrench Sets

Tappet Wrenches described on opposite page have been puring in substantial self-lined leatherette roll as follows:
No. DC8T comprises eight TAPPET WRENCHES, 2 each Nos. D1, D2, D3 and D4 as illustrated Price \$7.6
No. DC6T contains six TAPPET WRENCHES, 2 each, No. D1, D2 and D3. Price \$5.50  Shipping Weight, 13/4 lb.
No. DC4T consists of four TAPPET WRENCHES, 2 each Nos. D2 and D3



### Automotive Type Open End Wrench Sets

The more popular automotive type open end wrenches as described on opposite page have been made up in two popular sets in self-lined substantial leatherette roll. No. 17006 consists of six AUTOMOTIVE TYPE OPEN END WRENCHES, 1 each, Nos. 1723 1725B, 1027, 1028S, 1731A and 1033C. Openings range from 3/8" to 1" containing no duplications. Shipping Weight, 21/2 lbs. Price per set...... No. 17012 comprises twelve AUTOMOTIVE TYPE OPEN END WRENCHES, 1 each, 1723, 1023, 1725, 1725B, 1025, 1727, 1027, 1729, 1029, 1731A, 1021, 1033C. Range of sizes is re" to 1". ... Price \$13.80 Price per set ..... Shipping Weight, 4 lbs.



Obstruction Type End Wrench Sets


The 7 Obstruction Wrenches described on the opposite page are contained in this set, put up in a substantial, self-lined No. 18007-Set of 7 Obstruction Wrenches..... Shipping Weight, 2 lbs.

Fully guaranteed as to material and workmanship



# DURO-CHROME

### AUTOMOTIVE WRENCH DISPLAY BOARDS



### No. 1931-132EW Display Board

### Your Silent Salesman

Attractive and attention demanding display boards with readily salable sizes and quantities of Duro-Chrome Open End Wrenches are available to suit your individual requirements. Each wrench can be easily identified by number and price guide.

This extremely substantial board is made of heavy plywood with strong black wood frame. The gold colored background makes the satin nickel finished wrenches stand out with striking elegance. The size of all boards is 19"x31" and they can be furnished either in easel or hanger type. There is no charge for these display boards if ordered with assortment of wrenches as listed on this page.

### Assortment No. 1931-132EW

Open End Wrenches (Automotive Type)

Quantity	Wrench No.	Sizes	Price Each
6	1021	16"x33"	\$0.60
6	1723	3/8"×10"	.60
6	1023	41 "x1/2"	.70
6	1725	7"x1/2"	.85
6	1725B	1/2"x 1/5"	.85
6	1025	1/2"×13"	.85
6	1727	2c"x3/a"	.95
6	1027	32"x31"	.95
6	1729	5/8"x3/4"	1.20
6	1029	11"×11"	1.20
6	1731A	3/4"x7/8"	1.60
6	1033C	18"×1"	2.15

### "Obstruction" End Wrenches

Quantity	Wrench No.	Sizes	Price Each
6	1821	3/8"	\$0.75
6	1823	18"	.75
6	1825	1/2"	,90
6	1827	377	,90
6	1829	36"	1.10
6	1831	3/4"	1.10

### Tappet Wrenches

Quantity	Wrench No.	Sizes	Price Each
5	DI	7"x37"	\$0.75
6	D2	1/2"×18"	.80
6	D3	5/4"x+11"	.90
6	D4	3/11/27/211	1.10

No. 1931-132EW-132 Wrench Display Board Complete. Shipping Weight, 60 lbs..... Price \$129.30

### Assortment No. 1931-66EW

Same as above except this display board carries only 3 each of the above 22 wrenches, Shipping Weight, 43 lbs.

No. 1931-66EW-66 Wrench Display Board Complete

Price \$64.65

### Assortment No. 1931-48EW

Same as No. 1931-66EW except without "Obstruction" End Wrenches. Shipping Weight, 40 lbs.

### Assortment No. 1931-36EW

Same as No. 1931-66EW except without "Obstruction" End and Tappet Wrenches. Shipping Weight, 37 lbs. No. 1931-36EW-36 Wrench Display Board Complete Price \$37.50

Fully guaranteed as to material and workmanship



# Duro-Chrome Ignition Wrench Sets 11 Piece Ignition Set

The nine Drop Forged Chrome Vanadium Steel Ignition Wrenches as described below together with No. 2110 Ignition Pliers and No. 182 Duro-Lite Screw Driver have been combined in this set to make a combination which every mechanic will appreciate. The roll is substantially made of two-toned, self-lined leatherette.



No. 1711.-11 Piece Ignition Set in roll.


Price \$8.85

### Ignition Wrenches

No.	De	escription	_						
	15° He	ad Open	ing 60"						Price
1761	1.11 "	×	A菲"	Drop	Forged	Ignition	Wrenc	h	. \$0.65
1762	1.2 4	×	12"	44	44		44		65
1763	172"	×	1/4"	14	44	44	4.0	F 5 5 5 5 5 5 5 5 5 5 5	65
1764	1/4"	×	57g "	41	100	**	**		65
1765	15"	×	16"	- 11	**	**	+6	TOTAL DESCRIPTION	70
1766	10"	×	191,44	48	99	**	64	(4.00) (4.00)	70
1767	35"	×	36"	8.8	**	**	49		80
1768	3/8"	×	35"	0.00	199	4.0	355	22772000000	80
1769	37 "	×	1/2"	196	(945)	**	(199)		90
2110-Mi	dget Ignitio	on Pliers		****		*:5:+-*:41+-0:			1.50
182—Du	ro-Lite 1/8"	× 17/8"	Ignitio	n Scre	w Drive	r			371/2

## 9 Piece Ignition Set

This set contains the nine Drop Forged Wrenches listed and described above, 1761 to 1769, inclusive. The roll is substantially made of two-toned leatherette and gives the mechanic a desirable assortment of Chrome Vanadium Ignition Wrenches which will give him long and reliable service.




No. 1709,-9 Piece Ignition Set in roll. Shipping Wt., I lb. ...... No. 1707-7 Piece Ignition Set, similar to above with 7 Wrenches Nos. 1761 to 1767, inclusive...... Price \$5.20

Fully guaranteed as to material and workmanship




# Brake Service Tools and Sets



The sixteen tools illustrated above and described below have been especially designed and selected for servicing practically all brakes both internal and external. These tools are all typical Duro-Chrome construction with triple plating and combination polished and satin finish.

No.	Description
2120 2173 2161	Brake Pliers for Steeldraulic Brakes Hammer Head Offset Screw Driver Star Nut Brake Tool
1881 1882 1883 1884 1885	Th" x fe" Spec. Angle Open End Wrench         Angle cially           16" x 16"         " " " " "           16" x 16"         " " " " " "           3/4" x 3/4"         " " " " " " " "           7/6" x 7/6"         " " " " " " " "    Angle cially places.  Forged Chron  The control of the contr
1732H	B 3/4" x 1 ½" Open End Wrench The to service
1720L 1721L	## Eccentric Brake Wrench The forwerence Bending
268 2126	Ford A-B-V8 Brake Adjusting Wrench Heavy Duty Brake Spring Pliers, 131/2"
1731AI 1034AI 1735L	3/4" x 7/8" Extra Long Open End Wrench   Long Wrench   Wrench   Wrench   Wrench   Wrench   Long Open End Wrench   Wrench   Wrench   Chron

	Remarks	Weight Each	Price
		5 ozs. 8 ozs. 5 ozs.	2.10 1.20 .75
1	Angles are 22½° and 60° and especially adapted to reach hard to get at places. Slender oval heads — Drop Forged Chromium Vanadium—Duro-Chrome quality and finish.	3 ozs. 3 ozs. 5 ozs. 6 ozs. 7 ozs.	1.00 1.00 1.25 1.25 1.50
	The two openings for hydraulic brake service.	12 ozs.	1.60
}	The four sizes of openings in these two wrenches are necessary for adjusting Bendix Brake Eccentrics.	4 ozs. 4 ozs. 10 ozs. 11/4 lbs.	1.30 1.30 1.20 3.20
	Long type heavy duty Open End Wrenches for the difficult adjustments found on nearly every brake job. Duro- Chrome quality—design and finish.	1 lb. 1½ lbs. 1½ lbs.	2.60 2.80 \$2.80




No.	BSS16-Set of 16 Wrenches described above, in roll	\$28.50
	Shipping Weight, 121/2 lbs.	
No.	BSS16F—Same Set as above, not in roll but in carton	26.85
	Shipping Weight, 113/4 lbs.	
No.	BSS16SB—The same Set as above, on a substantial shadow board, 19"x31", for hanging in shop, as illustrated	35.30
	Shipping Weight, 25 lbs.	

Fully guaranteed as to material and workmanship



### DuroLite SCREW DRIVERS



In DuroLite Screw Drivers we present to the mechanics of every trade the ultimate in strength, quality, accuracy and appearance. The combination of a heat treated and tempered blade, drop forged from the finest Chrome Alloy Steel available, and an insulated, break-proof handle makes our product stand out as second to none compared with any other make on the market.

Our vast experience in the field of high grade tool manufacturing, guided us in the selection of the best material obtainable, as well as in the delicate, but ever so important heat treatment of the blades to obtain the right arade of resiliency and rensile strength. The large shock-proof, fluted bandles with convenient thumb groove are built to give a sure, slip-proof grip for greany hands and are ideal for high voltage, electrical work, while our short, "stubby" type screw drivers are especially adapted for work in close quarters. The butt end of the blade stock is securely anchored deep in the unbreakable handle to make both parts practically one solid piece. The blade is accurately shaped to the right thickness at tip to insure non-slip fit in screw slot as well as sufficient strength to stand up under most trying strain. The transparent amber colored handles, and the blades with duplex satin nickel finish and bright ground tips furnish the necessary, important eye appeal to make DuroLine Screw Drivers an attractive asset in any tool box, window display or display board.

Our line comprises 35 different numbers representing the most popular sizes and dimensions in demand. For easy identification each screw driver is stamped with catalog number right on blade.

No.	Blade D Thick- ness	Length Inches	Overall Length Inches	Shipping Weight Per Doz. Lbs. Ozs.	Price Each
*4R2	1/8	2	47/8	. 9	.50
*4R3	1/8	- 3	6	12	.55
*4R4	1/8	4	2	. 15	.57
+*S6R 1	3/16	1 1/2	4	. 15	.60
*6R3	3/16	3	6 3/8	1	.70
*6R4	3/16	4	73/8	1 4	.75
*6R6	3/16	6	93/4	1 11	.90
*6R8	3/16	8	11.3/4	2	1.00
*6R10	3/16	10	13 3/4	2 7	1.10
†S8S1	1/4	1	3 5/16	1 10	1.00
8S2	1/4	2	5 3/4	1 13	1.05
8S4	1/4	4	7 3 /4	2 6	1.10
8S6	1/4	6	10 1/8	3 15	1.30
888	1/4	- 8	12 1/8	4 11	1.35
8S10	1/4	10	14 5/8	5 7	1.40
†\$10S1	5/16	1	3 5/16	1 11	1,10
1086	5/16	6	10 5/8	3 3	1,50
10S8	5/16	8	12 5/8	5 7	1.60

No.	Blade D Thick- ness	Length Inches	Overall Length Inches	Shipping Weight Per Doz. Lbs. Ozs.	List Price Each
10S10	5/16	10	14 5/8	6 3	1.65
10S12	5/16	12	16 5/8	6 15	1.70
12S6	3/8	6	10 1/2	6 3	1.95
12S8	3/8	8	12 1/2	6 15	2.00
12S10	3/8	10	15 1/2	9 6	2.25
12S12	3/8	12	17 1/2	10	2.35
12S18	3/8	18	23 1/2	12 8	2.50
1486	7/16	6	10 7/8	7 13	2.40
14S8	7/16	8	12 7/8	9 6	2,50
14810	7/16	10	15 7/8	10 14	3.00
14S12	7/16	1.2	17.7/8	12 8	3,10
14S18	7/16	18	20 7/8	16 4	3.25
16S6	1/2	6	11 1/4	10 14	3.20
16S8	1/2	8	13 1/4	12 8	3.25
16S10	1/2	10	16 1/4	15 -	3.70
16S12	1/2	12	18 1/4	16 4	3.80
16S18	1/2	18	24 1/4	21 4	4.20

<sup>\*</sup>These screw drivers are furnished with round blades only, while all others have square blades as indicated by "S" in catalog number. +Stubby handle only can be furnished.

Fully guaranteed as to material and workmanship



# DuroLite Screw Driver Displays and Sets



### DuroLite Ignition Screw Driver with Pocket Clip


This ignition or "midget" screw driver with transparent "Durolite" handle is much prized by the ignition men, radio repair men or any mechanic working on light work especially where positive insulation is desired. Blade is special steel, properly hardened and tempered, ½"x17g". Display is 8½"x11", can either be hung by eyelet or placed on counter. One dozen screw drivers on a card, six cards in standard package.

No. 182-C12—Display with 12 Screw Drivers . . . . . . . . . . Price \$4.50 Shipping Weight, 3 lbs.

### Six Popular DuroLite Screw Drivers in Tool Roll

This screw driver roll contains one each of the following Durolite Screw Drivers as described on page 13: 6R3, 6R6, 8S4, 8S6, 10S6 and 12S8. The roll is heavy leather-ette, self lined in two colors, and makes a handy as well as handsome manner in which to keep this assortment of popular screw drivers.

No. DL-K6A-Six Piece Durolite Screw Driver Set in Roll ........... Price \$8.55



# Counter Displays of Popular DuroLite Screw Drivers

No. DL-D18





These two handsome metal Durolite Screw Driver displays are similar in construction and can either be hung by hole in top or set on counter by easel on back. A very convenient manner in which to merchandise these popular screw drivers.



This display contains one dozen "Stubby" & "x1½" (S6R1½) Durolite Screw Drivers. This is the most popular number in this type screw driver.

No. DL-D12—Durolite Screw Driver Display Price \$7.20
Shipping Weight, 2 lbs.

The above display consists of six each of the most popular "Stubby" type Durolite Screw Drivers, as follows: S6R134, S8S1 and S10S1. A real merchandiser.

No. DL-D18—Durolite Screw Driver Display Price \$16.20 Shipping Weight, 4 lbs.

Fully guaranteed as to material and workmanship



# DuroLite SCREW DRIVER DISPLAYS

The display board shown on this page comprises a representative assortment of the most popular sizes of screw drivers securely held by hooks which allow convenient removing and replacing of all screw drivers. The amber colored, transparent handles with duplex satin nickel finished blades and ground, bright tips on crackled, dark gold colored background make a striking, attractive display. Numbered buttons next to the screw drivers make identification easy. The board is 19" wide and 31" high and can be furnished either in easel or hanger type. There is no charge for this display board if ordered with assortment of screw drivers listed below.

### No. DL-DB 36 Display Board


		Contents:	
Quantity		Dimensions	Price Each
2	4R2	1/a"x 2" Round Blade	50.50
2	4R3	10"x 3" "	.55
2	6R3	6"x 3" "	.55 .70
2	6R4	2 "x 4" "	.75
2	686	75" X 6" "	.75
2	SSSI	V4"x 1" Square Blade	1.00
2	8S2	1/4" * 2" ++	1.05
2	854	1/4"× 4" ++	1.10
2	856	1/4"× 6" "	1.30
2	S10S1	- A"x 1"	1.10
2	10S6	%"x 6" "	1.50
2	1058	A"x 8" "	1.60
2	1286	15"x 6" "	1.95
2	12S8	%"× 8" →	2.00
1	1486	TR X 6"	2.40
1	1458	75"x 8" ++	2.50
1	14510	7"x10"	3.00
1	14S12	"x12" "	3.10
1	16S6	(5"x 6" "	3.20
1	1658	1/4"x 8" "	3.25
1	16810	1/4"×10"	3.70
1	16S12	1/2"112" "	3.80
		and the second s	

No. DL-DB36-36 Screw Driver Display Board complete. Shipping Weight, 38 lbs. Price \$56.95

### DuroLite Hammers



The three DuroLite Hammers listed below have replaceable DuroLite faces. Especially adapted for fitting wrist pins, bearings, gears, piston pins, etc., also adapted for body and fender work where it is desirable to maintain the original finish. Body carefully machined with high grade bickory handle.



No. DL-DB36 Display Board


				OuroLite Repl			
No.	Length	Weight	Price Hammer Complete	No. Regular Head	Price	No. Taper Head	Price
1531 1533 1534	9" 10½" 12"	5 oz. 8 oz. 12 oz.	\$1.70 1.90 2.10	1531A 1533A 1534A	\$0.45 .50 .60	1531B 1533B 1534B	\$0.50 .55 .65

Fully guaranteed as to material and workmanship



# Special Tools for Late Model Cars

Wrench for Brake Anchor Pin 1934 Pontiac-Chevrolet-Oldsmobile



A combination open and box wrench with †1" openings on both ends, 15½" long, chrome-vanadium steel, triple plated. Used on both front and rear brakes.

No. 2089-Anchor Pin Wrench. Shipping Weight, 11/2 lbs.


Knuckle Support Yoke Nut Wrench 1934 Buick-Oldsmobile



On these knee action cars this wrench has the proper angles and bends to properly service the two cars mentioned above. The 1 % end is for the lower support yoke nut while the 11¼ end is for the upper nut. 19 long, chrome-vanadium steel, triple plated.

No. 2086-Yoke Nut Wrench. Price \$8.00 Shipping Weight, 31/2 lbs.

> Buick Steering Gear Eccentric Adjusting Wrench



Extra thin \(\gamma\_0''\) head, \(1\)\(\gamma\_0'''\) opening. Not guaranteed on account of extreme thinness of head. Chrome-vanadium steel,

triple plated.

No. 2093 - Eccentric Adjusting Wrench ... Price \$2.45

Shipping Weight, 1/2 lb.


Buick Steering Gear Eccentric Lock Nut Wrench



Required on 1934 knee action Buick for adjusting steering gear. Openings ††" and 1/8", chrome-vanadium steel, triple plated.

No. 2092-Steering Gear Wrench Shipping Weight, 3/4 lb.

> Chevrolet-Pontiac Steering Arm Nut Wrench



With these knee action cars the steering arm nut is in such a restricted place that this special wrench is necessary for the proper adjustments. Both openings 11/4", 18" long, chrome-

vanadium steel, triple plated.

No. 2088—Steering Arm Wrench


Shipping Weight, 2 lbs. ..... Price \$4.65 Pontiac-Chevrolet Steering Gear Adjusting Wrench



For 1933-34 models of above cars which require a special thin headed wrench for adjusting steering gear eccentric. Head \$\frac{1}{6}\$" thick, opening \$\frac{1}{16}\$", length 5". Not guaranteed on account of extreme thinness.

Shipping Weight, 1/2 lb. No. 2094 Steering Gear Wrench

Pontiac Steering Gear Eccentric Lock Nut Wrench



For 1934 Pontiac special shape to reach the steering gear eccentric lock nut. Chrome-vanadium steel, triple plated, length 10", ends offset to properly reach lock nut with \$6"

No. 2091-Pontiac Steering Gear Wrench ... Price \$2.70

Retainer Cap Spanner for 1934 Pontiac



On the 1934 knee action Pontiac it is necessary to remove front spring housing retainer to reach the inner center nut for front spring suspension adjustment. This wrench is espe-cially designed for this purpose. Chrome-vanadium steel, 18" long

18" long. No. 2087—Retainer Cap Spanner ... . Price \$7.00 Shipping Weight, 2 lbs.

Chrysler-Knuckle Support Wrench



Shipping Weight, 21/2 lbs

Brake Adjustment Wrench



An extra long, 151/2", box wrench especially useful for anchor studs on internal mechanical brakes. Also for other heavy duty work requiring 18" and 11% twelve point openings, chrone vanadium steel, triple plated.

No. 2090-Brake Adjustment Wrench .... Price \$2.60 Shipping Weight, 11/4 lbs.

Fully guaranteed as to material and workmanship

# Special Tools for Late Model Cars

### Ford Crankshaft Ratchet Nut Wrench



A drop forged chrome vanadium steel wrench with 12 point 13/8" hexagon opening, 65%" long, triple plated. The cross member holds the wrench and all that is necessary is to step on starter to remove the crankshaft ratchet nut.


### Wrench for Hydraulic Brakes



In this wrench are combined the two openings so necessary for working on hydraulic brakes. Drop forged, chrome vanadium steel, triple plated. Openings, 3/4"x12s".

No. 1732HB—Hydraulic Brake Wrench......Price \$1.60 Shipping Weight, 3/4 lb.


### Eccentric Brake Wrenches



The two drop forged chrome vanadium steel wrenches listed below are quite necessary for adjusting the eccentric cam on Bendix brakes. 9" long, triple plated.

No. 1720L—9" Wrench, A: "x 1/4" openings. Price \$1.30 No. 1721L—9" Wrench, A: "x 3/8" openings. Price 1.30 Shipping Weight, 4 ozs.

### Extra Long Open End Wrenches



These three drop forged chrome vanadium steel extra long wrenches are especially desirable for servicing brakes on the late model cars. Triple plated, duplex finish.

No. 1731AL-15" Long Open End Wrench, 34"x78"
Price \$2.60

Shipping Weight, 1 lb.

Shipping Weight, 11/2 lbs.

No. 1735L —16" Long Open End Wrench, 1"x1 1/s" Price \$2.80

Shipping Weight, I'/2 lbs.

### Hammer Head Offset Screw Driver



A drop forged chrome vanadium steel tool used largely for drag links and brake adjusting. 7" overall length with ½" blade. Chrome plated.

No. 2173—Hammer Head Offset Screw Driver Price \$1.20 Shipping Weight, 1/2 lb.

### Stud Wrench

This chrome vanadium steel tool is appreciated by mechanics on account of its strength, convenience, and design. The cut teeth in body insures a positive grip without damaging the stud. Capacity, "a" diameter.



No. 250-Stud Wrench Price \$3.00 Shipping Weight, 1 lb.

No. 250R—Extra Roller for above only .... Price \$0.90 Shipping Weight, 6 ozs.

### Bushing Punch Set



This set is made from special analysis steel, heat treated and hardened. For easily removing and replacing bushings without damage. Set comes complete with punch, 7½" long, ½" diameter and nose ½" diameter and the five bushings listed below in carton.

### Inserts for Bushing Set

Additional bushings for set described above can be furnished (see illustration for explanation of diameters). Dimension "A" is approximately .01 undersize.



	Dia	meter			
No.	A	В	Length	Price	
161-23*	23/32"	27/32"	7/8"	\$0.30	
161-24	3/4" 25/32"	7/8" 15/16"	7/8"	.30	
161-28	7/8"	1"	7/8"	.30	
161-32	1"	1-1/8"	7/8"	.30	

\*Fits Chevrolet and Pontiac 1927-34. \*\*Fits Ford A, B, and V8.

Fully guaranteed as to material and workmanship



### DROP FORGED

# PLIERS

### CHROME VANADIUM STEEL



# Midget Ignition Pliers

This plier is  $4\frac{1}{2}$ " long, adjustable in four positions from closed jaws to an opening range up to 7/16". An ideal tool for difficult to reach places on distributor heads, generators, timers, etc. Attractive satin nickel finish with polished jaws.

No. 2110 Midget Ignition Pliers Weight, 1 oz.




### Water Pump Pliers

These pliers are built for long, dependable service and will give the mechanic a wealth of satisfaction for all around uses. While the head and jaws are especially designed for adjusting water pump packing nuts, these pliers are most useful in other tight places as general utility pliers.

The parallel thin jaws are adjustable in eight positions from closed to an opening of 134". Handsome duplex satin finish with polished jaws. Weight, II oz.

No. 2105-91/2" Pliers with hand-fit curved, slip-proof handles, insuring perfect grip..... .Price \$2.50 Weight, Il oz.



# Battery Pliers

These pliers are designed to provide positive gripping of badly corroded or mutilated battery terminal nuts.

The convenient angle of the jaws as well as the shape makes it possible to use these pliers in many positions that are inaccessible to many tools. Curved and hand-fit handles eliminate pinching the palm of the hand. Triple plated satin finish, length 8".

Weight, 8 oz.



### Brake Pliers for Steeldraulic Brakes


Here is a plier that is a real time and trouble saver. Shaped to get a positive grip on the knurled adjusting nut on steel draulic brakes used on a large portion of the popular cars. Attractive satin finish with highly polished head. Length 51/2".

No. 2120-Brake Pliers for Steeldraulic Brakes........... Price \$2.10 Weight, 6 oz.



# Brake Spring Pliers

A tool that simplifies the removal and replacement of brake shoe springs. The pointed beak of one jaw holds on to the lined shoe while the other jaw with the hook draws the spring into position. The notched ends of the handles can be used on the upright spring to get a positive hold. Satin nickel finish with polished head.



No. 2125


No. 2125—Brake Spring Pliers, 51/2" long...... Price \$1.90
Weight, 10 ox.

No. 2126—Heavy Duty Brake Spring Pliers, 131/2" long. Weight, 11/2 lbs.

Fully guaranteed as to material and workmanship



# PLIER and SPECIAL BOX END WRENCH Display Board



Tools Will Sell If You Show Them

The above display board provides a convenient as well as attractive way of displaying as well as stocking a small amount of each one of the tools illustrated.

This extremely substantial board is made of heavy plywood with strong black wood frame. The gold colored background makes the satin nickel

finished wrenches stand out with striking elegance. The size of all boards is 19"x31" and they can be furnished either in easel or hanger type. Shipping weight, 60 lbs. There is no charge for these display boards if ordered with assortment of wrenches and pliers as listed below.

guantity	Item No.	Description	Price	Quantity	Item No-	Description	Price	Quantity	Item No.	Description	P	Price
2	2126	131/2" Heavy Duty Bra		4	02012	10" Box Wreaches,	.95	4	02070	Dbl. Crescent Wrenches, A		1.30
		Spring Pliers 51/2" Brake Spring Pl	\$3.20	4	02013	10" Box Wrenches,		4	02071	Dbl. Crescent	Box	
3	2175	The state of the s		0.00	44414	2."X59"	1.05			Wrenches, †#		1,45
3	2120	5½" Brake Pliers for Steeldraulic Brakes		4	02014	10° Box Wrenches,	1.20	4	02072	Dbl. Crescent Wrenches, %		1.65
3	2110	41/2" Midget Ignition Pliers		4	02015	10" Box Wrenches,	1.35	4	268	Ford A and VE Adjusting W	Brake	
3	2115	8" Battery Pilers	1.60	4	02068	Dbl. Crescent Box		2	269	Ford A and V8 Bearing Wre	Main	
3	2100	9" Water Pump Plier	s 2.00			Wrenches, "h" X18"	1.10	- 2	9.29	Ford A and VB		2.00
4	02011	10° Box Wrenches,	.85	4	02069	Dbl. Crescent Box Wrenches, 1/2" x1/6"		- 3	273	and Manifold		2.20
		D C 11 11	Dilar and	Sancial	Bar En	d Wrench Display	v Board	with 65	Tools			
No. 1	931-650	B-Combination	riicr and	apeciai	DOX EN	d tricited bispin	,		2774	D.	ien \$95	30


Described Above ... Fully guaranteed as to material and workmanship



### DURO CHROME

# "Midget" Socket Sets-Parts and Fittings

1/4" Square Drive



The "Midget" series of sets, parts and fittings are all the name implies. They are small, well proportioned with 1/4" square drive and are especially designed for use on magnetos, generators, starters, carburetors, radio, electrical work and many other uses that the larger tools will not handle. Made from special chrome alloy steels, triple plated and polished. The four sets described below offer a selection where only essentials can be purchased and later other parts added. These sets are as follows:

### 14 Piece "Midget" Set

367	12 Pt.	Hex.	Socket	14" 8 Pr. So. Socket
100	41 44	86	16	Z = 1 1 1 1 1
JE **	84. 44.	98	**	52 m 11 11 11 11
11."	++ ++	44	16	6" Extension Adaptor
567	++ ++	+4	**	Slide T Handle
18"	27 86	9.9	(88)	Reversible Ratchet
Flex	Head	Hand	lle	4R3 Duro-Lite Screw Driver

No. 4504-14 Piece "Midget" Set ..... Price \$10.00


### 10 Piece "Midget" Set

36.7	12	Pr.	Hex.	Socket	16" 8 Pt. Sq. Socket
44"	11	88	**	((##))	A
A."	**	77	9.0	44	
			94		360
			44.		Flex. Head Handle
			98		

### "Midget" 12 Point Hexagon Sockets

	1/4" Square Drive	
No.	Size	Price.
4508	3/4"	\$0.30
4509	172 "	.30
4510	fe"	.30
4511	33"	.30
4512	¥8"	.30
4514	10"	.30

### "Midget" Ratchet



A very high grade drop forged reversible ratchet with 1/4" square drive. Made under an exclusive patent with no bolts or rivers, 5" long. 

### "Midget" Slide Tee Handle



Can be used either with or without the extension adapter shown to right and makes a handle that can be used in nearly any position. 4½" long.

Weight. ½ lb.

No. 4535—"Midget" Slide "T" Handle .... Price \$1.30

### 13 Piece "Midget" Set

200	4.	12	Pt.	Hex.	Socket 	16" 8 Pr. Sq. Socket
ř	×-		44	46	44	36"
2	111	395	110	- 04	0.0	
	H.	**	**	-1	0.550	6" Extension Adaptor Slide T Handle
Į,	2.0	**	84	45	. 44	
				Hand	lle	4R3 Duro-Lite Screw Driver

Shipping Weight, 1% lbs.
No. 4503—13 Piece "Midget" Set . . . . . Price \$7.00

### 9 Piece "Midget" Set

150	12	Pr.	Hex.	Socket	18" 12 Pt. Hex. Socket
200	44	14		- 61	34" 8 Pt. Sq. Socket
II-	44	++	**	44	ite" " " " " "
320	++	4.6	100	144	360 00 00 00 00

No. 4501-9 Piece "Midget" Set ...... Price \$3.00

### "Midget" 8 Point Square Sockets

	3/4" Square Drive	
No.	Size	Price
45085	3/4"	\$0.30
4510S	16"	.30
45125	3/6"	.30


### "Midget" Flexible Head Handle

With cross bar so it can be used either as an offset or "T" handle, Also has ¼" square drive in both ends and can be used with ratchet as an extension. 65%" long. Weight, 35 lb.



No. 4550-"Midget" Flex. Head Handle .... Price \$1.50

### "Midget" 6" Extension



This 6" extension adaptor provides an extension to be used with either the ratcher, flexible head handle or the slide "T" handle. 6" long-No. 4533-"Midget" 6" Extension. Wt. 1/4 lb. . . Price \$0.90

Fully guaranteed as to material and workmanship



# Tools Especially Adapted to Modern Refrigeration

The wrenches and other tools shown on this page have been grouped as they are especially adapted to home refrigeration. All tools are typical Duro quality and finish. Any refrigeration repair man or service man will appreciate these tools.

### Tube Cutter

Especially designed to cut copper, brass and aluminum tubing with least possible burr and effort. Special tool steel roller, properly heat-treated and harden



properly heat-treated and hardened. Will cut tubing up to and including 3/4" diameter. Easily adjusted. Heavily cadmium plated. Shipping Weight, 8 ozs.

### DeLuxe Tube Flaring Tool

For flaring copper, brass or aluminum tubing. Need not remove tube. Self-aligning. Designed for tubing  $\frac{1}{16}$ .  $\frac{1}{3}$ ,  $\frac{7}{6}$ ,  $\frac{7}{3}$ ,  $\frac{7}{6}$ ,  $\frac{7}{6}$ , and  $\frac{1}{2}$ , outside diameter. Very simple to operate.

Heavily cadmium plated. Shipping Weight, 1 lb. No. 262—DeLuxe Tube Flaring Tool Price \$4.50




### Handy Flaring Tool



Forming tool clamps firmly around the tubing and the end is then formed by tapping the punch into the end of the tubing. Will fit \$\frac{1}{4}\lldots\text{, fit}", \$\frac{3}{8}\lldots\text{, fit}" and \$\frac{1}{2}\lldots\text{ outside diameter tubing and } \$\frac{1}{2}\lldots\text{ outside diameter tubing and

### Flaring Tool for Larger Tubing



This forming tool is similar in construction to the one described above and is designed for the larger sizes of tubing, ½" 5%" and 3%".

No. 264 Heavy Duty Flaring Tool Price \$3.50 Shipping Weight 3/4 lbs.

### Refrigerator Ratchet Wrenches



The two ratchets listed below are identical with exception of the opening in the ratchet end, one being ½" square, the other being ½" square. Hardened gear and pawl, heavy stamped frame, cadmium plated.

### Refrigeration Socket Set



In this 17 piece Duro-Chrome Socket Set there is contained a combination of sockets and fittings to handle nearly every refrigeration job. The reversible ratchet has  $V_a^a$  male and female drive. There are three double hexagon sockets, sizes  $\tilde{\gamma}_a^a$ ,  $\tilde{\gamma}_a^a$ , and  $\tilde{\gamma}_a^a$ , 5 packing gland nut sockets described below and special Kerotest valve packing nut socket, together with  $\tilde{\gamma}_a^a$ ,  $\tilde{\gamma}_a^a$ , adaptor and 6" extension.

No. 4517RS—Refrigeration Socket Set ... Price \$12.00

No. 4517RSX—Same Set as above with No. 674

Ratchet instead, as illustrated ... ... Price \$9.70

Shipping Weight, 1½ lbs.

### Packing Gland Nut Sockets


These sockets are especially designed from chrome vanadium steel with 1/4" square drive for adjusting packing gland nuts.



No.	Dia Inside	meter Outside	Pro Depth	width	Price
4591 4592 4593 4594 4595	10 m 21 m 21 m 21 m 14 m 14 m	74 " 48 " 48 " 48 "	#"  %"  #"	## " 1/8" " " " " " " " " " " " " " " " " " "	\$0.90 .90 .90 .90

### Socket for Kerotest Valve Packing Nut

This special oval socket is 1/4" square drive, oval opening, 1/2"x3/8" and designed for servicing Kerotest valve packing nut.





Fully guaranteed as to material and workmanship



### DURO CHROME

# "Cub" Speedster Parts and Fittings

### 3/8" Square Drive

These parts have been especially designed for fast work on the most difficult operations. They are Duro-Chrome standard quality of best chrome alloy steels selected for maximum tensil strength for the tool in which they are being used. They are light weight.

### "Cub" Sockets



A thin wall, light weight socket with accurate broaching that assures positive grip. Triple plated, full polished satin finish. 6 sockets to a carton.



These thin wall, though extremely tough Universal Joint Sockets are designed for fast work in difficult to reach places. Triple plated, full polished satin finish. 6 sockets to a carton.

Total Commence of the Commence	SATURDAY .	Twin Hox.		
No.	Price	Socket Size	No.	Price
4412	\$0.40	3/8"	4412UV	\$2.10
4414	.40	10"	4414UV	2.10
4416	.40	35"	4416UV	2.10
4418	.40	16"	4418UV	2.10
4420	.40	56"	4420UV	2.10
4422	.50	177"	4422UV	2.10
4424	.50	3/4"	4424UV	2.10
		8 Point		
44125	.40	3/8"		
44145	.40	Ya"		
44165	.40	3/5"		

### "Cub" Universal Joint



A short three piece universal with 3/4" square male and female connections. Shipping Weight, 4 oz. 

### "Cub" Adaptors




These handy adaptors, when used with the ratchet or other fittings on this page, permit the use of "Midget" (1/4" Sq. Drive) or Standard (1/2" Sq. Drive) sockets in addition to

the series shown above.

No. 4493—3/8"x1/4" Reducing Adaptor ... Price \$0.50

No. 693D—3/6"x1/2" Increasing Adaptor ... Price ... 80

### "Cub" Speedster Slide Tee Offset Handle




The slide head together with the offset handle makes a combination that will be found convenient and fast.

Shipping Weight, 1/2 lb.

No. 4482-"Cub" Speedster Slide 

### "Cub" Reversible Ratchet



The most efficient and dependable tool for work in a minimum of space, due to the easy spring action of the ratchet gears and the extremely flat and narrow shape of head. Light thumb pressure on easily accessible switch will instantly reverse ratchet action.

Fully drop forged handle, 6" overall, adaptor in head has both female as well as male end. Bright satin finish with polished head. Weight,  $\frac{1}{2}$  lb.

No. 4487—"Cub" Reversible Ratchet ... Price \$3.00


### "Cub" Flexible Swing Head Handle




A convenient and efficient tool, popular with every mechanic. It has a spring friction radius regulator in swivel head. Length overall 10". Triple plated satin finish, polished head.

Shipping Weight, I lb.
No. 4481—"Cub" Flexible Head Handle ... Price \$2.30 

"Cub" Speeder Handle





### "Cub" Slide Tee Extension Handle

This handle is furnished in lengths with a removable 51/2" slide bar. All can be used as extension adaptors with our ratchet or any other

Fully guaranteed as to material and workmanship




# DURO CHROME

# "Cub" Socket Sets

3/8" Square Drive

A complete set of light weight 12 point sockets and wrenches with 3/8" square drive so much in demand by the mechanic. These tools are especially designed for fast work in the most difficult places and their construction from Duro-Chrome steel as well as other selected chrome steels insures maximum strength. They are triple plated, polished and rust proof. The set is contained in a substantial steel case with baked enamel finish and consists of the following pieces:




Long Speeder	A"	Offset	Wrench	16"	Hex.	Socket	3/8"	Hex.	Universal	Joint	Socket
Reversible Ratchet	36"	++	44	12"	++	#	70.00	44	.00	#	**
Universal Adaptor	18"	385	2343	1/2"	**	EK-	34"	41	**	37	144
Flex, Head Handle	15"	**	44	70 **	775	-	12"		22	44	++
Long Extension	14"	22		56"	44	100	56"	410	***	99	
Short Extension	36"	- 100	(44)	44."	431	10	15"	111	.14	44	33
Slide Head Bar	- 38			34"	9.	88	34"	383	**	**	**

	2010		
No. 5027-"Cub" Speedster Set-27 Pieces	complete as illustrated. Ship;	ning Weight, 12 lbs	Price \$31.50
The same set as above less seven universal No. 5020—"Cub" Speedster Set—20 Piece			Price \$18,60
The same as above less seven universal join No. 5014—"Cub" Speedster Set—14 Pieces			Price \$14.40
No. 5007UV-Set of 7 Universal "Cub" se	ockets only in fiber carton. S	hipping Weight, 1 lb	Price \$12.90

For those desiring a smaller metal box and only the essential "Cub" sockets and fittings the 13 and 11 piece sets are very desirable. The following sockets and fittings are in the 13 piece set:

36"	12	Point	Socket	3/4" 8 Point Socket
17."			**	75" " " " "
35"				55" ss ss ss
16"		**	44	Reversible Ratchet
56"		**	(144)	
11."		25		Flex. Head Handle
3/4"	44	-14	44	4½" Extension Adaptor

Shipping Weight, 3 lbs.



No. 5013-13 Piece "Cub" Socket Set.....

No. 5011-11 Piece "Cub" Socket Set, containing parts listed above, less Ratchet and Extension ..... Price \$6.80

Fully guaranteed as to material and workmanship



# S O CKE T S



### DURO: CHROME

Extra Deep Thin Wall Sockets



### DUROCHROME

Deep, Straight Side, Thin Wall Sockets

Sockets

A perfect socket where only the minimum of clearance is available, although the maximum of strength although the maximum of strength and toughness is expected. Triple plated finish with polished ends.



### DURO CHROME

Long Tapered Thin Nose Sockets



Vanadium Steel Standard Sockets

Designed as an all-purpose tool for the mechanic who requires maximum est tensile strength and utility. Accurate broachings assure positive grip, parable with the best grade tools on Attractive highly polished triple the market. Bright satin triple plated finish. Packed 6 sockets to a carton.

diments . , we at	h polished ends,	(d) (d) (d) (d) (d) (d)	130	Hex. Socket	Carrons		07/05/03/20/03/20/03/20/03/20/03/20/03/20/03/20/20/20/20/20/20/20/20/20/20/20/20/20/	1853020
No.	Price	No.	Price	Size	No-	Price	No.	Price
				A"			1210	\$0.40
				33"			1211	.40
				3/8"	anne en la	200200	1212	.40
		1114	\$0.50	10.	1614	\$0.50	1214	.40
1416	\$1.05	1116	.50	55.**	1616	.50	1216	.40
	- Control of the cont		- 100	45"			1217	.50
1418	1.05	1118	.60	10"	1618	,60	1218	.50
	1.00	1119	.60	18"	1619	.60	1219	.50
1420	1.10	1120	.65	5/6**	1620	.65	1220	.55
1.120		1121	.65	85"	1621	.65	1221	.55
1422	1.15	1122	.65	23."	1622	.65	1222	.55
7.100		117.3.30-3		88"	4,000		1223	,60
1424	1.15	1124	.75	34"	1624	.75	1224	.60
1425	1.15	1125	.75	89"	1625	.75	1225	.60
1426	1.20	1126	.75	187	1626	.75	1226	.60
	mm.11,20	1000		92"	- VXVV4		10-07-	-
1428	1.30	1128	.75	7/6"	1628	-75	1228	,60
1429 (18	mm.) 1.30			38"	er weeks			
1430	1.40	1130	.75	18"	1630	.75	1230	.60
				887	1631	.75	1231	.60
1432	1.50			1"	1632	.95	1232	.75
1434	1.60			114"	1634	1.00	1234	.80
1436	1.75			11/2"	1636	1,20	1236	.90
	100000000000000000000000000000000000000			176"		ONA	1238	.90
1440	1.90			134"	1640	1.20	1240	.90
				Square				
				- fe"			12105	.50
				3/4"			12125	.50
				10"			12145	.50
				35"	16165	.60	12165	.50
				· **	16185	.60	12185	.55
				1/8"	16205	.65	12205	.60
				11."	100000		12225	.60
				3/4" "/#"			12245	.60
				7/4"			12285	.80

### Chart of Wrench and Socket Openings and Sizes of Bolts and Nuts They Will Take

2 44	S.A.E. Std.	U.	S. Std.	America	n Std.	0	S.A.E. Std. Screws & -	U. S	S. Std.	Americ	an Std.
Opening	Screws & Note	Nots	Cap Screws	Nuts	Screws	Opening	Nute	Note	Cap Screws	Nuts	Screws
36"				No. 4		14"	1/2	-	1/2	Ť	1/2
9600 11:		3/6	1/4 A	Nos. 5 & 6 No. 8 No. 10		#:- #:-	Ž.	17	Ů,	15 17	7,
	2	1/4 -8-	1/2	- 54 - 6	ě.	10.2	tt.	1/4	3/4 5/8	14	% %
17."	1 Te	3/8	Ť	3/6	i'e	11/2"	7/4	3/4	1:		

Fully guaranteed as to material and workmanship




# DURO: GIROME

# Handles and Fittings

1/2" Square Drive.

The fittings and handles listed below are of standard DURO-CHROME quality and are of the highest standard of both quality and workmanship. They are Triple Plated and Rust Proof with bright satin finish and polished ends and faces. All are for use with standard 1/2" square sockets and fittings.

### Flexible Swing Head Handles



With Spring Friction Radius Regulator in Swivel Head

This type handle is one of the most popular tools with the mechanic as it adapts itself to practically any position and can also be used as an extension with a ratchet handle.

No. 667D-14" Flexible Head Handle. Shipping Weight, No. 666D-10" Flexible Head Handle. Shipping Weight, 

To turn the above tools into T-Handles, we furnish a 9" Slide Bar of 3/8" stock.

No. 668D-Slide Bar ..... Price \$0.25

### Offset Handle



Our Solid Head Offset Handle is a powerful all purpose tool. 10" overall. Shipping Weight, 11/2 lbs.

No. 662D-Solid Head Offset Handle . . . . . Price \$2.20

### Slide Tee Handle



The Slide Head Offset Handle is one of the most convenient tools in a mechanic's kit. By sliding the head along the 26"x10" bar, it can be used as "T" or "L" Handle, with or without extension adaptors shown on this page. Spring friction ball in head holds it in any position.

Shipping Weight, 1 lb.


No. 663D-Slide Head Offset Handle ..... Price \$1.40

### Reversible Ratchet



The design of this chrome alloy ratchet makes it the most versatile and time saving tool on the market. Can be operated in a minimum of space, due to the easy spring action of the ratchet gears and the extremely flat and narrow shape of head. Light thumb pressure on easily accessible switch will instantly reverse ratchet action. Fully drop forged handle of selected ateel, 9½" long. Adaptor in head has both female as well as male ends.

### Extension Adaptors




4293

These adaptors are for convenience and can be used with all of the handles illustrated and enable the mechanic to reach places quite difficult with the standard handles. The reducing and increasing adaptors also make it very convenient to use our "Cub" or Heavy Duty Sockets.

No. 582D— 3" Ext. Adaptor. Wt., 5 ozs. Price \$
No. 664D— 6" Ext. Adaptor. Wt., 9 ozs. Price
No. 665D—10" Ext. Adaptor. Wt., 1 lb. Price
No. 693D—1/2"x3/8" Reducing Adaptor. Wt., 1/2 oz. No. 4293- 1/2"x 3/4" Increasing Adaptor. Wt., I oz.

### Slide Tee Extension Handle



This handle is furnished in two lengths with a removable 10"

No. 580D-Slide Tee Extension Handle, 111/2" Price \$3.00 Shipping Weight, 2 lbs.....

No. 581D-Slide Tee Extension Handle, 7 1/2". Shipping Weight, 11/4 lbs..... Price \$2.70

Fully guaranteed as to material and workmanship




# DURO-CHROME

# Handles and Fittings


The fittings and handles listed below are of standard DURO-CHROME quality and are of the highest standard of both quality and workmanship. They are Triple Plated and Rust Proof with bright satin finish and polished ends and faces. All are for use with standard ½" square sockets and fittings.

### SPEEDER HANDLES



This speeder has comfortable bulb type handle. 18" overall, 8" sweep, ½" square shank fitted with friction ball. Shipping Weight, 2 lbs.

No. 651D-Long Speeder Handle ..... Price \$1.90



This Short Speeder Handle is same as No. 651D described above except it is 12" overall.

Shipping Weight, 11/2 lbs.

No. 652D-Short Speeder Handle ..... Price \$1.70

### Universal Joint Adaptor



An extremely strong, 3 piece universal joint adaptor with special spring friction radius regulator that will hold either end at any angle. The male and female ends are designed to be used with standard ½" square fittings and handles. Shipping Weight, 8 ozs.


### Universal Joint



The construction of this three piece universal is such as to give maximum strength and utility. Designed to be used with standard  $\frac{1}{2}$  square fittings and handles.

Shipping Weight, 6 oxs.

No. 696D-Special Alloy Universal Joint .... Price \$1.00



A knurled handle on this speeder gives it a slip-proof, convenient grip. 19" overall, 8" sweep, ½" square shank with friction ball. Shipping Weight, 1¾ lbs.

No. 651DK-Long Speeder Handle ..... Price \$1.15



This Short Speeder Handle is the same as No. 651DK described above except it is 12" overall.

Shipping Weight, 11/2 lbs.

No. 652DK-Short Speeder Handle ..... Price \$1.00

### Extension Adaptors







No. 4202

No. 693D

No. 692D

With the above range of square adaptors, which are fitted with two friction balls and made of special alloy-steel, it is possible to use the fittings shown on this page with either our "Cub" or "Heavy Duty" sockets. This enables the mechanic to use a most complete range of sizes and types of sockets for hard-to-get-at and particular jobs.

No. 692D—1/2" Short Square Adaptor Price \$0.40
No. 693D—1/2"x3/4" Reducing Adaptor Price \$0.80
No. 4293—1/2"x3/4" Increasing Adaptor Price \$1.00
Shipping Weight, I oz. to 4 ozs.

### Screw Driver Adaptor



Special Alloy Tool Steel screw driver adaptor is especially designed for use on drag link adjustments and similar operations.  $1\frac{1}{1}\frac{1}{6}$ " overall, standard  $\frac{1}{2}$ " square with friction balls on both ends. Shipping Weight, 1 oz.

No. 1302D-Square Screw Driver Adaptor ... Price \$0.55

Fully guaranteed as to material and workmanship



(A Better Chrome Alloy Steel) 1/2" Square Drive

# Tapered Thin Nose Wrench Sets

12 Piece Set

A compact set with the most popular tools and socket sizes for mechanics. Contains the following items: 10 sockets ranging in size from 18", Reversible Ratchet Wrench and 10" Flexible Swing Head Handle with slide bar. The slide cover heavy metal box is fin-



### 19 Piece Set

This set furnishes the mechanic with a wide range of the most useful and dependable sockets and fittings comprising

12" Speeder Handle	18"-	-12	Point	Socket
	5/4	3.4	- 50	14
Reversible Ratchet Wrench	21"	0.00	64	46
Slide T Handle	11"	64	64.	44
6" Extension Adaptor	16	40	(94)	22
Universal Joint	24		**	11
Screw Driver Adaptor	12"	44	64	44
₁₁"-12 Point Socket	26"	1.00	11	38
1/2"	15"	44	60	9.4
3" " " "	1 "	199	**	2.7
A STATE OF THE PARTY OF THE PAR			TAD IN A	THE WOOD PARTY.


All tools are triple plated and highly polished and come in a heavy, baked enamel steel container with handle. Weight per set, 13 lbs.

No. DC19-Wrench Set

### 27 Piece Set

For the discriminating mechanic this set offers a combination of the very best in utility, strength and design. The assort-ment of tools is complete for practically every kind of work on motors, trucks, tractors, buses, airplanes, etc. The set contains the following parts:





All tools are triple plated and highly polished. Packed in heavy gauge, baked enamel steel container with handle. Weight per set, 161/2 lbs.

Fully guaranteed as to material and workmanship

Printed in U.S.A.

No. DC27-Wrench Set



# DURO-CHROME WRENCH SETS

1/2" Square Drive



### Spark Plug Socket Set

For such cars as late models of Buick, Nash, Pontiac, Willys-Knight, etc., extra deep thin wall sockets are required to service Spark Plugs. 1/2" square drive ends make them interchangeable with all standard handles and fittings. Satin nickel finish with polished ends. Packed in strong fiber box. Shipping Weight, 3 lbs.

Set contains the following sockets:

Socket	Socket	Overall	Max.
No.	Size	Length	Diam.
1427	*82	31/4	1 10
1428	7/8	31/4	170
1429	++25	33/4	13/8
1430	18	31/4	134
1432	1	31/4	1 78
1436	1 3/8	31/4	13/2
*For	14 m/m Spark Plug.	**For 18 m/m Spa	ark Plug.



### 15 Piece Straight Wall Socket Set

This set with a range of 12 deep, thin wall straight sockets in sizes from  $\tilde{r}_{8}^{\alpha}$ " to  $\tilde{\tau}_{8}^{\alpha}$ ", together with a 10" flexible handle with slide bar, a reversible type ratchet wrench and a short adaptor, is especially desirable for motor, transmission and differential jobs. All tools, triple plated and highly polished, are packed in a heavy steel container with baked enamel finish. Weight per set,  $6\frac{1}{2}$  lbs.

No. 1112—Set of 12 Straight Side Thin Wall Duro-Chrome Sockets from Te" to th", in fiber carton, weighing 2 lbs... Price \$7.70

### Offset 12 Point Wrenches

These wrenches are typical Duro-Chrome construction and are especially adapted to work on electrical, carburetor, manifold, generator, starter, etc. Sockets are gun metal black with polished nose, handles are cadmium plated.



No. 440-5/16" Double Hexagon Offset Wrench	. Price	\$0.70
No. 441-3/8" Double Hexagon Offset Wrench	. Price	.70
No. 442-7/16" Double Hexagon Offset Wrench	. Price	.70
No. 443-1/2" Double Hexagon Offset Wrench	. Price	.70
No. 444-9/16" Double Hexagon Offset Wrench	. Price	.70
No. 445-%" Double Hexagon Offset Wrench	. Price	.70

Fully guaranteed as to material and workmanship



# CHROME VANADIUM STEEL SOCKET WRENCH SETS

Chrome Vanadium Steel is considered by many engineers one of the most desirable materials where strength, durability and utility are desired. This steel combines tensile strength and hardness to such a degree that it is used largely where unusual strains and conditions are encountered, yet it has elastic limits and lack of fatigue that make it very desirable for tools and wrenches especially when cut down to the thin walls in sockets.

# 42 Piece Set



The "V" type tool chest is made of heavy gauge steel, welded together and fitted with nickel plated clasps and leather handle. Besides 10 selected handles and special fittings, including a Reversible Ratchet Handle there is a full range of thin nose hexagon twelve point sockets from %" to 1½", 23 in all, and nine square eight point sockets from %" to ½", 9 in all. Sockets smaller than ½" are not practical in twelve and eight point. The smaller sockets are hexagon and square. All sockets and fittings are in duplex satin nickel finish with polished noses. Shipping Weight, 19½ lbs.


### CVS42 Set Contains the Following Parts:

Long	Speeds Swivel	e Har	ndle			14"		Hex.			Socket	1"	Double	Hex.	12	Point	Socket
	lide Bar		11.	indie		35.44	10	24	44	(11)	10	156	44	**	44	44	64
	Head		Lan	II.o		12"	110	11	11	**	66.	1%	7.64	49	4.6	144	86
	led Off					54"	44	44	44	44	44	134	4 44	**	**	44	- 11
	Extensi					34"	**.	44	**	144	00	44	Double	Sq. 4	Pe	oint S	ocket
	xtension					43."	10	94	44	0.00	(6)	16"	4.6	46 4	*	46	44
	rsible I					38"	(46)	**	44	**	**	74	44	46 4	*	44	**
	ersal Jo	200000000000000000000000000000000000000		minute		34"	**	44	3.6	**	66	1/2"	140	300		**	(10)
	w Drive		ntor			34"	86	14	-46	14	460	10	14	34 53	4	14	44
	Double				Section	13."	100	94	84	0.85	47	56"	146	64	*	68	16.
11#	LOGILITIE 14	G G	11	44	SOCKET	74"	44	**	**	-44	44	11."	+4	14 4		**	140
72.00	44	44	44	**		18.11	98	44	44	46	44	34"	44	64 4		44	-14
7.0	44	44	44	**		84"	**	915	**	98	66	- 74"	16	100		44	46
10																	

Fully guaranteed as to material and workmanship



# 23 Piece Set



CHROME

VANADIUM

STEEL

1/2" Square Drive

A high grade set containing 13 twelve point "Twin Hex" Sockets and 10 selected handles and fittings, including a Reversible Ratchet Handle. This combination has been selected for the mechanic to use on connecting rods, main bearings, transmissions and other places where it is difficult to use ordinary tools. The box is of heavy gauge steel, baked enamel finish. Sockets and fittings are duplex satin nickel finish with polished noses and faces. Weight, 121/4 lbs.

CVS23 Socket Set contains the following parts: Valve Grinder Socket 12 Point Socket Slide Head "T" Handle 35" u Socket for Alemite Fittings Short Speeder Handle 12 Point Socket 18" Reversible Ratchet Handle Combination "L-T" Handle B. # 11 10" Adaptor Extension Universal Joint Screw Driver Adaptor No. CVS23-23 Piece Chrome-Nickel Set


.... Price \$18.90

# 32 Piece Set

CHROME

VANADIUM

STEEL



1/2" Square
Drive

Price \$24.70

This 32 piece set contains ten handles and fittings, including a Reversible Ratchet Handle, especially selected for their utility together with 15 "Twin Hex" 12 Point Hexagon Sockets, 5 "Twin Square" 8 Point Square Sockets and 1 Square Socket. The case is drawn from heavy gauge steel without seams and is handsomely finished in baked japan. All sockets and fittings have standard ½" square drive and are finished in duplex satin nickel with polished nose and faces.

Shipping Weight, 16½ lbs.

in" 12 Point Socket CVS32 Set contains the following parts: 35" 12 Point Socket Slide Head "T" Handle Short Speeder Handle 13%" " 44 Long Speeder Handle Reversible Ratchet Handle Combination "L-T" Handle 8 Point Socket 10" Adaptor Extension 6" Adaptor Extension Universal Joint Screw Driver Adaptor Socket for Alemite Fittings No. CVS32-32 Piece Chrome Vanadium Steel Socket Set . .

Fully guaranteed as to material and workmanship



### 11 Piece Set


### CHROME VANADIUM STEEL

This set comprises an assortment of ten 12 Point Sockets and a popular 10" Flexible Handle of extremely substantial construction, with cross bar. In the selection of the ten sockets, special care has been taken to choose those which are commonly used on connecting rods, main bearings and other places difficult to reach. The 12 Point openings of the sockets are as follows: 2e", 1/2", 2a", 18", 5%", 211", th", 34", th", and 36".

Both the sockets as well as handle have a duplex satin nickel finish with polished ends. Packed in a substantial baked enamel steel box. Shipping Weight, 41/4 lbs.

No. CVS11-11 Piece Socket Wrench Set ... Price \$8.35

1/2" Square Drive




### 12 Piece Set

### CHROME VANADIUM STEEL

The ten most essential Sockets in 12 Point together with a Slide Head T-Handle and 10" Extension Adaptor, packed in a heavy drawn steel container, make up this handy set. Both sockets and fittings are duplex satin nickel finished with polished ends. The sizes of the socket openings are Te", 1/2", 12", 12", 5%", 11", 110", 14", 18", and 3/4".

Shipping Weight, 51/5 lbs.

No. CVS12-12 Piece Socket Wrench Set ... Price \$9.10



## Service Station Socket Sets

### CHROME VANADIUM STEEL


Sets as listed below provide the service station operator with a complete outfit of tools for servicing practically any car. 8 Drain Plug Sockets from &" to ¾", 7 double-square (8 point) sockets from to 34", a Drag Link Screw Driver Socket, an Alemite Fitting Remover Socket with a 10" Flexible Swing Head Handle with cross bar and a 6" Extension Adaptor comprise the assortment of tools in Set No. 13019. All tools have satin nickel duplex finish with polished ends.

No. 13019-19 Piece Set in Metal Case. Shipping 

No. 13019F-19 Piece Set in Fiber Box. Shipping Weight, 6 lbs...... Price \$13.00

No. 13010-10 Piece Set consisting of 8 Drain Plug Sockets, 10" Flexible Swing Head Handle with Cross Bar and 6" Extension Adaptor in Fiber Box. Shipping Weight, 31/2 lbs..... Price \$ 8.40

No. 13008-8 Piece Set consisting of 8 Drain Plug Sockets only, in Fiber Box. Shipping Weight, 




Fully guaranteed as to material and workmanship



# (A Better Chrome Alloy Steel)

# DE LUXE DISPLAY CABINET



### No. DC-202

An attractive, convenient as well as sturdy steel display storage and sales cabinet containing 202 pieces comprising 92 different items. How many mechanics are forced to go elsewhere for individual tools and probably buy other merchandise there also? This assortment and display is the logical answer for handling small tools profitably. 31" high x 25" wide. Shipping Weight, 132 lbs.

In additioon to the above cabinet we offer a smaller one measuring 241/2"x181/2" and containing only 107 pieces. The construction and finish however, are similar.

For detailed description of contents of both cabinets see back of this sheet

Fully guaranteed as to material and workmanship



# DE LUXE DISPLAY CABINET No. DC-202

The DeLuxe Display Cabinet, illustrated on reverse side of this sheet, contains the very complete assortment listed below, giving a convenient method of handling many small tools as well as an attractive sales display. No changes in assortment can be made when purchasing the cabinet and contents.

Standard	1/2"	Square	Drive	Handles	and	Sockets
----------	------	--------	-------	---------	-----	---------

Qua	n- Number	Descri	ption		List	Qua	n- Numbe	er Des	cript	ion		List
2	651D	Long 5	Speed.	Hdle.	\$1.90	3	1114	Strai	ght	Socke	t i's"	.50
2	652D	Short		- 66	1.70	3	1116	- 64		64	3/2"	.50
2	666D			andle	3.00	3	1118	44		-64	14."	.60
2	667D		14	44	3.20	3	1119	- 44		**	18"	.60
1	677D		t Wre	nch	3.00	3	1120	- 44		344	56"	.65
1	678D			atchet	4.00	3	1121	44		- 11	33"	.65
2	662D			ff. Hdle		3	1122	- 64		**	14"	.65
2	663D	Slide 7			1.40	3	1124	49		.44	34"	.75
2	665D			dapter_	1.00	3	1125	- 44		++	88"	.75
2	664D		41	4	.80	3	1126	64		44	18"	.75
2	582D	3"	(1)	**	.75	3	1128	44		- 44	36"	.75
2	588D	Univer	sal To	int		3	1130	44		44	18"	.75
3	692D			r	.40	EX		DEEP	12	PT.	SOCK	ETS
3	1302D			Adapt.	.55	1	1416	5/2"	Dee	p Soc	ket S	1.05
	1614			int in"	.50	1	1418	10.77	14	44		1.05
	1616	44		" 1/2"	.50	1	1420	56"	44	44		1.10
	1618	66	44	H 70 "	.60		1422	56"	44	- 01		1.15
2	1619	64	44	· 38"	.60	1	1424	34"	- 66	10		1.15
2	1620	AK:	66	4 54"	.65	1	1425	85"	44	- 44		1.15
4	1621	14	100	4 337	,65	1	1426	48.7	- 44			1.20
4	1622	44	14	·· ++"	.65	2	1427	87"	14	- 64	-	1.20
4	1624	64	(144)	" 36"	.75	2	1428	76"	. 19	3.89		1.30
4	1625	10	-14	" 18"	.75	2	1429	38"	- 44	44		1.30
4	1626	16	44	4 18"	.75	2	1430	15"	94	. 44		1.40
4	1628	++	++	" 1/8"	.75	2	1432	1"	- 66	(4)		1.50
2	1630	66	44	4 18"	.75	1	1434	170"	11	1.64	(A 2000)	1.60
	1631	44	44	44 31"	.75	2	1436	15%"	- 44	44		1.75
	1632	44	24	. 1"	.95	1	1440	11/4"	- 64	1.64		1.90
	1634	44.	(4)	" 1 %"	1.00	- 72	DRA	IN PL	UG	SOC	KETS	
	1636	44	4	" 11/8"	1.20	2	1310		Sock			0.50
	1640	44	14	" 114"	1.20		1312	3/8"	86	000	U.S.	.50
2	1616S	Socket	8 Poir		.60	2	1314	18"	-0			.50
2	1618S		44 44	10"	.60	2	1316	3/2"	44	-		.55
	1620S	44	11 11	56"	.65		1318	0."	64	775		.55

Qu		Description	List
2	1320	56" "	. 55
2	1322	11" "	60
2	1324	3/4" "	_ 60
2	1305	Drag Link Scr. D	. 70
3	1618-V8	Extra Thin Nos	e 8
		Ford Connectin Rods %"	g .80

### 3/8" Square Drive Handles and Sockets

Qui	Number	Descript	ion		L	st
2	4485	Long Sp	seed. I	Idle.	\$1	60
2	4487	Reversib				120
	4481	Flex. H.	andle			30
	4484	41/" F				90
	4483	91/2"	+	**	1.	IC
	4412	Socket	36"			44
	4414	**	70 "			4(
2	4416	46.	54"			41
2	4418	246	10."			40
2	4420	44	56"			40
	4422	44	15"		-	50
	4424	44	36"			50
	4412UV	Univer.	Socke	34	7 2	10
2	4414UV	44	100	1	" 2	10
	4416UV	66	+4	14		10
2	4418UV	88.	44.	.0	" 2	10
	4420UV	++	84	5.4		10
	4422UV	44	46	1	# 2	10
	4424UV	14	14	3/4		10
2	4497	Universa	l loin	. 1		00
2	4482	Off. Slie		Hdl		46

# DISPLAY CABINET No. DC-107

Quantity	Number	Description	List	Quantity	Number	Description	nn					List
3	651D	Long Speeder Handle	\$1.90	4	1614	Socket	12 1	Point	18"			.50
3	652D	Short " "	1.70	4	1616	40	44	++	34"			.50
3	666D	10" Flex, Handle	3.00	3	1618	44	64	- 55	15"		_	.60
3	667D	14" " "	3.20	2	1619	46	44	11	39"			.60
1	678D	Reversible Ratchet	4.00	5	1620	44	1.64	44	56"	4	12.	.63
1	677D	Ratchet Wrench	3.00	5	1621	24	1441	44	47.			.6
3:	663D	Slide Tee Handle		5	1622	100	16	**	th"			.6
3	665D	10" Extension Adaptor		5	1624	48	44	**	V4"			-73
3	664D	6" " "	100.00	3	1625	48	37	**	36"	1114		.73
2	582D	3" " "	700	3	1626	44	40	**	13."			.7
3	588D	Universal Joint	A STATE OF THE PARTY OF THE PAR	3	1628	44	44	**	7/4"			.73
3	692D	11/4" Adaptor		2	1630	(44)	66	-0	18"			.7:
3	1302D	Screw Driver Adaptor		1	1631	144	44.	44	35"			.75
2	1310	rh" Drain Plug Socket		3	1632	0.000	100	**	1"			.0
2	1312	16" " " "	800	1	1634	41	44	** 1	110"			1.00
2	1314	1 " " " " " " " " " " " " " " " " " " "	50	2	1636	44	44	* 1	15/4"			1.20
2	1316	15" " " "	8.6	1	1640	11	44	1	13/4"			1.20
2	1318	7e" " " "		2	1305	Drag I	ink S	Screw	Driver			.70
2	1320	56" " " "	66	3	1618-V8				Socket for			17
2	1322	11" " " "	100		STORY NO				g Rods 18"			.86
2	1324	34" " " "	60			1100000			B	STEEL	-	7

Fully guaranteed as to material and workmanship



# Heavy Duty Sockets and Fittings

3/4" Square Drive

Heavy Duty Ratchet



This Heavy Duty 18" Drop Forged Ratchet is made under our exclusive patents and construction is such that there are no rivets to shear and it will stand heavy use and abuse without damaging any part. Typical Duro-Chrome triple plated finish with polished end. Furnished complete with plug as illustrated.

No. 4276-Heavy Duty Ratchet ...... Price \$10.50 Shipping Weight, 31/2 lbs.

No. 4292-Plug Only for Heavy Duty Ratchet Price \$1.00 Shipping Weight, 6 ozs.

Heavy Duty Flexible Swing Head Handle



One of the most popular type handles with the mechanic. 19" long. Triple plated in combination polished and satin finish.


No. 4266-Heavy Duty Flexible Swing Head Handle ..... Price \$7.50 Shipping Weight, 41/2 lbs.

Heavy Duty Cross Bar

12" Cross Bar, designed to be used with Flexible Swing Head Handle illustrated above.

No. 4267-Heavy Duty Cross Bar ..... Price \$1.30 Shipping Weight, 14 ozs.

Heavy Duty Slide T Handle



This handle is 18" long and offers a multitude of combinations with fittings and sockets so as to reach the most inaccessible places.


No. 4263-Slide T Handle ...... Price \$2.90 Shipping Weight, 31/4 lbs.

Heavy Duty Extensions



Same type Combination Extension Adaptor as described below, only 8" long.

Price \$1.80 No. 4264-8" Extension Adaptor. Shipping Weight, I lb., 3 ozs.



This Combination Extension Adaptor can be used with any of the other handles illustrated on this page. Triple plated combination satin and polished finish.

No. 4265-16" Extension Adaptor. Shipping Weight, 2 lbs. ..... Price \$2.30

Heavy Duty Sockets



These Duro-Chrome Sockets are outstanding in their design as well as workmanship, and are thoroughly appreciated by the mechanic or anyone else who knows good tools. Have recessed drive ends which prevents sockets from falling off of fittings. Triple plated with satin and polished finish.

No.	Size	Weight Each	Price
4128	3/8"	4 ozs.	\$0.90
4130	15"	5 ozs.	.95
4131	81"	6 ozs.	.95
4132	1"	7 ozs.	.95
4134	1 Ta"	8 ozs.	1.10
4136	1½8" 138"	9 ozs.	1.20
4138	1 15"	10 ozs.	1.40
4140	11/4"	11 ozs.	1.40
4142	175"	13 ozs.	1.40
4144	13/8" 1 75"	14 ozs.	1.65
4146	175"	15 ozs.	1.85
4148	11/2"	1 lb.	2.00
4150	1 15"	1 lb. 2 ozs.	2.10
4152	15/8"	1 lb. 3 ozs.	2.10
4154	111 "	1 lb. 7 ozs.	2.70
4156	13/4"	1 lb. 11 ozs.	2.90
4158	1 18"	1 lb. 14 ozs.	3.30
4160	17/4"	21/4 lbs.	3.30
4164	17/8" 2"	23/4 lbs.	4.00
4170	216"	31/4 lbs.	5.90

Fully guaranteed as to material and workmanship



# Heavy Duty Giant Socket Sets


3/4" Square Drive

#### 14 Piece Set

A thoroughly dependable set of tools specially designed and constructed for extreme heavy duty work. Indispensable for work on tractors, trucks, busses, farm and road machinery, in industrial and all heavy machinery plants.


All tools made of the same specially selected chrome alloy steel that established "DURO-CHROME" tools as the products known for outstanding stamina under extreme strain and punishment. To assure positive hold on handles, sockets have lock-on feature.

Each tool triple plated in attractive duplex satin finish with highly polished ends. Packed in heavy gauge steel box, 20" x 2¾" x 6¼", gray enameled, with strong hasps and handle. Roomy enough for many additional tools, contents as follows:



# 13 Piece Set With Larger Sockets

3/4" Square Drive



This set is especially selected with the larger sizes of sockets all ranging over  $1\frac{1}{4}$ ", the largest size usually found in the standard  $1\frac{1}{2}$ " square drive sets, up to and including the 2" size. Especially desirable for large axle nuts, tractor, road machines and industrial work requiring large sizes as well as maximum strength. The heavy metal box is  $20\frac{1}{2}$ " x  $3\frac{1}{4}$ " x  $6\frac{5}{8}$ " in size, finished in gray enamel. The set contains the following parts:

19" Giant Flex. Head Handle; 12" Cross Bar; 1%", 13%", 11%", 11½", 11%",

Shipping Weight 25 lbs.

Fully guaranteed as to material and workmanship



# 47 Piece Junior Duro-Chest



Many of the superior features of the Senior Duro-Chest are retained in this smaller, though efficiently complete assortment of 47 tools.

Full set of Midget tools for the finer work, Standard Sockets and Attachments as well as a full set of Open End Wrenches for general all-around repair work. For extra convenience and efficiency a set of 3 Short 45° Box End Wrenches is included. The contents of the 191/2" x 71/4" x 71/4" Chest is as follows:-

#### Standard Series -1/2" Sq. Drive


#### "Midget" Series -1/4" Sq. Drive

No.	r	escrip	tion					Price	No.	Description Price
1614		Older Street	Tapered	There	Naca S	acket		\$0.50	4508	1/4" Socket\$0.30
1616	16 /2"	Long	rapered	I min	NOSC 3	6.6		F.0	4509	Ju
1618	92	44	**	44	44	4.0	Harter.		4510	5 " " .30
	18"	- 0)			44				4511	11
1619	18"	44	0.53	10			110.000	40.00	4512	36" "
1620	56"		41	- 44	440	46				J." " .30
1621	#5"	0.0	44	1	-		11.11.11		4514	
1622	14."	-				22	5133553		45085	
1624	14"		**	44	64				45105	A" "
1625	±9."	**	***	**	44	**	115 115 115		4510S	%"""30
1626	72"	4.4		44	110	46		.75	4550	Flex. Head Handle with Cross Bar 1.50
1628	7/8"	40	44	**	- 0	**		.75		
1630	-18"	44		68.	44	44		.75		
1631	81"	10.0	**	16	44	6.6	NAME OF	.75	D.	P. 1 1 On an End Wasnehoe
1632	1"	**	+4	**	90	44		.95	Bo	x End and Open End Wrenches
1634	110"	144	44	91	66	44		1.00		(A)
1636	11/8"	3990	1983	4.6	100	4.6		0.7252	No.	Description Price
1640	1 1/4"	44	44	111	44	44		1.20	1723	38" x 76" Open End Wrench\$0.60
16165	1/2"	Saus	re Long	Tanara	d Thin	Nore	Sacka		1725B	1/2" x 1/4" " " "
16185	5 #	Squar	re Long	apere	41	14030	JUCKE	.60	1027	18" x 11" " "
	2.6	44	144	140		- 1	110	.65	10285	5/6" × 44" " " 1.20
16205	78	and the Ta	Ratche						1731A	34" x 1/6" " " 1.60
678D										19" × 1" " 2.15
666D	10"		Head F						1033C	
668D	9"								02041	3/8" x 1/4" Short 45" Double Offset Box
58801			I Joint						122222	Wrench
692D			Adapto						02042	1/2" x 1/4" Short 45" Double Offset Box
1302D	Scre	w Dr	iver Ada	ptor	dian.			.55		Wrench
664D	6"	Exte	nsion Ac	laptor				.80	02043	%" x 11" Short 45" Double Offset Box
651D	18"	Spec	der Han	dle		15.51		1.90		Wrench 1.00
No IC	47 1	union I	Duro Ch	est Co	molete	with	47 To	ale		Price \$52.00
140. 10	, ,	unior	Duro-Cn	est, Co	mpiere	with	1. 10	Ols.	10000	Shipping Weight, Complete, 24 lbs.
M. 00	2 6		100							P. 11 00
No. 80	2	hest o	onty	HINE PE	21/201	4 4 4 4	*****		120.000	Shipping Weight, Chest only, 12 lbs.

Fully guaranteed as to material and workmanship



# 78 Piece Senior Duro-Chest



An ideal, well balanced combination assortment of all essential tools to completely equip the mechanic for all-around fast and efficient service.

Every angle of usefulness of each individual tool in this assortment has been thoroughly investigated to guarantee complete efficiency. These 78 tools have been chosen by us to give the mechanic the last word in utility for servicing practically everything from the finest work on ignition systems, generators, radios, etc., on to general automobile and aeroplane repair work including heavy duty work on trucks, busses, tractors, farm and road machin-

ery as well as for industrial uses.

While our Senior Duro-Chest is small enough to be convenient and handy, there is ample room for additional tools and accessories. Roller skids under the box allow easy moving. Removable tray and hinged front panel permit ready access to contents

Some of the outstanding features of our tools in the Senior Duro-Chest deserve special mention, such as: Standard and "Cub" Reversible

Ratchets.

6 of the popular Combination Box and Open End Wrenches A complete set of 6 Extra Deep Thin Wall Sockets for Spark Plugs, Shackle Bolts, etc. Heavy Duty Giant Sockets with

Lock-On feature.

All tools interchangeable by use of Reducing Adaptors.

Every tool designed for fast and dependable work. Selected chrome alloy steel, hardened and tempered under scientific control, makes "Duro-Chrome" tools the standard of quality for alloy tools.

Duplex satin finish and highly polished ends on our tools furnish an unequalled eye-appeal that will make the mechanic a truly proud owner of our Senior Duro-Chest More so if the surprisingly low price is considered. The contents of the 23" x 83/4" x 101/4" Chest

No.		scription		72	3Q.	DRIVE
1114				Wall	Socker	\$0.50
1116	100	++	**	34	++	
1118	20	196	(4.4)	(66)	146	.60
1119	18+	44	44	44	84.	.60
1120	100	44	111	84	66	.65
1121	21 "	9.0	9.6	11	9.0	
1122	11-	100	.00	**	100	.65
1124	32.0	44	4.6	461	88	
1125	100	Long	Tapered	Sorke		.75
1626	11 "	11	a subsequent	48		.75
1628	32,0	445	84	4.0		75
1630	360	41	344	44		.75
1631	Ma	44	**	44		.75
1632	74	66	8.4	. 90		.95
16165	26.00	Square	Tapered	1 Sad		.60
16185	5 10	arquare.	w influences	a Greece		
16205	17.4	441	100	11		
1618-	280					
V8	200		Thin N			for ods .80
1427	11"	(14mm	n.) Ext	ra De	ep T	
1428	74"	Extra	Deep Ti	nin W	all Spe	ark
1429	13"	(18 m	Socket	tra D	eep. Ti	him
1430	15"	Extra	Deep T	nin W		
1432	10	Extra	Socket Deep Ti	oin W	all Sp	1.40 urk
1436	134.	Pluj Extra	Socket Deep Ti	nin W	all Sp	1.50 ark
						1.75
678D	Re	versible	Ratchet			\$4.00

	TOHOUS.	
667D	14" Flex. Head Handle	1,20
668D		.25
651D		-90
588D	Universal Joint Adaptor	1.40
1302D	Screw Driver Adaptor	-55
664D	6" Extension Adaptor	.80
665D		1.00
693D	1/4" z 1/2" Reducing Adaptor	.80
н	EAVY DUTY SERIES-34"	
	CO DDIVE	

	HEAVY		UTY O. DR	SERIE	S-3	4."
No.	Descr					List
4134	14" (	siant	Socker			\$1.10
4136	13/2	11.	4.6			1.20
4140	1650	188	9.0			1.40
4144	1367	++	**			1.65
4146		10	**			1.85
4148		49	340			2.00
4156		100	4.4			2.90
1158		144	44			3,30
4263		all de	T. He	nella		2.90
4264				on Ada	mine	
		aruc.	fr.	OUR CHANGE	re	2.30
1265 1293	16" x	3/4"	Reduc	ing Ad	aptor	1.00
	DAY I			ODE		n

# BOX END AND OPEN END WRENCHES

			AA DEPT A PAIN	-		4312	-00e		μ.
	No.	De	scription		List	4514	TH		L
	02031	36.70	Combination Box	and	Open	45085	Va" Square	Socket	L
	Acres .	100	End Wrench -	IIII -	\$0.80	45108	2" "	**	L
	02032	2.0	44		.80	4512S	37.41 44	44	
	02033		0.		.90	4550	Hex. Head	Handle	
	02034		44		1.00	- 200	Bar	-	
	02035	提"			1.10	4533	6" Extension	n Adapto	F
i	with	78	Tools						
					Shipping	Weight	t, Complete	e, 60 lbs	

02036	il" Combination Box and Open End Wrench	1.2
02054	3/4" x 38" Regular Long 45" Double	1.2
02055	48" x 7/s" 11 41	1.50
02056	46" × 1" " " "	1.80
"'C	UB" SERIES - 38 SQ. DRIVI	
No.	Description	List
4412	½" Socket	0.40
4414	28 11	.44
4416	55" "	.44
4418	4 4	.44
4420	1/4" "	.41
4432	41/2" Extension Adaptor	.71
4483		1.1
4493	1/4" x 1/2" Reducing Adaptor	.50
4480	51/2" Cross Bar	.24
4481	Plex, Head Handle	2.3
4485	16" Speeder Handle	1,50
4487	Reversible Ratchet	3.0
4497	Universal Joint	2.0
"MID	DGET" SERIES-14" SQ. DRI	
No.		List
4508		0.30
4509	6" "	.34
4510	%" "	.30
4511	11 ** **	,31
4512	3/4" "	.30
4514	75.00	.36
45085	Va" Square Socket	,36
45108	3.0 30 00	.36
45128	37,0 44 44	3
4550	Hex. Head Handle with Cross	1.50
4533	6" Extension Adaptor	.91

Shipping Weight, Chest only, 20 lbs Fully guaranteed as to material and workmanship

Printed in U.S.A.

No. 801 Chest Only


25.00

# Duro Utility Ball Bearing Electric Drill



No.	Style	Capacity In Steel	No Load Speed	Shipping Weight	Price Each
3300	DA	V4 in.	2000	5 lbs.	\$17.95

# Duro Production Pistol Grip Electric Drills



More power per pound has been put into these drills than ever be-fore thought possible. Duro drills will not stall when used at their maximum rate of capacity, and have ample safety factor beyond that point. The aluminum case has sufficient ventilation to operate at full load continuously without over-

heating. Double reduction gears are helical cut chrome vanadium steel-extra quiet, smooth and efficient. They are heat treated and ground to give longer life.


Equipped with G. E. Motor for 110 A.C. or D.C. current, 60 cycles or less. Jacobs keyed chuck; 10 feet of 3 wire safety cord and non-breakable plug. Fitted with totally enclosed double pole trigger switch with lock for continuous running

	No.	Style	Duty	Capacity In Steel	No Load Speed	Shipping Weight	Price Each	
-	3305 3310 3315	DB DC DD	Ex-Heavy Heavy Special	1/4 in. √s in. 3/8 in.	2000 1400 1300	10 ½ lbs. 11 lbs. 12 lbs.	531.5 5555 35.0 5555 36.7	0

Fully guaranteed as to material and workmanship



# Duro Production Electric Breast Drill



# A Heavy Duty Tool

Efficiency and maintenance to meet factory and production work was the upper-most thought when Duro designed these drills. They are constructed in 3 self-contained units—motor—gears and brush mechanism. This assures greater efficiency positive alignment and accessibility in cleaning and maintenance.

# Special Quality Features

Like all Duro Drills, they are powered with special G. E. Universal Motors that will run continuously under maximum load without overheating or stalling. For 110 A.C. or D.C. current, 60 cycles or less. Prices furnished on special voltage on request. Equipped with Jacobs keyed chuck; 10 feet of 3 wire safety cord and non-breakable plug. Totally enclosed double pole switch with lock for continuous running.

# Durability and Design

Fitted with double reduction, helical cut gears made from chrome vanadium, heat treated steel—ground to give longer life and smooth, quiet operation. NOTE that all Duro drills are streamlined to give the minimum of offset to the center line of chuck and to allow operator to drill close to wall.

No.	Style	Duty	Capacity In Steel	No Load Speed	Shipping Weight	Price Each	
3320	DF	Extra-Heavy	1/2 in.	550	20 ½ lbs.		\$46.50
3325	DG	Heavy	5/8 in.	480	21 ½ lbs.		54.00
3330	DH	Standard	3/4 in.	425	23 ½ lbs.		\$7.00

Fully guaranteed as to material and workmanship



#### Case Hardened Special Steel Sockets

These sockets are accurately machined from special analy-sis cold rolled solid steel bars. Designed and constructed for heavy duty work, case hardened and cadmium plated. For use with standard 1/2" square adaptors and handles. The hexagon sockets are 12 point except those marked (\*) which are six point. The square sockets are 8 point except those marked (\*) which are four point.

1/2" Square Drive.




#### Hexagon Sockets

0	
Size	Price
3,"	\$0.20
44.	.20
36"	.20
1."	.20
1/5."	.20
127	.20
2.4	.20
10	.20
50.77	.20
21#	.20
32:	.25
10	.25
32 #	.25
7/4	.25
55	25
10	.25
98	.30
18	.30
55"	.30
	.35
1 1/2 "	.35
1 1/8"	.35
1 %	.35
1 1/4"	.35
	Size  £6"  \$6"  \$6"  \$6"  \$6"  \$6"  \$6"  \$6"

#### Sockets with Square Openings

	A STATE OF THE PARTY OF THE PAR	
No.	Size	Price
99105*	A"	\$0.20
99115*	44."	,20
99125*		.20
99145	16"	.20
99165	1/2"	.20
99185	76"	.25
99205	56"	.25
99225	±4."	.25
99245	3/4 **	.25
99285	3/8 "	.25

#### No. 672 Ratchet Handle



For use with standard 1/2" square adaptors or extensions.

This wrench, by actual test, has proven itself to be one of the sturdiest as well as most practical ever offered. All wearing parts are made of special analysis steel, heat treated and hardened. Simple cam action gives positive grip. The safety factor of this handle is far greater than any load that will ever be put upon it.

Shipping Weight, I lb.

. . . . . . . . . . . . . . . . \$0.80

#### No. 660 All-Purpose Combination "L-T" Handle



Will take care of practically every need for a handle that a mechanic will have. Can be used as an offset handle or "L" handle, or "T" handle. Made of 3/4" solid steel bar with heavy cold rolled handle. Length 10". Heavily plated. Ends accurately milled to fit all interchangeable sockets with 1/2" opening and equipped with friction ball on each end for holding socket.

Shitming Weight, 1 lb, 7 ozs.

Shipping Weight, 1 lb. 7 ozs. No. 660 .....

## No. 651 Long Speeder Handle



sockets having 1/2" square opening. Equipped with friction ball which holds socket firmly but allows it to be removed easily. Heavily nickel plated.

Shipping Weight, I th. 10 ozs.

#### No. 652 Short Speeder Handle

Same as No. 651 except it is 12"	
long. Heavily nickel plated.  Shipping Weight, 1 lb. 5 oxs.	
No. 652	\$0.75

## No. 696 Universal Joint



Accurately machined from solid bar special analysis steel, enabling use of tool at various angles. Standard 1/3" square opening, heavily nickel plated. Shipping Weight, 5 oxs.

# No. 691 Long Extension

Made of ½" solid steel bar, 7¾" long, both ends fitted with friction balls for use with standard ½" interchangeable sockets. Heavily nickel plated. Shipping Weight, ½ lb., 50.35

#### No. 692 Short Extension



Same as No. 691 except it is 11/4" long. Shipping Weight, 2 ozs.

## No. 661 Square Offset Handle

9" long, both ends are lox num fitted with friction balls and will take standard ½" inter-changeable square sockets.

Made of ½" solid steel bar, heavily nickel plated.

Shipping Weight, 14 ozs. No. 661

Fully guaranteed as to material and workmanship






The sets shown on this page have "Twin Hex" (12 point) sockets in all hexagon sizes 17" and larger while the square sockets 178" and larger are 8 point. Sockets and parts are made from special analysis steel, heat treated, tempered and hardened and are heavily cadmium plated.



1/2" Square Drive.

#### 46-Piece Heavy Duty Socket Set IN MECHANIC'S TOOL CHEST



12 Point Only

No. 9460XX-Set with "Twin-Hex" (12 Point) Sockets


Contains 46 heavy duty type cadmium plated sockets and fittings. Also has ample room beneath the tray for additional tools. Side and top panelled, corners welded. Box equipped with lock and two keys, size 14x65½ inches deep. All sockets carefully and accurately machined from special analysis solid bar steel, heat treated and hardened. Sockets and fittings of standard ½ inch square drive end type—readily interchangeable. Over 800 possible combinations.

Contains the following cadmium plated parts:
Short Speeder Long Extension Alemite Socket
Ratchet Handle Universal Joint Extra ½" Square
Comb. L-T Hdle. Screw Driver Socket for
Short Extension Valve Grinder Adaptor

Shipping Weight, 161/2 lbs.



#### 40-Piece Special Mechanic's Set



12 Point Only

All sockets machined from cold-rolled, solid steel bars, heat treated and hardened. ½" square shanks on handles, with friction ball snaps, can be readily interchanged. Nearly 600 possible combinations. Handles and sockets cadmium plated and rust proof. Heavy special steel case. Black japan finish. Contains the following parts:

Snort Speeder Handle Long Speeder Handle Ratchet Wrench Short Extension Long Extension Combination L-T Handle (Long Offset, "T" or "L") Universal Joint Valve Grinder Socket and Attachments

Screw Driver Attachments

Shipping Weight, 16 lbs.

		70000000000				
		He	xagon Sc	ckets		
1k" 11" 16"	10" 15" 15"	38" 38"	85" 15" 88"	34" 35" 18"	76" 18" 11"	136" 134"
		Sq	uare Soc	kets		
A"	4	( ** **	1/2" "		i."	3/4" 7/8"
No. 0	940XX	Set with	"Twin-	Hex'' (12	2 Point)	Sockets \$10.70

## 35-Piece Special Mechanic's Set



12 Point Only

Sockets of special analysis, cold rolled, solid steel bars, heat treated and hardened. Handles have ½" square shanks, nickel finish on all handles and sockets. Baked black enamel heavy steel case. No welded or rough corners. Over 500 combinations possible. Contains following:

Valve Grinder Socket and Attachments Long Speeder Handle Ratchet Wrench Coffset Handle

		Hes	cagon Sc	ckets		
14" 14" 26"	3/8″ 174″ 121″	1/2" 1/2" 1/4"	1 2 "	56" 136"	14" 34" 154"	18"
0.02		Sq	uare Soc	kets		
100	33" 3	E" 10"	35"	10"	56" 14"	34"
No. 0	835XX—	Set with			12 Point) S	sekets \$8.25
					Set with " No. 0835X	

except with special Universal Joint ..........\$8.75

Fully guaranteed as to material and workmanship





"Twin-Hex"


The sets shown on this page have "Twin Hex" (12 point) sockets in all hexagon sizes  $\tilde{\gamma}_{n}^{*}$ " and larger while the square sockets  $\tilde{\gamma}_{n}^{*}$ " and larger are 8 point. Sockets and parts are made from special analysis steel, heat treated, tempered and hardened and are heavily cadmium plated.



"Twin-Hex"

## 1/2" Square Drive.

#### "V" Type Heavy Duty Mechanic's Kit with 46-Piece Wrench Set




Heavy gauge steel case, electrically welded and trimmed with brass plated fittings, together with leather handle. Special analysis, solid

12 Point Only analysis, solid bar steel, heat treated, tempered and hardened sockets. Standard ½" square drive end type sockets and fittings, readily interchangeable. Over 800 combinations possible. Shipping Weight, 20 lbs. Contains the following parts:

↑e" †±" 36"	1. 1/6" 1/2" 85"	2 Point %" 32" 56"	Hexago #1" #1" #1"	n Socket	5 76" 18" 83"	1 " 1 % " 1 1/4 "
÷"	36"	8 Point	Square	Sockets	56"	1/1"
33"	10"		18		i"	3%"
A"	36"	Drain	Plug S	ockets	1/2"	36"
Long !	Speeder Speeder et Handle	Shor	bination t Exten	sion	Universa Screw D Valve G	river
No. 5 Socket	9450XX—	Set wit	th "T	win-Hex'		Point) \$15.40

## 32-Piece Service Station Special Set



Special analysis solid steel bar sockets, heat treated and hardened. Handles and fittings are standard ½" square, interchangeable with similar fittings. Baked enamel box, heavy gauge steel.

12 Point Only

Short Speeder
Long Extension
Ratchet Handle

12 Point Hexagon Sockets

\$\frac{1}{12}" \frac{1}{12}" \frac{1}{12}"

#### 45-Piece Master Wrench Set

A heavy duty 45 piece wrench set, including an all-purpose combination L - T handle. Set gives nearly 800 possible combinations.



Handles have 12 Point Only
1/2" square shanks with friction ball snaps and can be readily interchanged. Sockets are accurately machined from cold-rolled, solid steel bars, heat treated and hard ened. Metal case. Shipping Weight, 161/2 lbs.

Set contains 45 cadmium plated parts as follows:

Short Speeder Short Extension
Long Speeder Long Extension
Ratchet Handle Universal Joint Socket to Fit Alemite
L-T Handle Screw Driver

Drain Plug Sockets

76" 148" 77" 158" 78" 58"

12 Point Hexagon Sockets

76" 16" 16" 16" 16" 16"

11" 16" 16" 16" 16"

12" 16" 16" 16" 16"

14" 16" 16" 170" 174"

8 Point Square Sockets

76" 16" 16" 174"

No. 945XX—Set with "Twin-Hex" (12 Point) Sockets

\$11.00

## 25-Piece Garage Socket Wrench Set

Special analysis solid steel bar sockets, hear treated and hardened. Standard 1/4" square handles with friction ball snaps readily in-



terchangeable 12 Point Only with all standard ½" sockets. Heavy gauge stock case, baked enamel durable finish. Shipping Weight, 8½ lbs. Contains: Short Speeder, Long Extension, Short Extension, Ratchet Handle and the following sockets:

12 Point Hexagon Sockets

12 Point Hexagon Sockets

13" 16" 15" 16" 16" 16" 16" 16" 16" 16"

14" 16" 16" 16" 16" 16" 16"

8 Point Square Sockets

15" 16" 16"

No. 825XX—Set with "Twin-Hex" (12 Point) Sockets

56.15

Fully guaranteed as to material and workmanship



# Tools for Ford A, AA, B and V-8

Forged Main Bearing Wrench



Designed for convenient access to the main bearing bolt on Ford "A", "AA", "B", "BB", "V8-18" and "V8-40" cars. "2" 8 Point opening on one end and 3/4" 12 Point opening on the other. 16" long. Forged from Chrome Vanadium steel, Satin Nickel Finish with polished ends. Shipping Weight, 13/4 lbs.

No. 269-Forged Main Bearing Wrench . Price \$2.00

#### Forged Brake Adjusting Wrench



This drop forged wrench will take care of brake adjustments both on Ford passenger cars as well as trucks. Double square ½ and ½ openings will fit Ford Models "A," "AA," "B," "BB," "V8-18" and "V8-40." Length of 11" provides this wrench with sufficient leverage to comfortably reach and adjust brake nuts even if rusted or frozen. Shipping Weight, 1 lb.

No. 268-Forged Chrome Vanadium Brake Adjust-

No. 267-Forged Carbon Steel Adjusting Wrench. Cadmium plated finish. \$0.75

#### Water Pump Wrench



A very essential wrench especially designed for adjusting packing nut on the water pump of Models "A," "AA," "B," "BB," Ford cars and trucks. Stamped from heavy steel, hardened. Blue mottled finish.

Shipping Weight, 2 lbs. per dozen No. 650-Water Pump Wrench. Price ...... \$0.15

# Spindle and Spring Perch **Bushing Tool**


A heavy heat treated, tempered and hardened steel tool designed for removing and replacing bushings for steering spindle and spring perch in Models "A," "B," "V8-18" and "V8-40" Ford cars. The rugged construction, good design and utility of this tool appeals to the mechanic as well as car owner. Finished in mottled blue tool steel. Each tool packed in individual container.

Shipping Weight, I 1b.

No. 277-Spindle and Spring Perch Bushing Tool.



Head and Manifold Wrench



The special shape and construction of this wrench enables convenished to all head bolts and manifold nuts on Ford Models "A "AA", "B" "BB", "V8-18" and "V8-40". Drop forged from Chrevandium Steel, a 11" 12 Point socket opening on one side and 12 Point box opening on the other. Length, 15". Satin nickel fin with polished ends. Shipping Weight, I lb.

No. 273-Head and Manifold Wrench. Price

#### 12 Point Connecting Rod Wrenches



These 12 point double hexagon with the for convenient use on connecting rods. Head is made of chrome alloy steel, heat treated, tempered and hardened, handle ½" cold rolled steel, cadmium plated and rolled steel, cadmium plated and steel, handle ½". Shipping Weight, 1 lb.

No. 615-21/32" double hex. for Fords 1929 and later. Price \$0.75

No. 617-9/16" double hex for "V8-18 and V8-40" Price \$0.90 Fords .....

#### Piston Pin Tools




To properly insert Piaton Pins on Ford cars, it is absolutely necessary to have some special tool, so as to do the job quickly and conveniently Heat treated, tempered and hardened. Blue mottled finish, with polished ends. Shipping Weight, 2 lbs.

No. 276-AB-Piston Pin Tool for Model "B" Ford. Price

No. 276-V8-Piston Pin Tool for Ford "V8-18" and "V8-40". Price. Shipping Weight, 1 lb. 51.70

## Heavy Duty Wheel Puller

This closed or gate type wheel puller for Model "A", "B", "V8-18" and "V8-40" Ford cars is a tool that will be appreciated by both the mechanic and car owner. Can be clamped over hub in a moment. Cannot slip off or damage threads. Heavy malleable body with large hardened pulling screw. Baked enamel finish, cadmium plated trim.



Shipping Weight, 234 1bs No. 50-Heavy Duty Wheel Puller. Price

## Special Socket for V-8 Connecting Rod

On account of restricted space the nose of this socket is tapered down smaller than good engineering design permits. It is 12 point, 1/4" sq. drive and made of best chrome alloy steel but on account of special design it is not guaranteed.

No. 1618-V8-Special V8 Socket, Price \$0.80

Fully guaranteed as to material and workmanship



# Ford A, AA, B and V-8 Tools and Accessories

# "Red Head" Vacuum Valve

#### Grinder

This vacuum type Valve Grinder has a rotating guard and pressure plate that allows the operator to apply more pressure, thereby doing faster and better work as well as protecting the hands from coming in contact with the studs.

Shipping Weight, 7 oz.



#### Valve Bushing Punch


Designed for driving out valve stem bushings on Ford cars. Made of special analysis steel, heat treated and hardened.

Shipping Weight, 8 ozs.

No. 270-V8-Valve Bushing Punch for "V8-18" and "V8-40" Fords, Price . . . . . . . . . \$0.47

#### Crank Handle and Rim Wrench

These wrenches are substantially constructed to give reliable service. Made of special analysis steel, properly hardened and tempered. Finished in black baked enamel. Shipping Weight, 2 lbs.



#### Chrome Vanadium Steel Knock-Out Wheel Pullers

Machined from solid bar chrome vanadium steel properly hardened and tempered. Has vent hole to prevent cushioning on axle. A quality tool in every respect.

Shipping Weight, 1/4 lbs.

No. KO-120—Chrome Vanadium Steel Wheel Puller for Ford A, B, and V8. Price.....\$0.90

#### Standard Knock-Out

Machined from solid bar special analysis steel, heat treated and case hardened. Has vent and provides a satisfactory tool where only used occasionally.

No. KO-20—Standard Knock-Out for Ford A, B, and V8. Price \$0.35

# CARBURETOR TOOLS

#### Ford 1934 Jet Wrench

This tool is especially designed for removing jet in the 1934 Ford "V8."

#### Carburetor Insert Puller for Ford "V40"


This tool is especially designed for performing the difficult operation of removing the insert in 1934 Ford carburetor without damaging same. Handle, amber DuroLite, blade selected steel.

No. 283—Ford "V40" Carburetor Insert Puller . . . . . Price \$0.90

Shipping Weight, 3 ozs.

## Ford "V8" Carburetor Jet Wrench

For 1933 "V8" and earlier model Ford carburetors and fuel pumps. Hardened prongs properly placed for removing both jets.



## Ford "A" and "B" Carburetor Jet Wrench

This special wrench with hexagon openings on each end is especially designed for removing and replacing the two jets in Ford "A" and "B" cars. Cadmium plated.

No. 278—Carburetor Jet Wrench ..... Price \$0.70

Shipping Weight, 4 ozs.



Fully guaranteed as to material and workmanship



# Chevrolet 6 Main Bearing Wrenches



Drop forged, Chrome Vanadium Steel, Double end Box Wrench with 12 point openings to fit Chevrolet "6" Main Bearings. Satin nickel finish with polished heads.

No. 2050-12—Main Bearing Wrench for Chevrolet "6" and Pontiac "6" up to and including 1932 models, \$\frac{5}{8}\]"x\[\frac{3}{4}\]" openings, length, 12". Weight, 1 lb.

No. 2050-15—Same as above, however 15" long. 6 to a carton, weighing 6 lbs.

Price \$2.50

No. 2049-12—Main Bearing Wrench for Chevrolet "6" 1933-34 models, \$\frac{1}{8}\]"x\[\frac{3}{4}\]" openings, length, 12"; also fits Pontiac "8", 33-34; Dodge, Chrysler, Plymouth, 30-34. Weight, 1 lb.

No. 2049-15—Same as above, however, 15" long, 6 to a carton, weighing 6 lbs.

Price \$2.50



#### Chevrolet "4" Wheel Puller

This heavy malleable wheel puller screws on Chevrolet 1924-28 hubs and will also fit ALL FORD T TON TRUCKS UP TO AND IN-CLUDING 1928. Has split side with clamping bolt. The pulling screw is heavy and hardened. Baked enamel finish.

Shipping Weight, 11/2 lbs.
No. 45—Chevrolet "4" Wheel Puller . . . . . Price \$1.15


#### Chevrolet "6" Wheel Puller



A yoke type puller for all Chevrolet Six cars, both wire and disc wheels. Very substantially made, yoke is malleable iron especially selected for its tensile strength, the set screw is extra large, heat treated, tempered and hardened steel, baked enamel finish. Fully guaranteed for both quality and service.

Shipping Weight, 21/2 lbs.
No. 46—Chevrolet "6" Wheel Puller ...... Price \$1.25

#### Crank Handle and Rim Wrench





No. 601—Crank Handle and Rim Wrench for Chevrolet cars Models 1925-7 and 1931-2. Price \$0.67

No. 602—Crank Hand'e only for Chevrolet cars, Models 1929-30. Price \$0.60

No. 603—Crank Handle and Rim Wrench for Chevrolet cars, Models 1928 and 1933. Price \$0.70

## Chevrolet Spindle Bushing Tool



Strong, tempered and hardened steel tool, designed for removing and replacing Chevrolet Spindle Bushings. It can be used without the collar on spring bushings of all 1925 to 1929 cars, on brake bushings on all 1927-29 as well as on starter housing bushings on all models up to 1933 Chevrolet cars.

Shipping Weight, 1 lb.
No. 150—Chevrolet Spindle Bushing Tool. Price \$0.75

#### Valve Spring Compressor for Chevrolet 4's and 6's

A sturdy reliable device for compressing valve springs on Chevrolet 4 and 6 cylinder cars. Handle locks automatically in compressed position enabling quick and easy removal or replacement of locking key. Guaranteed against springing as well as breakage. Shipping Weight, 1½ lbs.



No. 741-Valve Spring Compressor for Chevrolet .... Price \$2.35

## Chevrolet Hub Cap and Water Pump Wrench



Made of heavy gauge steel cadmium plated, 3" and 1" openings. Especially designed for Chevrolet, 1929 and 1930 hub caps and also for all models including 6 cylinder water pumps up to 1934.

## Chevrolet Fan Belt and Water Pump Wrench




For use on all 6 cylinder Chevrolets to adjust Fan Belt and Water Pump Packing Nut openings ½"x1". Made of heavy gauge steel, heat treated and hardened. Blue mottled finish.

No. 646 Shipping Weight, 3/4 lb. Price \$0.40

Fully guaranteed as to material and workmanship



## Extra Long Heavy Duty Spark Plug Wrenches



These double end extra deep spark plug wrenches are especially designed for those hard to get at pluge in such cars as Buick, Nash, Willys-Knight, etc. They are machined from solid bar special analysis steel and have cross bar as illustrated.

The list below covers wrenches for all popular spark plugs and also gives details of wrench opening and the corresponding hexagon size of spark plug. Shipping Weight, 1/2 lb.

No.	Wrench Openings	Hex. Spark Plug Sizes	Price
54	#8"x1 sl2"	%" and 1"	\$1.05
55	##"×1 ##"	##" and 1 ½"	1.05
56	82"× 33"	18" (14 mm.) and 7/8" (18 mm.)	1.05

# Main Bearing Wrenches

FOR POPULAR CARS



All of these wrenches are made from Drop Forged Chrome Vanadium Steel and have 12 point accurately machined openings with heads properly offset and of the correct length to take care of problably one of the most important as well as difficult jobs on a motor. Shipping Weight, 1 lb.

#### No. 2049-12

This wrench has 12 point hexagon openings 3/"x1t", 12" long and is especially useful on main bearings and cylinder head bolts on the followings cars: Chev. 6 and Pontiac 8, 1933 and 34; Chrysler 8, Chrysler 6, Dodge 6, Dodge 8 and Plymouth, 1930, 31, 32, 33, and 34.

No. 2049-12-34"x11/16" Wrench, 12" long. Price \$2.10

#### No. 2049-15

This wrench has same openings as above wrench and suitable for same cars and is 15" for those desiring a slightly longer wrench.

No. 2049-15-34"x11/16" Wrench, 15" long Price \$2.50

#### No. 2050-12

Same type wrench as above with openings 54"x34", 12" long, especially designed for Chevrolet 6 Main bearings up to and including 1932 models. Also Pontiac 6, 1928 to 1932.

No. 2050-12-1/8x3/4" Wrench, 12" long ... Price \$2.10

#### No. 2050-15

Same wrench as above except 15" long-

No.2050-15-58"x34" Wrench, 15" long Price \$2.50

No. 269



Designed for convenient access to the main bearing bolt on Ford "A", "AA", "B", "BB", "V8-18" and "V8-40" cars.  $\frac{\pi}{4}$ " 8 Point opening on one end and  $\frac{1}{2}$ %" 12 Point opening on the other. 16" long-Forged from Chrome Vanudium steel, Satin Nickel Finish with polished ends. Shipping Weight,  $\frac{1}{4}$  lbs.

No. 269-Forged Main Bearing Wrench ..... Price \$2.00

# DURO: CHROME

Spark Plug Socket Set



For such cars as late models of Buick, Nash, Pontiac, Willys-Knight, etc. extra deep (31/4") thin wall sockets are required to service Spark Plug The popular 12 Point broaching combined with the strength of CHROME Alloy Steel used in these sockets allow many applications in general auto motive repair work. 55" square drive ends make them interchangeable with all standard handles and fittings. Duplex triple plate finish with polished ends.

Set No. 14006 contains the following popular assortment of sockets:

Socket No.	Socket Size	Max. Diam.	Price
1427	*87	1 🚾	\$1.20
1428	76	1 70	1.30
1429	++38	15%	1.30
1430	+8	134	1.40
1432	1	1 70	1.50
1436	136	11/2	1.75
*For 1d	m/m Spark Plue	seFor 18 m/m	Smark Plan.

No. 14006-6 Piece Spark Plug Socket set consisting of 

#### 12 Point Connecting Rod Wrenches FOR POPULAR CARS



These 12 point double hexagon bead wrenches have Chrome Vanadius Steel heads, accurately machined and of proper design to do this important and difficult task. Handle is 9" long, made of special analysis steel and offset at the right angle so as to give proper clearance and maximum neility. Weight, I lb.

No. 608-9/16" Double hexagon connecting rod wrench fits Chrysler 6 and 8, 1930-31-32-33 and 34; Dodge 6 and 8, 1930-31-32-33 and 34; Plymouth 4 and 6, 1930-31-32-33 and 34; Chevrolet 6, 1930-31-32-33 and 34. Also Pontiac 6 and 8, 1926 to 1934. Price \$0.90

No. 615-21/32" Double hexagon connecting rod wrench 

No. 617-9/16" Special shape to fit Ford V8 connecting rod. Made of best materials but due to extra thin wall nose made necessary on account of construction used on this car, the design of the socket does not meet standards set by good engineering practice and cannot be 


Fully guaranteed as to material and workmanship



## DeLuxe Tube Flaring Tool

For flaring copper, brass or aluminum tubing. Need not remove tube. Self-aligning. Designed for tubing &", ¼", in", in" and ½" out-Very simple side diameter. to operate.

Shipping Weight, I lb. No. 262-DeLuxe Tube Flaring Tool . Price \$4.50



#### Handy Flaring Tool



Forming tool clamps firmly around the tubing and the end is then formed by tapping the punch into the end of the tubing. Will fit #a". 1/4", #a", 1/8", 1/8" and 1/2" outside diameter tubing and

can be used with copper, brass and aluminum tubing. Heavily cadmium plated. Weight, 12 oxs. 

#### Flaring Tool for Larger Tubing

Same construction as above for tubing 1/2", 5/8" and 3/4"

No. 264-Large Handy Flaring Tool ..... Price \$3.50 Shipping Weight, I lb.

#### Tube Cutter

Especially designed to cut copper, brass and aluminum tubing with reamer to remove burr.



Special tool steel roller, properly heat-treated and hardened. Will cut tubing up to and including 3/4" diameter. Easily adjusted. Heavily cadmium plated. Shipping Weight, 8 oz.


#### Driving Punch for Grease Fittings



essential tool for inserting such grease fittings which are not the screw type. Open-ing at the end of the punch fits accurately over the nipple of the grease

fitting. Made of Chrome Vanadium Steel, heat treated and hardened. Shipping Weight, 1 ozs. No. 272-Driving Punch for Grease Fittings. Price \$0.50

## Grease Fittings Wrench and Re-Threader



Printed in U.S.A.

Designed to remove and replace all types of oil and grease fittings as well as remove parts of broken fittings and rethread where threads have been damaged. Provided with suitable slots for handling special fittings. Made from high grade tool steel, heat treated, tempered and hardened. All parts

cadmium plated. Packed in attractive carton, 12 tools to the standard package. Shipping Weight, 1/4 lb. No. 649-Grease Fittings Wrench........... Price \$0.65

Fully guaranteed as to material and workmanship

#### Grease Bar-Straight Type



A drop-forged hardened tool steel bar, octagon shaped, that will greatly facilitate a thorough greasing of frozen spring shackles. The belo it affords makes greasing now a one-man job. The tork end is set at a 25° angle to conveniently clear all obstacles under most cars and besides has 3 spring-leaf capacity to get a solid grip without endangering shackles or bushings. Length 30°, diameter \( \frac{1}{2} \), "cadmium plated finish. Weight, 4\), \( \frac{1}{2} \), \( \frac{1}{2} \).

No. 2190-One-Man Grease Bar ..... Price \$2.50

#### Angle Grease Bar



The 90° angle of the forked head is special signed for servicing the front springs on cars obstructions do not permit the use of grease bar. The other sand is tapted down aarrow round point like a huge drift which the mechanic will have many uses. Drop forged from \$\frac{1}{2}\$ and shaped tool steel, beat treated and hardened, cadmium plated fork has 3 spring-leaf capacity. Length, 20°. Weight, 3½ lbs.

Price \$2.10 No. 2191-Angle Grease Bar . .

#### Strap Wrench




For removing hub caps, lamp rints, racaps, distor Handle strong ma leable iron, overall, extra heavy woven strap 34 long. Has remov able pin to replace

Shipping Weight, 3/a lb.

No. 645-Strap Wrench..... Price \$1.20 No. 6455-Replacement Strap of extra heavy woven material 34" long. Shipping Weight, 6 ozs. Price, each \$0.60

#### Grease Ram



enables use where Alemite Ford "A" and similar fittings are used. Cadmium plated. Shipping Weight, 1/2 lb. No. 793-Grease Ram.....

Price \$0.85

#### Socket for Alemite Fittings

Designed to be used with any handle with 1/2' square drive end. Enables removal and replacement of Alemite and similar fittings.

Shipping Weight, 12 Sockets, 2 lbs.

No. 694-Socket for Alemite Fittings.

Price \$0.30

## Drain Plug Sockets

Carefully machined from Chrome-Alloy Steel, heat treat and hardened. Attractive alloy finish with polished ends. drive ends for use with all standard socket wrench handles

No.	Size					Price
1310-	5/16"		SSNS	1070	0.00	\$0.50
1312-	W-1 44					P.A
1314-	7/16"	4				.50
1316-	1/2"					.55
1318-	9/16"					.55
***	RT 7 38					
1322-	11/16"			-		.60
1324-	.34"		200			.60
	05—Chi					





## Advancing Reciprocating Type Valve Grinder



This grinder offers a tool of the very latest type that not only reciprocates when turning the handle, but also advances with a progressive action that reverses the grinding motion at a different point each time. A sturdy tool with hardened gears, ball bearing thrust, heavy drawn case, green baked enamel finish, as illustrated, complete.

Shipping Weight, 11/4 lbs.

	No. 412	Price	each	\$1.80
--	---------	-------	------	--------

No.	701-Set of 4 Fittings	XX0.000	Price	.30
No.	710-Rubber Vacuum	Cup	Price	.15



#### "Red Head" Vacuum Valve Grinder

This vacuum type Valve Grinder has a rotating guard and pressure plate that allows the operator to apply more pressure, thereby doing faster and better work as well as protecting the hands from coming in contact with the studs. Metal parts are heavily cadmium plated. Hard wood handle, finished in baked red enamel.

Shipping Weight, 7 ozs.

## Ford "A", "B" and "V8" Valve Guide and Spring




This ingenious device solves the problem for a valve guide as well as relief spring when grinding valves on Ford Cars. One style is for models "A" and "B" while the other style is for all "V8."

Shipping Weight, 4 azs.

Master "711" Valve Grinder

Especially designed so as to advance and have the reverse motion at a different place at each revolution of the handle, insuring an absolute perfect job. Body of close grain iron Ball bearing thrust insures ease of action. Long and short extensions provided. Heat treated, tempered and hardened gears. With the fittings furnished it is possible to grind all types of valves. 3 universal type blades and rubber vacuum cup furnished, with a valve grinding spring. Green baked enamel finish body. Natural lacquer handle.



Shipping Weight, 2 lbs.

No. 711 ..... Price each \$4.15

# Valve Grinding Spring

Applies proper tension under valve when grinding.

Shipping Weight, I oz.

No. 740-Valve Grinding Spring ...... Price SO 05


#### Four Ounce Double Can

These double cans contain 4 ounces of grease mixed valve grinding compound in the proper proportions to take care of both rough as well as the finishing work. Do not confuse this 4-ounce can with many of the smaller cans which contain only about half as much.



Shipping Weight, 6 ozs. No. 1510-Four Ounce Double Can Valve Grinding Com-.......... Price \$0.45

#### Ford "V8" Valve Tool



A drop forged tool especially designed for compressing Ford "V8" valve spring to enable removing or inserting bushing key. Length, 20½".

No. 2192—Ford "V8" Valve Tool . . . . . Price \$1.00 Weight, 1¾ lbs.

# Cylinder Head Lifter Set



With the use of these tools you can conveniently break the seal and lift the cylinder head off any motor. All tools are made from high grade steel, case hardened and heat treated, in heavy metal box. Shipping Weight, 5 lbs.

#### CONTENTS OF SET:

2-63/4" T Handles, 2-Socket Plugs of each of the following sizes: 1/8"-18 Thread, 1/2" Pipe Thread, 14 mm, Thread, 18 mm. Thread.

No. 60-Cylinder Head Lifter Set. Price per set complete \$4.15

Fully guaranteed as to material and workmanship



# Flexible Drive Valve Reseating Tools with Replaceable Discs

One of the outstanding tools of the industry. Modern cars demand modern tools. A simple, efficient money making tool for any mechanic or garage.

#### Replaceable Discs

The discs made from special grade abrasive are inexpensive and may be replaced readily when necessary. One disc will reseat all the valves on a car, even those with hardened inserts and is usually for more than one car.

#### Complete with 5 Pilots

The outfit listed below consists of one 45" head (No. 842) and five pilots, sizes 5/16", 3/8", 7/16", 19/32", and 1-1/32", together with 25 discs. Other heads and accessories are listed below and may be used in connection with this set.



# Use in Any Electric Drill 1/4" Chuck or Larger



Using on Angle

The illustrations show the different positions in which this tool may be used and how adaptable it is to all makes of motors-



Using Straight

#### Heads and Accessories

. Description	Į.
1 — 11 x 1 11 45 Head and Retainer only	
2 - 1/8" x 21/4" 45" Head and Retainer only	
3 —1 1/8" x 2 5/8" 30" Head and Retainer only	
4 —1" x 2 3/8" 60" Head and Retainer only	
5P10 — 👬 Pilot only	
5P12 — ¾" Pilot only	0 0 0 0 0 0
SP14 — 📆 Pilot only	
5P19"— ili" Pilot only	0.010.010.0
SP33*—1 " Pilot only	
6 —Flexible Shaft Drive only	
1D25 —Discs only for 1 1 45" Head, 25 in box, per box	
2D25 —Discs only for 21/4" 45" Head, 25 in box, per box	
3D25 —Discs only for 256" 30" Head, 25 in box, per box	
3DZ5 —Discs only for Z78 30 Head, Z5 in box, per box	
4D25 —Discs only for 23%" 60" Head, 25 in box, per box	
or Ford "A" and "B"	
or Ford "V8"	


Fully guaranteed as to material and workmanship



#### Midget Ignition Screw Driver



#### Perfect Tire Valve Tool



A substantial four-in-one tool for removing and replacing tire valve cores, deflating tires, rethreading the inside and outside of the valve stem. The core remover has a very convenient guide which slips over the valve stem, while the deflator end of our tool will clamp on the stem to release the air. The rethreaders are made from high grade, tempered steel. Put up 12 on display card, 3 cards to the carton. Shipping Weight, I lb.

No. 780-C12-Card of 12 Perfect Tire Valve Tools. Price \$6.00

#### Perfect Tire Deflator and Valve Tool



This tool is designed especially to carry in the pocket for deflating tires and removing or replacing valve cores. Comes 12 tools on attractive card similar to display shown above. No. 779-C12—Card of 12 Deflators. Price \$3.60 Shipping Weight, 1 lb.

#### Perfect Commutator Cleaner



A tool that has met instant reception from the mechanic as it fills a long felt need. The cadmium plated metal handle holds 36 inches of proper grade sandpaper for commutator cleaning and is provided with a convenient lock so a small portion can be replaced when a new surface is required. Mounted 12 cleaners on an attractive three color card, 3 cards to the carton. Shipping weight per dozen, 2 lbs.

No. 170-C12-Card of 12 Cleaners as illustrated Price \$8.00


#### Refills for Perfect Commutator Cleaner

Refills for No. 170 Perfect Commutator Cleaner consisting of rolls of the proper width 36" long with instructions for use come packed 24 rolls to the carton.

Shipping Weight for Carton, I lb.


No. 171-Carton of 24 Refills for Perfect Commutator 

# High Grade Ignition Set



This 12 piece set is contained in an attractive substantia leatherette case with snap. It has a 6 blade thickness gauge high grade insulated handle screw driver and ten tempered and hardened wrenches in gun metal finish. Will take care of practically all ignition systems as well as generator adjustments. Shipping Weight, 6 ozs.

Fully guaranteed as to material and workmanship





NOTE: Cabinet furnished with complete assortment as shown below—or \$4.00 net, without Wheel Pullers.

A balanced assortment of 240 Duro Standard Knock-Out Wheel Pullers for practically every car or truck, in a sturdy, attractive and convenient metal cabinet. Black Crackle Finish. Chart on each end showing cars, models,

etc. Ample storage space in back, which has hinged doors, for twice as much stock. Cabinet furnished with complete assortment as shown below. (Cabinet without Wheel Pullers, net \$4.00 each). Shipping Weight, 230 lbs.

Wheel Pullers No.	Quantity	Price Each	Total
KO20	30	\$0.35	\$10.50
KO24	60	.35	21.00
KO24C	10	.35	3.50
KO26	20	.35	7,00
KO28	50	.35	17,50
KO28B	10	.35	3.50
KO32	30	.35	10.50
KO36	10	,75	7.50
KO40	10	.75	7.50
KOA40	10	.75	7,50

# Special Assortment Chrome Vanadium Steel Knock-Outs with Cabinet

You may make your own selection of a complete assortment of Chrome Vanadium Steel Knock-Outs (numbers some of each KO-120 to KO-140A) and a cabinet will be included free least \$94.00.

of charge. The assortment to be complete must contain some of each number and the total list value must be at least \$94.00.

Fully guaranteed as to material and workmanship


PRICE

Standard Knock-Outs

Chrome Vanadium Steel Knock-Outs

PRICE

#### Standard Knock-Outs



Accurately machined from special analysis steel, heat treated tempered and hardened. Provided with vent that prevents cushioning on end of axle. These are exceptional values at attractive prices.

#### Chrome Vanadium Steel Knock-Outs

A quality tool in every respect. Made from Chrome-Vanadium Steel, electrically heat treated, accuratey machined in a convenient design and with vent hole to prevent possible damage to axle.



	values at attra	ctive prices.	to axle.		
No. KO-20 Size \$4"x18 Price \$0.35 Weight 10 ozs.	FORD—Model T up to 1928, DURANT— AB V8-18 V8-40 V8-46 ESSEX—19. CHEVROLET—490 and up to FLINT—B4 1924 Junior 19	24 to 1930 0 60 1926, Z18	STAR-F M R 4 and 0 1925-28, 70 1929 AUSTIN-All Models		No. KO-120 Sixe H"x18 Price \$0.90
No. KO-24 Size 3/4"x16 Price \$0.35 Weight 10 ozz.	CHINVROLET—Superier 1924, DC-8 15 KV AA AB 1925-28, AC 1932, DR 6 Cyl. 1929, AD-AE 1930- DP-6 193 31, BA Early 1932, BA DODGE C Late 1932 use KO-26 SE F10 CHRYSLER—50-52 1926-28, HC HCI 8 Cyl. 1930, CM 1931-32, CI 1932, 6Cyl. 1933 and 34 DUBANT—	29-30-31, D-L-6 , DS-6 Cyl. 1934, 33	GRAHAM PAIGE—6-12 1929- 30, 45 Spec. 6, 46 Std. 6 Early 1930 FRANKLIN—11-B 1927, 130	PLYMOUTH—1928-33-34 WILLTS (OVERLAND)—4 Gyl. 77 1933-34 TRUCKS CHRYROLHT—BB Light De- livery ½ Ton Early 1932, Late Model 1932 use KO- 26 PONTIAC—1926-28 G.M.C.—T10 T11 T11- 1001 1927-29	No. KO-124 Sire 34"x16 Price \$1.00
No. KO-24C Sixe 34"x20 Price \$0,35	Terrapiane—1932-34 Hudson—1934 Eight				No. KO-124C Size 44"x20 Price \$1.00
No. KO-26 Sixe + 1 "x16 Price \$0.35 Weight 10 axx.		Delivery 15 Tos 2. Early BB use			No. KO-126 Size 13/16"x16 Price \$1.00
No. KO-28 Size 3/4"x14 Price \$0.35 Weight 10 oxt.	6-85 1930, 6-66 8-77 1927- 28, 8-98 8-98A 1931-32 without dual ratio, 12 Cyl. HENNEY- 1932 without dual ratio, 12 Cyl. BURK — 120" WB Cars 1927-28, 121" and 129" 1927-34 WB 1929, Series 50 to 59 and 60 to 69 1930, 8-80 8-90 1931, Ser. 60-80-90 1932 CHRYSLER—65-75 1928-29, 170-77 1929-30, 70 6 Cyl. 1931-32, 8 Cyl. 1931-32- 33, 60 and 62—58 1925- 27, Imp. and DeLuxe 1931-32, CT, Royal 8 1933, CU, CV, Imp. 8 1934 DODGE—Standard and Vietory 6 Fast 4 1927-28, DK-8 1932, DO-8 1933 CU, CV, Imp. 8 1934 DOGGE—Standard and Vietory 6 Fast 4 1927-28, DK-8 1932, DO-8 1933 CHARAGORD STANDARD STA	nec. 6 Late 1930- dd. 6 1930-31, 56 1932 20-24 1929 All 6 Cyl. Mod- 30 a — All Models Line U 1930, 7.28 Line U 1930, 7.28 Line U 1930, 7.28 Line H 1926-29, 70 1927-28 Light 8 mnd L 78 1928-29, 68 8-69 1930, 70 60 6-70 1926-29, 7-29, 8-92 1929 pecial and Ad- Series 400 1916 Fwin Ign. 6 1930, 130, 890-8 1931, 1932, 1090 1070 32, 1080 Worm 932, 1180 1280 0 1934	pet 1720-51, 4a 91 92 93 93A PACKARD—1932-34 PERRIRSS—125 8 Cyl. 1929. 6-81 6-61 6-61A 6-60 61 1927-30, A Std. Str. 8 1930-52 PONTIAC—All Models 1929-32 ROCKNE—1932-33 ROOSEVELT—8 Cyl. 1929-31 STUDERBAREE—Com. 6 1929-30, Com. 8 1929-32, 6 Cyl. 1939-31, 4 Cyl. Light 6 Std. 6 Diet. 1919-29, 6-55 6-56, 8-62, 8-73, 8-71, 8-82, 1932-33, A-Diet. B-Com. 1934 STUTZ—Series AA 1926-28, RB 1928-30, M MB 1929-31 WILLYS KNIGHT—70 A Spec. 6 1927-28, 97-98D 1931, 95-97 6-90 1932, 56 Std. 6 Dist. 7028, 708 87 1929-31, 66D 1931-32, 880	97 6-90 6-98 1932 8-80 1931 WINDSON MOON—6-72 1929, 8-92 1930 TRUCKS CRICAGO—AX 1927-28 DODGE GRAHAM—D-E Ser. 1927-29, C Ser. D Ser. 1926-28, E Ser. B Ser. 1926-30 INTERNATIONAL TRUCKS—CI DI 1932-34 OVERLAND—96A 3½ Toa 1928-30 STUDEBAKER—SI Ser. 1½- 1½ Toa 1931, Del Truck 1929-30 WILLYS KNIGHT—T100 T101 1928-29 WILLYS KNIGHT—T100 T101 1928-29 WILLYS COURLAND—CI13 1931-32 YELLOW—TZ Knight 1926- 29	No. KO-128 Size 24"x14 Price \$1.10
No. KO-28B Sixe 1/4"x18 Price 50.35	Weight 10 oxs. Essex-Challenger Sup- Pacemaker 1930-32	er 6 Hubson — S maker 1930	uper 8 Pace- 1-32-33		No. KO-1288 Size %"x18 Price \$1.10
No. KO-32 Size 1°x14 Price 10°x15 Weight 12° ozz.	8-88 1926-28, 6-85 1936 1930 12-161 12-161A 12-165 KISSHL — 6 1932-34. 850X. 852X 80 1928, single ratio, 850Y 652Y dual ratio 1934 BUHKK-Std. 6 1926, Std. 6 1928 116" WB 1929, Ser. 40 to 49 1931, Ser. 10 1931-2, 8-50 8-56 8-56 Ser. 50 to 1932, 8-50 8-60 Series 1933-34 DUPONT—DE 1928, G 1929 PRANKLIN — Olympic 6, Series 17 12 Cyl. 1933 GRNHBAL TAXO—Ol0 1929- 6-80 192	5 8-37 1929-31 933-34 -10-14 1929 G-90 Great Line 5-55 8-65 1927, 6-54 8-74 548 7-29, 8-80 8-95 -350 Str. 8 1934 -79 1930-31, 125 60 1070 1932 n — All Models 1934 -1934 Models 1934 -1901 902 903 904 6-90 1926-29,	RED—1927-54 STUDERBARER—Big 6 Spec. 6 1919-26, Pres. 6 1924-28, Comm. GB-GH 1927-28, Pres. 8 1928-32, 8-91 8-92 1932-33, C-Pres. 1934 VELIB—50 1927-28 VIKING—V-29 8 Cyl. 1929-30 WILLYS KNIGHT—66A Great 6 1927-28, 56 1929, 64 6-66 1923-28, 66B 1929-31 WOLVERIND—1927 YELLOW CAB—05S 1925-27, 06 1926-29	1932-34 G.M.C.—T11 1930, T-19 1926-29 INDIANA—300 200 74 11 IIX 611 1926-30 INTERNATIONAL — LD SPD AWI 1926-32 REO — BA JR15 B2 Spd Wag DA DC DF 1928-30 STUDEBAKER—Seminole 154* WB 1928-29 WILLYS KNIGHT—C101 T103 1929-31 WILLYS OVERLAND—6-C101 1930-32 CHEVEROLET—36 34 1 Ton	No. KO-132 Size 1"x14 Price \$1.20



#### Duro Knock-Out Wheel Puller Guide

CHROME VANADIUM STEEL

STANDARD KNOCK-OUTS		(Continued from	preceding page)		STEEL KNOCK-OUTS
No. KO-36 Size 1½ "x12 Price \$0.75 Weight 1½ lbs.	1931-32. Master 6 1925-	HINNEY—Ambulance 1926-7 LASAILE—All Models 1927-33 LOCOMOBILE—8-80 Big 6 1929 MARMON—H 136" WB 110 111 116 117 118 119 1930, H-88 1931, 140 16 Cyt.	1926-28 PRERILESS—C Custom Str. 8 1930-32 STUTZ—Blackbawk 6 and 8 1929-30, LA 6 Cyl. 1931 TRUCKS	Crown Meter 1 ½ Ten 1927-31, FA FB 1927-28 CHICAGD — 1 Ten 1925-26, Late 1926 Model 10 and AX 1927-28 use Knock- Out KO-32 G.M.C.—K-16 1916-24	No. KO-136 Size 1½"x12 Price \$1.50
No. KO-40 Size 1 ½"x7 Price \$0.75 Weight 1½ lbs.	AEMLEBER—30 1928-29 ATTERBURY—24R 27R 1928 BEGGE WAY—S-23 to 28-30- 31 1928, S-30 S-K12 16 1929, S-31 1930 CLYDESDALB—9 1928 COMMERCE—Super 11	DIAMOND T—302 T3 T5 T7 T36 T56 1928-29 DODGE GRAHAM — A-B-C D-E Series 1923-30 FIDERAL—A6 1928-29, T2W T6W T3W T7W T21 T22 T8 1928-29 GARPORD—30 30-6 1924-28 G.M.C.—T50 1927-29	30C 1925-28 -GRAMM BERNSTRIN-115 115-8 1926-28 -HUG-20-21 1927-28, 22 1929-31 INDIANA-400 1928-30, 111 6111 1926-28	Kissel.—1½ Ton 1924-27 LEMOON—H20 H21 1928 NOBLE—146A 1928 SELDEN—19 1-Ton 1927, IS Pass. Bus 1926-29 SERVICE—SII 1927-28 STEWART—28X 24 24X 18 17 17X 1927-30	No. KO-140 Size 114"x7 Price \$1.90
No. KO-A40 Size 1½ x12 Price 50.75 Weight 1½ lbs.	ATTHEBURY—24R 27R 1928 BROCK WAY—S-SK 1924-27, S-31 1930, S-23 to 28-30-31 1928, S-K12 16 1929 S-31 1930 CHEVROLET—L S 1930, LT 13/2 Ton 1931, Single Wheel Trucks 1932 and 1933, M. O. Duni Wheels L 1931-2-3 PA, PB, PC, PD 1934 CHICAGO—15W 20 1925-27 CLYDSBRALE—9 1924-28 COMMRICE—14 14B S-14	T56C 1924-27, T3 T5 T7 T36 T56 1928-29 FEDERAL — T8 T3W T22 T7W 1929, T3W T8 1930 FISHER—F, Merc, Ex. 1927-31 FORD—AA and BB 1929-33	GRAHAM BROS.—See Dodge GRAMM—263N 363N 1926- 29, 463N 1928-29 HUG—1½ Ton 1925-27 INDIANA—115 1929-31, 615 1931 INTERNATIONAL—Six Speed Spec. 1928-31, AW2 Six Speed Spec. 1931-32, S24 S26 SD SL34 SF34 1925- 31, AL3 ALF3 1931-32, A2 B2 1931-32 MACK—8 AC 1929-30 RRO—FD FC FH 1928-31.	FKX FHX FAX 1932 REPUBLIC—50 75 76 1926-29 STEWART—Buddy Six 1924-28, 30, 30X 1930-31, 40 XA 1932, 42X 1933-34 STUDERBAKER—75 75JR 76 77JR 184" WB 1928-29 WILLYS KNIGHT—15 16 1½ Ton 1928-29, T20 T21 1927-29 YELLOW—Y-29 Pass.	No. KO-A140 Size 1¼"x12 Price \$1.90

#### WHEEL PULLER GUIDE FOR DURO KNOCK-OUTS

in Alphabetical Order for all Passenger Cars and Trucks

Name of Cars (Passenger)	MODEL OR YEAR	Knock-Out Wheel Puller Number	Name of Cars (Passenger)	MODEL OR YEAR	Knock-Ou Wheel Paller Number
AUSTIN	All Models	KO-20	Du Pont	DE 1928, G 1929	KO-32
AUBURN.	76 1928, 6-80 1929, 6-85 1930, 88- 8-90 6-80	100000000000000000000000000000000000000	DURANT	6-17 1930	KO-20
	8-95 6-85 1928-30, 6-85 1930, 6-66 8-77 1927-		DUBANT	6-14 1930, 6-10 6-12 1931, 6-19 6-21 6-22 1932	KO-24
	28, 8-98 8-98A 1931-32 without dual ratio.	KO-28	ELCAR	6-75 1926-29, 6-75A 1930	KO-28
was was a second	12 Cyl. 1932 without dual ratio.	K-0-28	ELCAR	8-82 1928, 8-95 1929	KO-32
AUBURN	8-88-130" and 147" WB 1927, 115 1928-29, 6-85 1930, 120 1929, 125 1930, 12-160 8-100		Elcan Enskise	6-70 1927, H96 1930	KO-36
	1932-33 with dual ratio, 8-88 1926-28, 6-85	8 - 6		6 1927-29	KO-24
	1930, 12-161 12-161A 12-165 1932-34, 856X		Enskins Essex	6 1930	KO-28
	852X single ratio-850Y 652Y dual ratio 1934	KO-32	Essex	1924-30	KO-28B
Berew		KO-24	FLINT	Challenger Super 6 Pacemaker 1938-32 B40 60 1926, Z18 Junior 1925-27	KO-28B
Buick	Series 50 1932-33 120" WB Cars 1927-28, 121" and 129" WB	CHARLE .	Form	Model T up to 1928, AB V8-18 V8-40 V8-46	KO-20
	1929, Series 50 to 59 and 60 to 69 1930, B-80	Sec. 2017	FRANKLIN	11-B 1927, 130 135 137 1929, 145 147 1930.	1615-20
Service S	8-90 1931, Ser. 60-80-90-1932	KO-28	- 1000 ABOUT	Transcontinental 1931, Ser. 15 153—Ser. 16	
Buck	Std. 6 1926, Std. 6 1928 116' WB 1929, Ser.			1931, 161 162 163 1932	KO-24
	40 to 49 1931, Ser. 60 1931-2, 8-50 8-57 8-54		FRANKLIN	Olympic 6, Series 17 12 Cyl. 1933	KO-32
	8-55 8-56 8-56S Ser. 50 to 1932, 8-50 8-60 Ser. 1933-34	KO-32	FRONTENAC	Canada 6-85 1930-32	KO-24
Burck	8-80, 8-90 Ser, 1933-34	KO-36	GARDNER	85 1928-29, 150 1929, 6A 1925-26, 8A-90 1925-	
CADILLAC	353 Late 1929-30, 355-8 370A-12 452A-16			27, 80 1927, 75 1928	KO-28
100000000000000000000000000000000000000	1931, 355 B 8 370 B-12 452B-16 1932 1929-	No.	GENERAL		
	1934	KO-36	TAXE	010 1929-30	KO-32
Chevrolet	490 and up to 1924	KO-20	GRAHAM	6-12 1929-30, 45 Spec. 6, 46 Std. 6 Early	KO-24
CHEVROLET.	Superior 1924, KV AA AB 1925-28, AC 6 Cyl.		PAIGE	1930 6-10 1928-29, 45 Spec. 6 Late 1930-31, 46 Std.	KU-24
	1929, AD-AE 1930-31 BA Early 1932, BA	W. W. W. L.	GRAHAM	6 1930-31, 56 Pros. 6 1932	KO-28
CHEVROLET	Late 1932 use KO-26	KO-24 KO-26	PAIGE	6 1950-31, 30 1700, 6 1952	Web-TH.
CHRYSCER.	BA Late 1932, Early BA one KO-24, 50-52 1926-28, 8 Cyl. 1930, CM 1931-32, CI	KO-20	PAIGE	6-14 6-19 8-27 8-35 8-37 67, 68	KO-32
CHRESCH.	1932, 6 Cyl. 1933 CA CB Sixes 1934, CO		GRAHAM	6-15 Late 1929-30, Spec. 6 1930, 42 Spec. Std.	
	Six 1933	KO-24	PAIGE	8 1930-31, 57 1932, 58 69 1932-34	KO-36
CHRYSLER.	65-75 1928-29, 70-77 1929-30, 70-6 Cyl. 1931-		HENNEY	20-24 1929	K O-28
	32 8 Cyl1931-32-33, 60 and 62-58 1925-		Hererey	10-14 1929	KO-32
	27, Imp. and DeLuxe 1931-32, CT Boyal 8	KO-28	HENNEY	Ambulance 1926-7	KO-36 KO-20
activities with	1933, CU CV Imp. 8 1934	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Henson	All 6 Cyl. Models 1921-30. Super 8 Pacemaker 1930-32-33-34.	KO-28B
DE Soro	1930-34	KO-24	Hunson	1926-1934.	K D-2R
DE VAUX	6-75 1930-31 D-D-6 and Taxi DC-8 1929-30-31, D-L-6 1932	KO-24	HUPMORILE.	J JE JJ 1926-29, E80 Std. Line U 1930, 6-70	110,00
TADDOR.	DP-6 1933, DR DS 6 Cvl, 1934	KO-24	JORGAN	1927-28	KO-28
Dongs	Standard and Victory 6 Fast 4 1927-28, DK-8		JORDAN	G-90 Great Line 1930	KO-32
- Contract	1932, DK-Eight 1932, DO-Eight 1933.	KO-28	Kissur	6-70-1927-28	KO-28

(Continued on following page) Fully guaranteed as to material and workmanship



#### WHEEL PULLER GUIDE FOR DURO KNOCK-OUTS


(Continued from preceding page)

0.5%		Knock-Out	2		Knock-C
Name of	MODEL OR YEAR	Wheel	Name of	MODEL OR YEAR	Wheel
Care	MANUEL AND LEAD	Puller	Cars	MODEL OF TEAT	Puller
(Passenger)		Number	(Trucks)		Numbe
Kunnt	6-55 8-65 1927, 80 1923, 6-54 8-74 54B 74B			TRUCKS—Continued	
A.USSEL-	1927-29, 8-80 8-95 1928-29	KO-32	CHICAGO		
APAYETTE	Six 1934	KO-32	Carron	1 Ton 1925-26, Lute 1926 Model 10 and AA 1927-28 use Knock-Out KO-32 15W 20 1925-27 12 14 10A 1924-30	KO-34
A SALLE	All Models 1927-33	KO-36	CHICAGO	15W 20 1925-27	KO-A
A SALLE	350 Str. 8 1934	KO-32	CLYDSDALE	12 14 10A 1924-30	KO-33
осомовиля	8-00 Big 6 1929	KO-36	CLYDSDALE	9 1928	KO-4
ARMON	Light B and L 1927-28, 78 1928-29, 68 1928-29.	/ Second	CLYDSDALE		KO-A
	8-69 1930, 70 1931	KO-28	Сомменсе	Super 11 SD-11 1926-29	EO-4
ARMON	79 1930-31, 125 1932	KO-32	Сомменск	14 14B S-14 1924-20	KO-A
ARMON	H 136' WB 110 111 116 117 118 119 1930.	200 E	Совытт	40C 44 1927 75 76 Sp. Wag 150 152 151 77 1925-30,	EO-A
	H-88 1931, 140 16 Cyl. 1931-32	KO-36	DIAMOND T_	75 76 Sp. Wag 150 152 151 77 1925-30,	I III SEE
Acon.	6-60 6-70 1926-29, 6-72 1927-29, 8-92 1929 Special and Advance of 6 Series 400 1916-1929.	KO-28	(A) (A) (A) (A) (A) (A)	210SF 211SF 1932-34	KO-3
ABIL	Special and Advanced 6 Series 400 1916-1929.		DIAMOND T	302 T3 T5 T7 T36 T56 1928-29	KO-4
	Twin Ign. 6 1930, 490-8 1930, 890-8 1931, 890 990 1932, 1090 1070 1060 1932, 1080 Worm		DIAMOND T_	T2 T3 T5 T56C 1924-27, T3 T5 T7 T36 T56	122
	990 1932, 1090 1070 1060 1932, 1080 Worm			1928-29 NO TURN 1000 20 NO HOL NO.	KO-A
	Drive 1932, 1180 Adv. 8 1933, 1280 Adv. 8 1934, 1220 Big 6 1934, 1290 Amb. 8 1934	TATES AND	Donon	SE F10 UF10, 1929-32, HC HCL 1933, KC KCL 1934	WO. 0
	1934, 1220 Big 6 1934, 1290 Amb. 8 1934	KO-28	Спанам	KU KUL 1934	KO-2
MARIE	1060 1070 1932	KO-32	Donon	D-E Ser. 1927-29, C Ser. D Ser. 1926-28,	***
ARLAND	54 Greater 6 1921-29, All Amer. 6 8 Cyl. 101	W 00 00	GRAHAM	E. Ser. B Ser. 1926-30.	KO-2
No. of Concession, Name of	8-19 1929-32	KO-28	Dongs	A B C D F Series 1992 20	ro.
LDSMOBILE.	All Models 1924 to 1934	KO-32	- GRAHAM	A-B-C-D-E Series 1923-30 A6 1928-29, T2W T6W T3W T7W T21 T22	KO-4
VERLAND	96 96A Whippet 1926-31, 4A 91 92 93 93A	KO-28	FEDERAL	To 1920-29, 12W 10W 13W 17W 121 122	Pro-
ACKARD	All Models 1927-34	KO-28	Person	T8 1928-29 T8 T3W T22 T7W 1929, T3W T8 1930	KO-4 KO-A
AIGH.	6-72 6-75 B-85 1926-28	KO-36	FEDERAL	F More Ev 1997.31	KO-A
MERCESS	125 8 Cyl. 1929, 6-61 6-81 6-61 A 6-60 61	KO-28	FOND	F. Mere. Ex. 1927-31 AA BB 1929-33. All Models to 1928	KO-A
Permuses	1927-30, A Std. Str. 8 1930-32 6-90 1926-29, 6-80 1923, 6-91 1929, B— Master Str. 8 1930-32 C Castom Str. 8 1930-32	K-0-28	Fond	All Models to 1928	KO-2
PRINTERS.	Master Str. 0 1030.30	KO-32	GABFORD	30 30-6 1924-28	KO-4
PERKLESS	C Continue Str. 9 1070 39	KO-36	GARFORD	30 30-6 1924-28	KO-7
		KO-30	G. M. C.	T. 15 T. 17 1 Ton 1931 T15A 17A 1930-33	KO-2
ABROW	All Models 1928-34	KO-32	G. M. C.	T11 1930, T19 1926-29 T10 T11 T11-1001 1927-29	KO-3
LYMOUTH	1928-34	KO-24	G. M. C.	T10 T11 T11-1001 1927-29	KO-2
ONTIAC	All Models 1929.32	KO-28	G M. C.	K-16 1916-24	KO-3
tro	All Models 1929-32 All Models 1927-1934 65-75-1932-33	KO-32	G M C	T50 1927-29	KO-4
TOCKNE	65 75 1932.33	KO-28	G, M, C,	T-18 1932, T-30 1 5-11(-2 Ton 1929-30, T-30 T-44 1930-31, T-40 A3 C-D-E 1927-28, T-50	10000
LOOSEVELT	8 Cyl. 1929-31	KO-28	371-111	T-44 1930-31, T-40 A3 C-D-E 1927-28, T-50	
TAR	F M R 4 and 6 1925-28, 70 1929	KO-20		1007.00 TA0 1008.00	KO-A
TUDEBAKER	Com. 6 1929, Diet. 6 1929-30, Diet. 8 1929-32,	44.00(40)	GOTTERDSON	20BX 41 46 30C 1925-28	KO-4
	Com. 6 1929-30, Com. 8 1929-32, 6 Cyl. 1930-		GOTEREDSON	30C 41 1928	KO-A
	31, 4 Cyl. Light 6 Std. 6 Dict. 1919-29, 6-55		GRAHAM	Man Saragement - III non-month and in the	100000
	6-56 8-62 8-73 8-71 8-82 1932-33, A-Diet. B-		Bros	See Dodge	KO-A
	Com. 1934	KO-28	GRAMM	See Dodge 263N 363N 1926-29, 463N 1928-29	KO-A
STUDEBAKER.	Big 6 Spec. 6 1919-26, Pres. 6 1924-28, Comm. GB-GH 1927-28, Pres. 8 1928-32, 8-91 8-92 1932-33, C-Pres. 1934	100,000,000	GRAMM		10000
	GB-GH 1927-28, Pres. 8 1928-32, 8-91 8-92		BERNSTEIN	115 115-8 1926-20 20-21 1927-28, 22 1929-31 134 Ton 1925-27	KO-4
	1932-33, C-Pres. 1934	EO-32	Hua	20-21 1927-28, 22 1929-31	KO-4
STUTE	Series AA 1926-20, BB 1928-30, M MB		Hoo	134 Ton 1925-27	KO-A
	1929-31	KO-28	INDIANA	300 200 74 11 11 X 611 1926-30	KO-3
STUTE	Blackbawk 6 and Il 1929-30, LA 6 Cyl. 1931	KO-86	INDIANA	400 1928-30, 111 6111 1926-28	KO-4
Ferraplane	1932-34	KO-24C	INDIANA	115 1929-31, 615 1931	KO-A
Vittati	50 1927-28	KO-32	INTERNA-		
VERTING	50 1927-28 V-29 8 Cyl. 1929-30	KO-32	TIONAL	C1 D1 1932-34	KO-2
WILLYS	the same of the sa	2000	INTERNA-	LD SPD AWI 1926-32	KO-3
KNIGHT.	70 A Spec. 6 1927-28, 97-98D 1931, 95-97		THONAL	Six Speed Spec. 1928-31, AW2 Six Speed Spec. 1931-32, S24 S26 SD SL34 SF34 1925-	
	6-90 1932, 56 Std. 6 1928, 70B 87 1929-31.	1000000000	INTERNA-	Spec. 1931-32, S24 S26 SD SL34 SF34 1925-	44730715
	66D 1931-32, 880D 6-65 8-88 1931-32	KO-28	TIONAL	31, AL3 ALF3 1931-32, A2 B2 1931-32	KO-A
WILLIAM		THE STATE OF	King		\$2.1/S
KNIGHT	66A Great 6 1927-28, 56 1929, 64 6-66 1923-	THE COLUMN TWO IS NOT	ZEITLER.	40 1924-27, 35, 42A 1928	KO-4
	28, 66B 1929-31 4 Cyl. 77 1933-34	KO-32	Kissei	136 Top 1924-27	KO-4
VILLYS	4 Cyl. 77 1933-34	KO-24	La Moon	H20 H21 1928	KO-4
OVERLAND.	[98-H 1930-31, 97 98D 1931, 95 97 6-90 6-90]	****	MACH	8 AC 1929-30	KO-A
	1932, 8-80 1931	KO-28	Nonle	146A 1928	KO-4
Winneau	Park State Control of the Control of	44.00 mg	PONTIAC	1926-28	KO-2
Moon	6-72 1929, 8-92 1930	KO-28	OVERLAND	90A 17 100 1926-30	KO-2
VOLVERINE _	1927	KO-32	Bro	96A 15 Ton 1928-30 BA JR15 B2 Spd Wag DA DC DF 1928-30 FA FB FF FE 133* 143* 148* WB Gold Crown Motor 1½ Ton 1927-31, FA FB 1927-	KO-3
FELLOW CAR	O5S 1923-27, O6 1926-29	KO-32	Bro	Crown Motor 114 Ton 1927 21 PA PD 1027	
2	TRUCKS			28 Crown Motor 152 100 1927-31, FA FB 1927-	KO-3
Charles III	119 1 Ton 1927	TO CO	Theory	FD FC FH 1928-31, FKX FHX FAX 1932	KO-A
CORN		KO-40 FO-40	Reo.	50 75 76 1926-29	KO-A
ROMERDER	30 1928-29 30 1928-29	KO-40 KO-A40	SELDEN.	19 1-Ten 1927, 18 Pass. Bus 1926-29.	KO-4
ARMELEDER	04B 97B 169B	KO-40	SERVICE	S11 1927-28	KO-4
TTERBURY	24R 27R 1928 24R 27R 1928	KO-A40	STEWART	28X 24 24X 18 17 17X 1927-30	KO-4
BROCKWAY	Junior 2 and 4 JR JF JFR 60 65 70 1928-31	KO-32	GLEWART.	Buddy Six 1924-28, 30, 30X 1930-31, 40 XA	24.00
BROCKWAY	S-23 to 28-30-31 1920, S-30 S-k12 16 1929,	Action de	STEWART	1932, 42X 1933-34	KO-A
PHOLIC WAY	S-23 to 28-30-31 1920, S-30 S-K12 16 1929, S-31 1930	KO-40	STUDENARY	St Ser. 3-134 Ton 1931, Del. Truck 1929, 30	KO-2
BROCK WAY	S-SK 1924-27, S-31 1930, S-23 to 28-30-31.	100	STUDEBAKER.	St Ser. 1-11-Ton 1931, Del. Truck 1929-30 Seminole 154 WB 1928-29.	KO-3
THE WAY	S-K 12 16 1929, S-31 1930	KO-A40	STUDEBAKER	75 75JR 76 77JR 184" WB 1928-29	KO-A
CHEVROLET	BR Light Delivery 16 Ton Early 1932 Late		WILLYS		0.000
THE REAL PROPERTY.	BB Light Delivery 35 Ton Early 1932, Late Model 1932, use KO-26	KO-24	KNIGHT	T100 T101 1928-29	KO-2
CHEVROLET	BB Light Delivery 14 Ton Late 1932, Early	100000	WILLYS		1000
		KO-26	KNIGHT	C101 T103 1929-31	KO-3
GREVROLET.	BB use KO-24 14 34 1 Ton 1921-28, D-X-R-LM-LP 1925-28, 1 Ton 1929	14/1-20	WILLYS		***************************************
MENTAGLET.	1 Ton 1920	KO-32	KNIGHT	15 16 134 Ton 1928-29, T20 T21 1927-29	KO-A
MENHOVER	1 1 16 Top 1930	KO-36	WILLYS		100000
MEYBOLET	L S Dual Wheels 1930, LT Dual Disc Wheels	110000	Overven	C113 1931-32	KO-23
MEXICLET.	11/2 Ton 1931, Single Wheel Trucks 1932,	100	WILLYS	DELAY-MAKE THE TOTAL CONTROL OF THE TOTAL CONTROL O	2235
	1933, M.O. Dual Wheels L 1931-2-3, PA PB	Vincone I		6-C101 1930-32	KO-3
			THE PART OF THE PARTY OF THE PA	No. Section 1. Advisor Company and the Company	10 ch 0
	PC PD 1934	KO-A40	Ymrow	TZ Knight 1926-28	R. Chair
HICAGO	PC PD 1934	KO-A40 KO-28	YELLOW	TZ Knight 1926-28 Y-29 Pass, 1927-28	KO-2 KO-A

Note: Above specifications refer to Duro Standard Knock-Outs. The corresponding numbers for Duro Chrome Vanadium Steel Knock-Outs are as follows: KO-120, KO-124, KO-124C, KO-126, KO-128, KO-132, KO-136, KO-140 and KO-140A



#### Chrome Vanadium Steel 12 Point Cross Rim Wrench



A quality drop forged four-way chrome vanadium steel rim wrench 13" long. Sockets are accurately machined, 12-point double hexagon openings, sizes 5/8", 12", 3/4" and 7/8". Fits nearly any car. Shipping Weight, 23/4 lbs.

No. 02099-Chrome Vanadium Steel 4-Way Rim 

## Car Owners 4-Way Rim Wrench

A good quality carbon steel 4-way rim wrench 121/2" long with hexagon openings 5/8", 18", 3/4" and 7/8".

No. 635-Carbon Steel 4-Way Rim Wrench . Price \$1.20



#### Chevrolet "4" Wheel Puller

This heavy malleable wheel puller screws on Chevrolet 1924-28 hubs and will also fit ALL FORD T TON TRUCKS UP TO AND IN. side with clamping bolt. The pulling screw is heavy and hardened. Baked enamel fin-Shipping Weight, 11/2 lbs.

No. 45-Chevrolet "4" Wheel Puller ..... Price \$1.15


#### Chevrolet "6" Wheel Puller



A yoke type puller for all Chevrolet Six cars, both wire and disc wheels. Very substantially made, yoke is malleable iron especially selected for its tensile strength, the set screw is extra large, heat treated, tempered and hardened steel, baked enamel finish. Fully guaranteed for both quality and service. Shipping Weight, 23/2 lbs.

No. 46-Chevrolet "6" Wheel Puller ..... Price \$1.25

## Ford "A," "B4" and "V8" Wheel Puller Heavy Duty Type



This closed or gate type wheel puller for Model "A", "B", "V8-18" and "V8-40" Ford cars is a tool that will be appreciated by both the mechanic and car owner. Can be clamped over hub in a moment. Cannot slip off or damage threads. Heavy malleable body with large hardened pulling screw. Baked enamel finish, cadmium plated trim.

Shipping Weight, 234 lbs.

No. 50—Heavy Duty Ford "A", "B4" and "V8" Wheel Puller Price \$1.85

## Open Type Wheel Pullers



For Ford Passenger Cars and Trucks

A heavy malleable open type wheel puller with hardened steel screw that is especially designed for the different model Ford cars and trucks shown below. A very sturdy, satisfactory tool for the car owner or the mechanic. Baked enamel finish. Note the four different models listed below and specify the proper number.

Shipping Weight, 2 lbs.

No	49-For	1929-31	Ford	"A".	"B",	"V8-18"
	and	"V8-40"				Price \$1.05
No.						Price \$1.05
						Price \$1.65
		Ford AA 19				

Pontiac 1927, Chevrolet 4, 1926-27-28. Wood, Wire and Disc Wheels, screw cap type, not illustrated ..... Price \$1.65

#### Gear Puller



A conventional open end type gest puller made from heavy malleable iron with hardened steel pulling screw. Slots enable adjustment of pulling stude from 2" to 41/2". A very convenient well as necessary tool for timing gears, generators, etc. Body, baked enamet finish.

Shipping Weight, 2 lbs.

No. 251-Gear Puller Price \$1.20

Fully guaranteed as to material and workmanship



# **DuroLite Hammers**



The three Durolite hammers listed below have reversible Durolite faces. Especially adapted for fitting wrist pins, bearings, piston pins, etc. Also adapted for body and fender work where it is desirable to maintain the original finish. Body carefully machined, with high grade hickory handle.

		THE PARTY OF				
ngth	Weight	Price Hammer Complete	No. Regular Head	Price	No. Taper Head	Price
9" 0½"	5 oxs. 8 oxs.	\$1.70 1.90	1531A 1533A	\$0.45 .50	1531B 1533B	\$0.50 .55 .65
90	#	" 5 oxs. 1/2" 8 oxs.	" 5 oxs. \$1.70 1½" 8 oxs. 1.90	" 5 oxs. \$1.70 1531A 1½" 8 ozs. 1.90 1533A	" 5 oxs. \$1.70 1531A \$0.45 1½" 8 ozs. 1.90 1533A .50	" 5 oxs. \$1.70 1531A \$0.45 1531B 1½" 8 oxs. 1.90 1533A .50 1533B

## Fiber Mallets



A finishing mallet that will deliver a hard blow without injury to paint or metal. Solid fiber heads, hardwood handles. It does the job of a rawhide mallet at a much lower cost.

No.	Dia, of Head	of Head	Weight	Price
	United States of the States of			100 000 0000
1541	1 1/2"	3 1/4"	5 or.	\$1.00
1542	17/8"	3 1/4 "	10 oz.	1.35
1543	23/8"	41/4"	1 lb.	1.50
1544	23/4"	43/4"	1 1/2 lbs.	1.90

## Bronze Hammers



These high grade bronze hammers are well balanced, properly proportioned and fitted with select hickory handles. The faces are

polished and are found very useful by mechanics for driving piston pins, setting up bearings and various other operations where it is not proper to use a steel hammer. They can be had in various weights as follows:

No.	1580-1/2 Lb. Bronze Hammer	Price	\$1.60
	1581-34 Lb. Bronze Hammer	Price	\$1.80
No.	1582-1 Lb. Bronze Hammer	Price	\$2,20
No.	1583-11/2 Lb. Bronze Hammer	Price	\$2.70
No.	1584-2 Lb. Bronze Hammer	Price	\$3,40
	1585-3 Lb. Bronze Hammer	Price	\$4.70
0.000		The state of the state of	BUELDER NO.

# Two New Type Dollies






No. 1565 The two dollies illustrated above are especially designed for use with the later type cars where fenders have so many peculiar angles. They will be appreciated by any mechanic doing this type of work. Faces are ground and polished, other portions baked japan.

No. 1564-Dolly	Price	\$1.40
No. 1565-Dolly	Price	1.40

# Bumping Hammer



Shipping Weight, 1 lb. Price \$1.70

# Fender Bumping Hammer

This hammer is drop forged with polished head and designed for shaping and roughing out heavy dents preparatory to using dollies and bumping hammers. Hammer is fitted with select hickory handle and can be used on fenders without removing the

tire. Weight 24 ozs. Shipping Wt., 2 lbs

No. 1553-Fender Bumping Hammer ..... Price \$2.90

# Straight Handle File

A substantial cadmium plated frame designed to take either a 12" or 14" straight file. Comes complete with 14" file.

No. 1570-Frame and 14" File. Complete Shipping Weight, 3 lbs.



Fully guaranteed as to material and workmanship









1559

1554

1576

1552



# 1571



1553

1561

# Fender and Body Tools

All dollies and spoons illustrated herewith are special close grain cast semi steel, carefully finished. Hammers are drop forged with hickory

No.	1550—13 oz.	Bumping	Hammer	Price	\$1.70
No.	1551-10 ox.	Bumping	Hammer	Price	\$1.70
No.	1552-13 ox.	Bumping	Hammer	Price	\$2.00
No.	1553—Fender	Bumping	Hammer		
No.	1554—Hickory	Mallet	Shipping R		

No.	1555-Toe	Dolly	PANELSON	 	Price	\$1.40
				Shipping	Weight, 2	21/2 lbs.
No.	1556-Utilit	v Dolly		 Brancia II	Price	\$1.70



4.40	1220 minge	PORNIE	2110	. i with	waity.			4.1.10	
						Shipping	Weight, 25	/2 lbs.	
24	AND RESTORES	90000							

400	1337 Dead Don'y	D( 0   0   0   0   0   0   0   0   0   0	. Frice prin	11/1
		Shipping	Weight, 1	b.
0.55	STATE OF THE STATE			

			Shipping Weight, 2 lbs.	
No.	1561-Curved	Flat	Spoon	

No.	1562-Flat	Long	Spoon	
				Shipping Weight, 11/2 lbs.

No.	1563-Fender	Spoon	Charles a Delega	
				Shipping Weight, I lb.

				The state of the s	ALCO CONTRACTOR OF THE PARTY
No.	1571—Flexible	File and	Holder.	Complete	with
	14" Flex	cible File	A sure waters		Price \$6.00
				Shipping	Weight, 31/2 lbs.

rate in	Prominers (Control					
No.	1571F—14"	File only	for	above.	 Price	\$2.30

No. 1576-Spring Steel Flange Tool. . . ----- Price \$2.20 Shipping Weight, 11/2 lbs.







Shipping Weight, 11/2 lbs.



1558

1562



1555





# De Luxe Fender and Body Repair Set



The 17 tools illustrated above are also illustrated and described separately on previous pages. The heavy tool chest is 19½"x7"x7½", with removable tray, leatherette handle, baked enamel finish. The set itself contains the following numbers as illustrated and described on foregoing pages:

Hickory Mallet (1554), Bumping Hammer (1550), Dinging Hammer (1552), Fender Hammer (1553), Flexible File and Holder (1571), Fender Spoon (1563), Curved Spoon (1561), Straight Spoon (1562) Utility Dolly (1556), Toe Dolly (1555), Heel Dolly (1560), Small Double Hand Dolly (1557), Large Double Hand Dolly (1558), Bead Dolly (1559), 2 new type Dollies (1564) and (1565), and Flange Tool (1576).

No. 1594A—DeLuxe Fender and Body Set in Tool Chest.

Shipping Weight, 45 lbs.

No. 1595A—Same Assortment of tools as above, packed in substantial fiber carton.

Shipping Weight, 35 lbs.

No. 1596—Shadow Board for hanging in shop (see illustration page 59) with 17 tools described above, mounted thereon.

Price 37.50

Shipping Weight, 60 lbs.

## Mechanic's Set

This set has been carefully selected for the mechanic and contains ten tools as follows: Hickory Maller (1554), Dinging Hammer (1552), Flange Tool (1576), Flat Spoon (1562), Curved Spoon (1561), Bead Dolly (1559), Fender Spoon (1563), Utility Dolly (1556), Toe Dolly (1555), and Large Hand Dolly (1558). Packed in substantial fiber carton.

No. 1593—Mechanic's Fender and Body Repair Set

Shipping Weight, 16½ lbs.


## Service Station Set

Consisting of seven of the most popular and useful tools, Bumping Hammer (1550), Hickory Mallet (1554), Utility Dolly (1556), Toe Dolly (1555), Heel Dolly (1560), Small Hand Dolly (1557), and Curved Spoon (1561). Packed in substantial fiber carton.

No. 1592—Service Station Fender and Body Set

Shipping Weight, 123/2 lbs.

## Utility Set



Shipping Weight, 53/4 lbs.

Fully guaranteed as to material and workmanship



# Fender and Body Tools

No. 1931-40 F. T. Display Board

#### Contents:

Quantity	No.	Description Price	e Each
2	1550	Bumping Hammer, 13 ox	1.70
3	1552	Dinging Hammer	2.00
2	1553	Fender Bumping Hammer	2.90
2	1554	Hickory Mallet	1.00
3	1555	Flat or "Toe" Dolly	1.40
3	1556	Utility Dolly	1.70
3	1557	Small Double End Hand Dolly.	.90
3	1558	Large Double End Hand Dolly.	1.40
2	1559	Bead Dolly	1.00
3	1560	Heel Dolly	1.30
2	1561	Curved Flat Spoon	1.20
2	1562	Flat Long Spoon	1.20
2	1563	Fender Spoon	.80
2	1571	Flexible File and Holder	6.00
2	1576	Flange Tool	2.20
2	1565	Dolly	1.40
2	1564	Dolly	1.40

This display board contains the most popular tools used in body and fender repair work. Each tool is held by hooks which allow convenient removing and replacing of same. Your volume of sales will be very materially increased on these tools if properly displayed and shown to your prospects. This display is for the use of the jobber only to help him sell these tools. Only one board is furnished to a jobber and only furnished with assortment exactly as shown above. The board is 19" wide and 31" high.





# Fender Tool Shadow Board

For the garage or mechanic who wants a convenient way of keeping his Duro fender and body tools, this 19"x31" attractive black and gold shadow board is available. It not only makes a place to keep the tools but is also a constant reminder to all customers that the shop is fully equipped to do this type of work.

No. 1596 —Shadow Board with 17 Fender and Body Tools illustrated above... Price \$37.50 Shipping Weight, 60 lbs.

Fully guaranteed as to material and workmanship




# BRAKE LINING DRILL and COUNTERSINKING TOOL

#### For External Bands







Patent No. 1872493

#### A PRACTICAL TOOL

This tool is so thoroughly practical that we can claim almost as great efficiency for it as for the electric power type. For the shop that does not have extreme volumes of brake lining replacements, this tool will be as satisfactory as the highest priced machine. The drill is interchangeable with the approved type of drill and countersink used on larger machines, the depth is adjustable and it will self-align on practically all internal and external brakes to make the holes in the proper place.

#### FOR ALL TYPES OF WORK


This machine, due to mechanical principles involved, drills woven, hydraulic, semi-moulded and full moulded linings with equal ease. The deep clearance enables drilling of practically any clutch facing with absolute accuracy. This

No. 775—Brake Lining Drill complete with 9/64"x3/8" Drill and Countersink, Price. \$12,00
No. 775A—9/64"x3/8" Drill and Countersink Bit only, Price 1.20

machine with No. 7700 Riveting Machine, makes a combination that no garage or repair shop either large or small can afford to be without, Shipping Weight, 6 lbs.

No. 775B—3/16"x3/8" Drill and Countersink Bit only. Price. \$1.50
No. 775C—9/64"x5/16" Drill and Countersink Bit only. Price 1.50

# Improved Brake Lining Machine



## A Complete Tool

The Improved Model Brake Lining Machine offers high class efficiency at a price within the reach of all. It will remove old rivets from either internal or external shoes, punch and countersink woven types of lining accurately to fit the shoes, and rivets the lining on in a workmanlike manner. Will rivet facings on practically all clutch plates. Every operation is simple and very easily accomplished.

# For All Types of Brakes

The deep clearance and high jaws of this tool make it possible to use it on practically every type of both internal and external brakes. The special riveting anvils and punches furnished will properly crimp tubular rivets and make a strong, lasting job. See page 47 for additional punches for this machine. Shipping Weight, 20 lbs.

No. 7700-Machine complete with four sets of anvils and punches Price \$14.70

Fully guaranteed as to material and workmanship



#### Heavy Duty Brake Lining Cutter



Open end throat lining can be put in from either the side or front and cut to any desired length. Cam and lever action gives a draw cut shearing motion, clean-cut and easy to operate. No gears. Will handle all lin-ing up to 6" wide and ½" thick. Both blades are removable and adjustable. Body finished in

baked black enamel and baked red en-

It is only necessary to insert the handle and mount it on a convenient bench or shelf for service. Shipping Weight, 20 lbs.

No. 773 ..... Price \$22.35

#### Brake Lining Machine

Junior Model For External Brakes Only



Constructed of closegrained cast frame. Heavy malleable handle. Anvils heat treated and tempered. Easily attached by means of 2 bolts.

For any garage or shop. Also used for harness, or wherever

tubular rivets are required. Shipping weight, 12 pounds.

Shipping Weight, 12 lbs.

No. 769—Equipped with 2 Sets of Anvils, 1 for Punching and Countersinking, 1 for Riveting.

## Hand Brake Lining Set



This set is especially designed for the car owner or mechanic who only has use for a riveting set occasionally. The four pieces described below together with a vise, hammer and brace, will do a lining job on all types of lining. All parts are tempered and hardened and will give

Shipping Weight, 1/2 lb.

No. 767-Set complete (4 pieces) in carton. . Price \$1.05

Heavy Duty Peening Punches Ford "A" "B", "V8" and "AA' Brake Drums

When replacing brake drums it is quite necessary to have a proper punch for peening the shoulders of bolts that hold drums. These punches are ders of boits that hold drums. These punches are 6½" long, made from special steel, heat treated, tempered and hardened. Ford "A", "B", "V8" and "AA" truck require different sizes.

Shipping Weight, 1½ lbs.

No. 285—Ford "A", "B", "V8-18" and "V8-40" Peening Punch. Price. \$2.00

No. 286—Ford "AA" Peening Punch.

Fully guaranteed as to material and workmanship




#### Combination Brake Machine

This combination machine has a double revolving head, making it convenient to operate the machine from one side if so desired, one being used as a foot power riveting machine, the other as a hand power drill and countersink. The riveter is powerful, strong and convenient. The drill has a disappearing pilot for locating holes on band or shoe, and a depth gauge for controlling depth of holes. There is a convenient tray on the side for rivets and extra tools.

With this machine four sets of anvils and punches are furnished for the riveting head, 768 B-C-D-G described below. For the drilling head three combination drills and countersinking bits are furnished in the following sizes: 9/64"x3/8", 3/16"x3/8" and 9/64"x5/16".

No. 768-Combination Brake Lining Machine Price \$63.00 Shipping Weight, 70 lbs.

Tools for Nos. 768 and 7700



The punches and anvils illustrated above and described below are for use with all Nos. 768 and 7700 machines.

Note: Above tools are not suitable for the earlier model No. 770 Machine. Similar tools to above are available for the No. 770 Machine except the offset punch and anvil (G). Be sure to specify if wanted for No. 770. See price sheet.

	Description	Price
No.	768A-Countersinking Punch Set	\$1.20
	768B-Set for Removing Old Rivets	1.00
No.	768C-Set for Riveting Clutch Facings	1.20
No.	768D-Set for Riveting Brake Lining	1.00
No.	768E—Riveting Punch for Curling 3/16" Tubular Rivets	.85
No.	768F—Riveting Punch for Star Splitting 3/16" Tubular Rivets	.85
No.	768G-Offset Anvil and Punch	5.85
No.	768GA-Offset Anvil only	2.00
	768GP-Offset Punch only	



# Brake Bands



Our brake bands will replace those used on cars mentioned below, accurately and in a far more satisfactory manner than relining old bands. The band itself is made from high grade steel, accurately formed and all brackets are securely riveted in place. A very good grade of standard lining is used, far better than the average, and it is securely riveted with brass rivets which are countersunk properly. These replacement bands are guaranteed to satisfy you in every way.

Note: For unlined bands see price sheet numbers 7470, etc.

All bands are packed one pair to the carton

No.	To Fit Car	Shipping Weight	Price Per Pair
747	Oldsmobile AB1924-25, CDEF rear only	8 lbs.	\$5.80
748	Essex 1925-27 to Serial No. 706268 rear only	9 lbs.	5.80
	Buick Std. 1926-28, early 1929, front and rear	8 lbs.	5.80
749	Binck Std. 1920-20, Early 1929, front and rear	12 lbs.	7.00
750	Buick Master 1926-28, early 1929, front and rear	6 lbs.	3,30
751	Chev. 490, 1916-1922, and Superior Model 1923	CONT. T. C.	3.30
752	Chev. Superior 1924.	6 lbs.	3,30
753	Chev. Model K 1925	6 lbs.	
754	Chev. 1926-7-8 and Pontiac 1926-7-8	7 lbs.	3.70
755	Chev. Truck Model, U, C, RK, LM, LO, LP	10 lbs.	5.80
756	Chev. 1929, rear only, 2 pieces per set, 2 sets and pair	7 lbs.	3.85
757	Dodge 4 Cylinder Models 1922-3-4	10 lbs.	6.65
	Dodge 4 Cylinder Models 1925-6-7 and Graham Truck	10 lbs.	6.65
758 759	Whippet 1926-30, Willys Knight 56	10 lbs.	5.35

Brake Bands with branded lining either "SILVER-EDGE" RAYBESTOS or THERMOID. Kindly specify on your order which one of these well-known brands of lining is desired.

No.	To Fit Car	Shipping Weight	Price Per Pair
RT747	Oldsmobile AB1924-25, CDEF rear only	8 lbs.	\$6.60
RT748	Essex 1925-27 to Serial No. 706268 rear only	9 lbs.	7.30
RT749	Buick Std. 1926-28, early 1929, front and rear	8 lbs.	6.95
RT750	Buick Master 1926-28, early 1929, front and rear	12 lbs.	7.90
RT751	Chev. 490, 1916-1922, and Superior Model 1923	6 lbs.	4.30
	Chev. Superior 1924.	6 lbs.	4.20
RT752	Chev. Model K 1925	6 lbs.	4.20
RT753	Chev. 1926-7-8 and Pontisc 1926-7-8	7 Ibs.	5.40
RT754	Chev. Truck Model, U, C, RK, LM, LO, LP.	10 lbs.	6.35
RT755	Class 1020 and only 2 pieces per set 2 sets and pair	7 lbs.	5.75
RT756	Chev. 1929, rear only, 2 pieces per set, 2 sets and pair Dodge 4 Cylinder Models 1922-3-4	10 lbs.	7.85
RT757	Dodge 4 Cylinder Models 1922-5-4.	10 lbs.	7.85
RT758 RT759	Dodge 4 Cylinder Models 1925-6-7 and Graham Truck Whippet 1926-30, Willys Knight 56	10 lbs.	6.65

Replacement Brake Shoes for Fords



The efficiency and wearing qualities of Ford "A" Brake Shoes are largely dependent upon the accuracy with which the shoe itself is formed. These shoes are guaranteed accurate and the lining of all types is of the highest grade.

Shipping Weight, LINED SHOES, 1½ lbs.; NOT LINED, 1 lb.

No.	7600	760X	760S	760DL
Type Lining	Not Lined	Flexible Moulded	Full Moulded	DeLuxe Full Moulded
Price	\$0.50	\$0.70	\$0.90	\$1.10

Fully guaranteed as to material and workmanship



# INDEX

P DC	Page No.
Battery Pliers	18
Battery Wrench	10 42 45
Box Wrenches	, 19, 45, 45
Display Boards Individual Wrenches	
Consider Wrenches	1 10 17 15
Specials	, 19, 43, 43
Brake Bands Brake Drum Tools	62
Parke Drum Tools	61
Brake Lining Cutter	
Brake Lining Machines Brake Lining Tools	
Brake Pliers	
Brake Shoes	62
Brake Wrenches	12, 17
Bushing Removers	17
Carburetor Jet Wrenches	44
Chevrolet, Wrenches for	45
Commutator Cleaner	50
Connecting Rod Wrenches	43, 46
Crank Handles	44, 45
Cross Rim Wrenches.	55
Cub Wrench Sets	22 23
Cylinder Head Lifter	48
Display Boards	15 10 50
Display Cobinets	13, 19, 39
Display Cabinets	
Display Cards	14, 50
Drain Plug Sockets	47
Electric Drills	38, 39
End Wrenches	
Automotive Type	
Display Board	
Extra Long	
Ignition Type	11
Obstruction Type	
Special Angle	9
Tappet Wrenches	
Fender Tools	56, 57, 58
Ford, Wrenches for	43, 44
Gear Puller	
Grease Bars	
Grease Fitting Tools	47
Grease Ram	47
Hammers	
Handles and Fittings	
Carbon Steel	40
"Cub"	22
"Cub" "Duro-Chrome"	25 26
Duro-Chrome Display Cabinets	22, 22
Heavy Duty	24
"Midget"	20
Special Steel	40

			Page No.
Ignition Sets Knock-Out Wheel Pullers 44, 51, Main Bearing Wrenches		1	1, 50
Knock-Out Wheel Pullers 44, 51,	52,	5	3, 54
Main Bearing Wrenches	43,	4	5, 46
Mallets		-	56
Manifold Wrench		<del>92</del> 6	4.43
Midget Wrench Sets			20
Obstruction Wrenches		1	8, 9
Offset Wrenches	-44-	44	28
Piston Pin Tool Pliers Ratchets	-		43
Pliers		.13	8, 19
Ratchets		.2	1, 22
Refrigeration Tools		- 8	1 21
Rim Wrenches		715	- 55
Screw Drivers 13,	14,	1	7, 50
Sockets			
Carbon Steel			40
Chrome Vanadium Steel			_ 24
Connecting Rod			43
Connecting Rod			22
Drain Plug			47
"Duro-Chrome"		2	1, 34
Duro-Chrome Display Cabinets		3	2, 33
Drain Plug "Duro-Chrome"  Duro-Chrome Display Cabinets For Alemite Fitting "Midget" 1/4" Square Drive		ii.	47
"Midget" 1/4" Square Drive			. 20
Special Steel			40
Special Steel Spark Plug Sockets Special Wrenches Spindle Bushing Tools		110	.46
Special Wrenches		.14	5, 17
Spindle Bushing Tools	17,	4	45
Starter Wrench			1. 7
Strap Wrench			47
Stud Wrench Tappet Wrenches Tappet Wrench Sets			17
Tappet Wrenches	- 11		8 0
Tappet Wrench Sets Tire Valve Tools Tube Cutter Tube Flaring Tools			9
Tire Valve Tools			50
Tube Cutter		2	1. 47
Tube Flaring Tools		21	47
Valve Bushing Punches			44
Valve Compressor			.45
Valve Compressor Valve Grinding Tools	44	48	8, 49
Water Pump Pliers		115	18
Water Pump Wrenches		4	45
Wheel Pullers 43,	44	41	5. 55
Wrench Sets	SHO	1	1/2=1
Carbon Steel		4	42
Chrome Vanadium Steel	29	36	31
"Cub"		21	2 23
Duro-Chests		36	
"Duro-Chrome"		2	28
Heavy Duty		3	37
Ignition		1	50
"Midget"			20
Special Steel		41	42

# Confidential Dealers' Net Prices

January 21, 1935

# A PROFIT SERVICE to the AUTOMOTIVE TRADE

A reliable source of over One Thousand distinct items of automotive merchandise—every item fully guaranteed —every item priced consistently low compared to same quality of competitive merchandise.

You will find it profitable to concentrate your purchases of automotive tools, accessories, and replacement parts with the nearest Duro distributor and thus take advantage of the up-to-date and comprehensive stock of quality products. Duro products are guaranteed against defects in material or workmanship and your jobber, as our representative, is authorized to make this guarantee effective.

NOTE: Items marked \*\* are 5% additional west of Billings, Denver and El Paso.

Items marked \* are 10% additional west of Billings, Denver and El Paso.

This Price List supersedes all previous lists, is subject to change without notice and applies to U. S. A. only.

ÑŐ	bescription		EALE NET		ио.	DESCRIPTION		DEALE NET	
	Tappet Wrench 16"x35"	8	.40	.75	14S8	Durolite Screw Driver			2.50
DIA	Tappet Wrench 16"x1/2"	8	.40	.75	14810	1e"x8" Square Blade Durolite Screw Driver	13	1.23	2.50
D2 D3	Tappet Wrench 1/2"x 1/4" Tappet Wrench 5/8"x 1/4"	8	.45	.90	14510	ye"x10" Square Blade	13	1.50	3.00
4R2	Durolite Screw Driver	3.00		327	14S12	Durolite Screw Driver	12	1.55	3.10
4The	1/8" x2" Round Blade	13	.25	.50	14S18	Durolite Screw Driver	13	1.55	3.10
4R3	Durolite Screw Driver 1/8"x3" Round Blade	13	.30	.55	DIRECTED OF	1/4"x18" Square Blade	13	1.65	3.25
4R4	Durolite Screw Driver	1000	102/01		16S6	Durolite Screw Driver	4.75	1.50	2.20
Tage of	1/8" x4" Round Blade	13	.30	.57	16S8	½"x6" Square Blade Durolite Screw Driver	13	1.00	3.20
D4 D4A	Tappet Wrench 3/4" x7/8" Tappet Wrench 3/4" x1/4""		.55	1.10	TO THE REAL PROPERTY OF	1/2"x8" Square Blade	13	1.65	3.25
DC4T	4-Piece Tappet Wrench Set	9	1.90	3.80	16S10	Durolite Screw Driver 1/4"x10" Square Blade	12	1 0 5	3.70
A Section of the Control of the Cont	-4-Piece Screw Driver Kit.	14	3.00	6.00	16S12	Durolite Screw Driver	13	1.85	3.10
6R3	Durolite Screw Driver	13	.35	.70	7 Mario Told Store	1/2"x12" Square Blade	13	1.90	3.80
6R4	Durolite Screw Driver	100			16S18	Durolite Screw Driver 1/4"x18" Square Blade	13	2.10	4.20
	7a"x4" Round Blade	13	.40	.75	BSS16	Brake Service Set—Roll			28.50
6R6	Durolite Screw Driver	12	.45	.90	BSS16S1		1.75		25.20
6R8	h"x6" Round Blade	13	.45	.30	BSS16F	Shadow Board			35.30 26.85
	%"x8" Round Blade	13	.50	1.00	DC19	19-Piece Duro-Chrome	1 (2:27)	75977775	Enterprise (
6R10	Durolite Screw Driver	2.8	**	1.10	****	Tapered 12-Pt. Socket Set			20.80
DC6T	6-Piece Tappet Wrench Set.		2.75	1.10 5.50	KO20	Knock-Out Wheel Puller	(44)		.35
DL-K6A	-6-Piece Screw Driver Kit.			8.55	CVS23	23 Piece Chrome Vanadiun		W STATE	
S6R11/2	Durolite Screw Driver				TON	Steel Wrench Set	30	9.45	18.90
	%"x1½" Round Blade (Stubby Handle Only)	13	.30	.60	KO24	Knock-Out Wheel Puller	. 52	.20	.35
8S2	Durolite Screw Driver	100			KO24C	Knock-Out Wheel Puller	5 0700	0000	
	1/4"x2" Square Blade	13	.55	1.05	V 026	3/4"-20 Knock-Out Wheel Puller	. 52	.20	.35
8S4	D trolite Screw Driver	13	.55	1.10	KO26	18"-16	. 52	.20	.35
8S6	Durolite Screw Driver	000			DC27	27-Piece Duro-Chrome	200		20.00
	1/4"x6" Square Blade	13	.65	1,30	VOOR	Tapered 12-Pt. Socket Se Knock-Out Wheel Puller	27	14.15	28.30
8S8	Durolite Screw Driver 1/4"x8" Square Blade	13	.70	1.35	KO28	7/9"-14	. 52	.20	.35
8S10	Durolite Screw Driver	10	.,,	1710	KO-28E	Knock-Out Wheel Puller	(VA02	20	
2000000	1/4"x10" Square Blade	13	.70	1.40	CVS32	32 Piece Chrome Vanadium	52	.20	.35
DC8T	8-Piece Tappet Wrench Set	t 9	3.80	7.60	CV332	Steel Wrench Set		12.35	24.70
S8S1	Durolite Screw Driver 1/4"x1" Square Blade				KO32	Knock-Out Wheel Puller	F-9	20	2.5
	(Stubby Handle Only)	. 13	.50	1.00	DI-DB	1"-14 36-36 Screw Driver Display	52	.20	.35
10S6	Durolite Screw Driver	400	W.F.	1.50	Dan Da	Board		28.50	56.95
10S8	%"x6" Square Blade Durolite Screw Driver	. 13	.75	1.50	KO36	Knock-Out Wheel Puller	53	.40	.75
1000	%"x8" Square Blade	13	.80	1.60	KO40	1½"-12 Knock-Out Wheel Puller		+180	47.4
10S10	Durolite Screw Driver		or		555500	154"-7	. 53	.40	.75
10S12	%"x10" Square Blade Durolite Screw Driver	13	.85	1.65	KOA40	Knock-Out Wheel Puller	(44)	40	.75
10012	h"x12" Square Blade	13	.85	1.70	41	11/4"-12 Wheel Puller Assortment	(33)	140	.75
S10S1	Durolite Screw Driver				77.4	and Display Cabinet	. 51	48.00	96.00
	A"x1" Square Blade (Stubby Handle Only)	13	.55	1.10	CVS42	42 Piece Chrome Vanadiur			10000
CVS11	11 Piece Chrome Vanadiun	n		200		Steel Wrench Set	29	17.55	35.10
1000	Steel Wrench Set	31	4.20	8.35	43	Wheel Puller for Ford A/ 1930-31 and Ford T			
12S6	Durolite Screw Driver 3/8"x6" Square Blade	13	1.00	1.95		Trucks, Pontiac 1927			
12S8	Durolite Screw Driver					Chevrolet 4, 1926-27 - 2	8		
	3%"x8" Square Blade	. 13	1.00	2.00		Wood, Wire and Dis Wheels		.85	1.65
12S10	Durolite Screw Driver	12	1.15	2.25	44	Ford "AA" Wheel Puller '2		.85	1.65
12S12	3/8"x10" Square Blade Durolite Screw Driver	10	1.13	2.23	45	Chev. 4 Wheel Puller, 1924	- (45)	)	G14-42
12572	3/8"x12" Square Blade	13	1.20	2.35	400	28 inc.	(55)	.60	1.15
12S18	Durolite Screw Driver 3/8"x18" Square Blade	13	1.25	2.50	46	Chev. 6 Wheel Puller, Dis and Wire, 1929-30-31-32			1.25
CVS12	12 Piece Chrome Vanadium	n			JC47	Junior Duro-Chest Complet			52.00
	Steel Wrench Set		4.55	9.10	48	Ford "A" Wheel Puller			1.00
DC12	12-Piece Duro-Chrome Tapered 12-Pt. Socket Set	27	6.45	12.90	40	Open Type 28 only	55	.55	1.05
DLD12			3,60	7.20	49	Ford "A" Wheel Puller Open Type, 29-31	55	.55	1.05
DLD18	Screw Driver Display	. 14	8.10	16.20	50	Ford "A" Wheel Puller,	(43)		
HD13	Heavy Duty Socket Set	35	20.50	41.00		Swing Type, All Models			1.85
HD13F HD14	Heavy Duty Socket Set Heavy Duty Socket Set	35	18.00 11.95	36.00 23.85	54	Long Spark Plug Wrench	17674		1.05
HD14F	Heavy Duty Socket Set	. 35	11.05	22.05		I am Charle Dlug Wrench	- 46	.55	1.05
14S6	Durolite Screw Driver		1.20	2.40	55	Long Spark Plug Wrench	46	.55	1.05
	14"x6" Square Blade	13	A + MAN	.61.10		44 444	A CONTROL	11200	20000000

NO.	DESCRIPTION F	DAGE	EALE NET	RS'	NO.	DESCRIPTION	PAGE	DEALI	ERS'
56	Long Spark Plug Wrench	46		1.05	270-AB	Ford "A" & "B" Valve Bushing Punch	44	.35	.70
60	for 14MM and 18MM Cylinder Head Lifter Set	46	,55	1.05 4.15	270-V8	Ford "V8" Valve Bushing	4.0	200	
SC78	Senior Duro-Chest Complete	37 5		111.50	272	Punch Driving Punch for Grease	44	.35	.70
DC107	Duro-Chrome Wrench Dis- play Cabinet, 107 Pieces.	32 5	2.00	104.00	Medali	Fittings		.25	.50
KO-120	Chrome Vanadium Steel				273	for Ford	43	1.10	2.20
	Knock-Out Wheel Puller		.45	.90	274 276-AB	Ford '33 Jet Wrench Ford "A" & "B" Piston	44	.60	1.20
KO-124	Chrome Vanadium Steel	the state of		1		Pin Tool	43	.85	1.70
	Knock-Out Wheel Puller	52	.50	1.00	276-V8 277	Ford "V8" Piston Pin Tool. Ford "A," "B" & "V8"	43	.85	1.70
KO-124C	Chrome Vanadium Steel			1.393.8.2.2		Spindle Bushing Remove:		-40	.75
	Knock-Out Wheel Puller	52	.50	1.00	278	Jet Wrench for Model "A' Ford Carburetor		35	.70
KO-126	Chrome Vanadium Steel				282	Crank Shaft Nut Wrench	17	.85	1.65
	Knock-Out Wheel Puller	52	.50	1.00	283 284	Ford '34 Insert Tool Ford '34 Jet Wrench		.45	1,10
KO-128	Chrome Vanadium Steel	1550		925,8997	285	Ford "A" Drum Riveter.	61	1.00	2.00
	Knock-Out Wheel Puller	52	.55	1.10	286 290	Ford "AA" Drum Riveter 12-Piece Ignition Set		1.00	2.00 1.50
KO-128F	3 Chrome Vanadium Steel		70000	2.500	412	Valve Grinder		.90	1.80
	Knock-Out Wheel Puller	52	.55	1.10	440	Wrench &"	28	.35	.70
KO-132	Chrome Vanadium Steel				441	Double Hexagon Offset			
	Knock-Out Wheel Puller	52	.60	1.20	442	Wrench 3/8" Double Hexagon Offset	28	.35	.70
KO-136	Chrome Vanadium Steel	34	.00	0.00		Wrench To"	28	,35	.70
	Knock-Out Wheel Puller	53	.75	1.50	443	Double Hexagon Offset Wrench 1/2"	28	.35	.70
KO-140	Chrome Vanadium Steel	uu.	11.00	2100	444	Double Hexagon Offset	20		
18.0.110	Knock-Out Wheel Puller	***	or	1.00	445	Wrench %"  Double Hexagon Offset	28	.35	.70
VO AM	1 <sup>1</sup> / <sub>4</sub> "x7	33	.95	1.90		Wrench—5/8"		.35	.70
KO-A14	Knock-Out Wheel Puller	(44)		10000	446 580D	Set of 6 Offset Wrenches Slide Tee Extension Handle		2.30	4.60
150	1¼"x12 Chevrolet Spindle Bushing	(55)	.95	1,90		111/2"	. 25	1.50	3.00
130	Tool	45	.40	.75	581D	Slide Tee Extension Handle	25	1.35	2.70
160 161-23	Bushing Punch Set	17	1.00	.30	582D	Short Extension Adaptor 3		.40	.75
161-24	Bushing Insert	17	.15	.30	588D	Universal Joint Adaptor 1/2 Square Drive		.70	1.40
161-25 161-28	Bushing Insert	17	.15	.30	601	Crank Handle & Rim Wrench for Chev. 1925-2		3.70,000	12000
161-32	Bushing Insert	17	.15	.30		& 1931-32		.35*	67*
170-C12		50	4.00	8.00	602	Crank Handle for Chev. 1929-30	45	.30*	.60*
171	Box of 24 Refills for Com-			1909010	603	Crank Handle & Rim		.40	1990
200	mutator Cleaner	50	1.00	2.00		Wrench for Chev. 1928 & 1933	45	.35*	70*
182	Midget Screw Driver	11	.20	.371/2	604	Crank Handle & Rim			
182-C12	Counter Display of one			-,141,000	608	Wrench for Ford "A" Connecting Rod Wrench		.35*	90
	dozen 1/8" x17/8" Round Blade Screw Drivers	(14)			615	Ford "A" 12 Point Connect	- (43)	le desc	
200 A T	with Pocket Clip Ford "A" & "B" Valve	(50)	2.25	4.50	617	ing Rod Wrench \$5"		.40	.75
200AB	Guide	48	.40	.75		Wrench 78"		.45	90
200V8	Ford "V-8" Valve Guide	48	.40	.75	635	Cross Rim Wrench %x18x34x5% Hexagon	. 55	.60°	
DC-202	Cabinet Display	32 10	04.35	208.70	645	Strap Wrench		.60	1,20
250 250 P	Stud Wrench Roller Only	17	1.50	3.00	645S	Strap only for No. 645 Wrench	47	.30	.60
250R 251	Gear Puller-Stud Bolt		2	222	646	Chev. Water Pump Wrench		.20	40 75
	Type 2"-41/2"	(21)	.60	1.20	647 648	Battery Terminal Wrench Chev. Hub Cap Wrench	100	.40	140
260	Tube Cutter	(47)	1.75	3.50	649	Tool for Alemite and Zer	k	.35	65
262	Flaring Tool	(21)		4.50	650	Fittings	7/253	111200	
		(21)		20120	1000000	Wrench Long Speeder Handle 1/2"	43	.10	.15
263	Tube Flaring Tool	(21)		3.50	651	Square Drive		.40	.80
264	Flaring Tool	(47)	1.75	3.50	651D	Long Speeder Handle	26	.95	1.15
267	Ford Brake Adjust. Wrench, Forged Carbon Steel	43	.404	.75*	651DK 652	Short Speeder Handle 1/2"		G-SAS	202 200
268	Ford Brake Adjust. Wrench,					Square Drive		.40 .85	1.75
174555	Forged Chrome Vana- dium Steel	(12)	.60	1.20	652D 652DK	Short Speeder Handle	100	.50	1.00
		(43)			660	Combination L-T Handl		.40	.80
269	Ford Main Bearing Wrench			2.00		1/2" Sq. Drive	40	.40	130
	*10% A	dditio	nal V	Vest of B	illings, I	Denver and El Paso.			

10.	DESCRIPTION	PAGE	DEALE	LIST	NO.	DESCRIPTION	PAGE	DEALE NET	LIST
61	Offset Handle 1/2" Sq. Dr		.20	.40	753	Brake Bands-Chev. Model			
62D 63D	Solid Head Offset Handle		.70	1.40	RT753	K 1925		1.65**	3,30
64D	6" Extension Adaptor	25	.40	.80		K 1925	62	2.10**	4.20
65D 66D	10" Extension Adaptor		1.50	3.00	754	Brake Bands—Chev. 1926-7- 8 and Pontiac 1926-7-8		1.85**	3.70
67D	14" Flexible Head Handle		1.60	3.20	RT754	Brake Bands—Chev. 26-27-		1.05	3.70
568D	Bar for Flex. Handle		.15	.25		28, Pontiac 26-27-28		2.70**	5.40
572 574-1⁄4	Ratchet Handle 1/4" Sq. Dr Ratchet—1/4"	40 21	.40	.80	755	Brake Bands-Chev. Truck Model U, C, RK, LM,			
574-fa	Ratchet—¼"		.35	.70		LO, LP		2.90**	5.80
577D 578D	Ratchet Handle		2.00	3.00 4.00	RT755	Brake Bands-Chev. Truck			
591	Long Extension 1/2" Sq. Dr.	40	.20	.35	756	U, etc. Brake Bands—Chev. 1929	62	3.20**	6.35
592	Short Extension 1/2" Sq. Dr.	40	.10	.20	0.25000	Rear		1.95**	3,85
592D 593D	Short Extension Adaptor 1/2" x 3/8"	26 26	.40	.80	RT756	Brake Bands-Chev, 1929		2.00##	
594	Socket for Alemite Fittings	47	.15	.30	757	Rear Brake Bands—Dodge 4 Cyl-	62	2.90**	5.75
596 596D	Universal Joint 1/2" Sq. Dr Universal Joint		.35	1.00		inder Models 1922-3-4		3.35**	6.65
701	Set of 4 Valve Grinder Fit-				RT757	Brake Bands—Dodge 4, 1922-23-24	62	3.95**	7.85
707	"Red Head" Valve Grinder	48 48	.15	.30	758	Brake Bands—Dodge 4 Cyl-		3.93	7.00
703 710	Rubber Vacuum Cup Only		.30	.00	7.50	inder Models 1925-6-7	6		
	for Valve Grinder	48	.10	.15	TOTOLOGI	Graham Truck	62	3.35**	6.65
711	Heavy Duty Advancing and Reciprocating Valve				RT758	Brake Bands—Dodge 4, 1925-26-27 Graham Truck	62	3.95**	7.85
	Grinder	48	2.10	4.15	759	Brake Bands-Whippet 26-			
721	45° Head	49	.65	1.25	The state of the s	30, Willys Knight 56		2.70**	5.35
721D25 722	Box 25 Discs 45° Head	49	.65	1.65	RT759	Brake Bands—Whippet 26- 30, Willys Knight 56		3.35**	6.6
22D25	Box 25 Discs	49	.85	1.65	760DL	Ford A Brake Shoe, De			
23	30° Head		.75 1.15	2.25	40.000	Luxe Moulded Lining		.55	1.10
23D25	Box 25 Discs 60° Head		.75	1.50	760S	Ford A Shoe with Ful Moulded Lining		.45	.9
24D25	Box 25 Discs	49	1.15	2.25	760X	Ford A Brake Shoe, Semi-		Acres 1	1+20
25 25P10	Reseating Tool		2.75	5.50	Transport	Moulded Lining	62	.35	.70
25P12	3/8" Pilot		.20	.40	767	Hand Brake Lining Rivet		.50	1.0
725P14	in" Pilot		.20	.40	768	Combination Brake Lining			
725P19 725P33	1 Pilot		.20	.50		Drill and Riveting Ma-		31.50	63.00
726	Flexible Shaft	49	.35	.65	768A	Punch Set Only for 7700 and	ii .	31.30	03.0
740 741	Valve Grinding Spring Only Chev. 4 and 6 Valve Com-		.05	.05	7002	768 to Countersink Brake			
	pressor	100	1.20	2.35	TEOD	Lining		.60	1.2
747	Brake Bands—Oldsmobile A				768B	Punch Set Only for 7700 and 768 to Remove Rivets		.50	1.0
	B 1924-25 CDEF Rear Only	200	2.90**	5.80**	768C	Set for 7700 and 768 to	)	Week	
RT747	Brake Bands—Oldsmobile A	1			76aD	Rivet Clutch Facings Set for 7700 and 768 to		.60	1.20
	B 1924-25 CDEF Rear Only	62	3.30**	6.60**	70017	Rivet Brake Lining		.50	1.00
748	Brake Bands—Essex 1925-		5.50	0.00	768E	Set for 7700 and 768 for		222	
, 10	27 to Ser. No. 706268 Rear			200	2602	Curling & Tubular Riv.		.45	-8
	Only	62	2.90**	5.80**	768F	Set for 7700 and 768 for Star Splitting A.* Tubular			
RT748	Brake Bands—Essex 1925- 27 to Ser. No. 706268 Rear					Rivets		.45	.8
	Only		3.65**	7.30**	768G	Set of Offset Punch and	27	A 45	
749	Brake Bands-Buick Std				768GA	Anvil for 7700 and 768 Offset Anvil Only for 7700		2.95	5.8.
	1926-28, Early 1929, Front		2.90**	5.80**	70001	and 768	61	1.00	2.00
RT749	and Rear  Brake Bands—Buick Std		2.90	3.00	768GP	Offset Punch Only for 7700		2.00	4.04
	1926-28, Early 1929, Front				769	and 768 Junior Brake Lining Ma-	61	2.00	4.00
	and Rear		3.50**	6.95**		chin-	61	4.00	8.00
750	Brake Bands—Buick Master 1926-28, Early 1929, Front				769A	Punching and Countersink- ing Set Only for No. 769		.50	1.00
	and Rear		3.50**	7.00**	769B	Riveting Set Only for No.		-50	1.0
RT750	Brake Bands-Buick Master	r				769	61	-45	.8.
	1926-28, Early 1929, Front		3.0588	7.90**	770A	Countersinking Punch Set		.60	1,2
751	Brake Bands-Chev. 490 to		3.95**	7.90	770B	Punch Set Only to Remove		.50	1.0
COLIDA MANGACINA DA	Superior Model 1923	The same agent	1.65**	3.30**	770C	Punch Set Only to River		200420	
R <b>T</b> 751	Brake Bands-Chev. 490				770D	Punch Set Only to Rivet		.60	1.2
7.50	Superior 23		2.15**	4.30**	100000000	Brake Lining	61	.50	1.00
752	Brake Bands — Chev. Su- perior 1924		1.65**	3.30**	770E	Riveting Punch for Curling	8 200	045	930
RT752	Brake Bands - Chev. Su-		4100	0,00	770F	A" Tubular Rivets Riveting Punch for Star		.45	.83
	perior 1924	100.000	2.10**	4.20**	10000000	Splitting A" Tubular Riv.		.45	.8.

\*\*5% Additional West of Billings, Denver and El Paso.

NO.	DESCRIPTION	PAGE	EAL	ERS' LIST	NO.	DESCRIPTION I	PAGE	DEAL	ERS'
773	Brake Lining Cutter	61 11	.20	22.35	1217	12 Pt. Chr. Van. Socket 13"	24	.25	.50
773B	Extra Blade only for No.		CALANT	2.25	1218	12 Pt. Chr. Van. Socket fa"	24	.25	.50
775	773 Cutter Brake Lining Drill and	61 1	.70	3.35	1218S 1219	8 Pt. Chr. Van. Socket ft." 12 Pt. Chr. Van. Socket #!"	24	.25	.50
775	Countersinking Tool	60 6	.00	12.00	1220	12 Pt. Chr. Van. Socket 5/8"	24	.30	.55
775A	&"x3/s" Drill and Counter-				12208	8 Pt. Chr. Van. Socket 5/8"	24	.30	,60
	sinking Bit Only for No.	60	.60	1.20	1221 1222	12 Pt. Chr. Van. Socket #1"	24	.30	.55
775B	da"x3/4" Drill and Counter-		5450	1,000,000	1222S	8 Pt. Chr. Van. Socket 11"	24	.30	.60
11/700	sinking Bit Only for No.		we.	1.50	1223 1224	12 Pt. Chr. Van. Socket ##"	24	.30	.60
2250	775 Drill and Counter-		.75	1.50	1224S	12 Pt. Chr. Van. Socket 3/4" 8 Pt. Chr. Van. Socket 3/4"	24	.30	.60
775C	sinking Bit Only for No.				1225	12 Pt. Chr. Van. Socket 18"	24	.30	.60
BEARINGS	775	60	.75	1.50	1226 1228	12 Pt. Chr. Van. Socket 18" 12 Pt. Chr. Van. Socket 1/8"	24	.30	.60
779C12	BoxCard 12 Defiators Perfect Tire Valve Tool,	50 1	.80	3.60	1228S	8 Pt. Chr. Van. Socket 1/8"	24	.40	.80
780-C12	Counter Display of 12	50 3	.00	6.00	1230	12 Pt. Chr. Van. Socket th"	24	.30	.60
793	Grease Ram	47	.45	.85	1231	12 Pt. Chr. Van. Socket #1"	24	.30	.75
801	Senior Duro-Chest Only Junior Duro-Chest Only	37 12 36 5	5.50	25.00 11.00	1232 1234	12 Pt. Chr. Van. Socket 1" 12 Pt. Chr. Van. Soc. 178"	24	.40	.80
802 825XX	Wrench Set With 12 Point	50 5	119296	11.00	1236	12 Pt. Chr. Van. Soc. 11/8"-	24	.45	.90
	Sockets	42 3	.10	6.15	1238	12 Pt. Chr. Van. Soc. 174"	24	.45	.90
832XX	Service Station Special Set With 12 Point Sockets		.70	7.40	1240 1302D	12 Pt. Chr. Van. Soc. 11/4" Screw Driver Adaptor	26	.30	.55
0835XX	Wrench Set With 12 Point	74 0		1.10	1305	Drag Link Socket	47	.35	.70
	Sockets	41 4	.15	8.25	1310	Chrome Vanad. Drain Plug	47	.25	.50
0836XX	Wrench Set With 12 Point Sockets		.40	8.75	1312	Socket 'de"  Chrome Vanad. Drain Plug	44	16.5	.00
0940XX	Wrench Set With 12 Point	700	1.10	0.70	20000000	Socket 3/8"	47	.25	.50
	Sockets	41 5	5.35	10.70	1314	Chrome Vanad, Drain Plug	47	.25	.50
945XX	Wrench Set With 12 Point Sockets		5.50	11.00	1316	Socket 1/n"	75.80	and the	1000
1021	Open End Wrench &"x13"_	8	.30	.60	2500000000	Socket 1/2"	47	.30	.55
1022	Open End Wrench 18 X1/2".	- 8	.35	.70	1318	Chrome Vanad. Drain Plug	47	30	,55
1023	Open End Wrench 18"x1/2" Open End Wrench 18"x18".	8	.35	.70	1320	Socket % Chrome Vanad. Drain Plug	47	.30	1000
1025	Open End Wrench 1/2"x18"_	. 8	.45	.85	1020	Socket 58"	47	.30	,55
1026	Open End Wrench 1/2" Xth" -	- 8	.50	.95	1322	Chrome Vanad. Drain Plug	47	.30	.60
1027 1027C	Open End Wrench 38"x14". Open End Wrench 76"x14".		.50	.95	1324	Socket †å"  Chrome Vanad. Drain Plug	77		100
1027	Open End Wrench 10"x110".	- 8	.60	1.20	1001	Socket 3/4"	47	.30	.60
1028S	Open End Wrench 58"x##".	- 8	.60	1.20	1416	Extra Deep Thin Wall	24	.55	1.05
1029	Open End Wrench th "xii".  Open End Wrench th "xii".		.60	1.20	1418	Socket ½" Extra Deep Thin Wall	63	and set	4.00
1031	Open End Wrench ##"x78".	- 8	.80	1.60	ATAU.	Socket %"	24	.55	1.05
1032	Open End Wrench #1"x#1".	- 8	-80	1.60	1420	Extra Deep Thin Wall	24	.55	1.10
1033 1033A	Open End Wrench 7/8"x81". Open End Wrench 7/8"x11".	- 8	.80	1.60	1422	Socket % Thin Wall	30.7		3444
1033C	Open End Wrench 18"x1"	. 8	1.10	2.15		Socket 14"	24	.60	1.15
1034	Open End Wrench 78"x118	8	1.10	2.15	1424	Extra Deep Thin Wall	24	.60	1.15
1034AL	Extra Long End Wrench	. (12)	1.40	2.80	1425	Socket 3/4" Extra Deep Thin Wall	-	1000	*****
1035	Open End Wrench ## Xlve	8	1.10	2.15	- 100	Socket ##	24	.60	1.15
1036	Open End Wrench #1"x11/4	8	1.45	2.90	1426	Extra Deep Thin Wall	24	60	1.20
1037 1112	Open End Wrench 1 m x11/4 Set of 12 Straight Wal	1	1.43	2.90	1.407	Socket ##"  Extra Deep Thin Wall	24	.60	1.20
****	Thin Nose Sockets	. 28	3.85	7.70	1427	Socket 81"	24	.60	1.20
1114	Straight Wall Socket 18"	. 24	.25	.50	1428	Extra Deep Thin Wall			1.20
1115	15 Piece Straight Wall Thir Nose Socket Set		7.95	15.85	130000	Socket 7/8"	24	.65	1,30
1116	Straight Wall Socket 1/2"		.25	.50	1429	Extra Deep Thin Wall Socket 33"	24	.65	1.30
1116	Straight Wall Socket ra"	. 24	.30	.60	1430	Extra Deep Thin Wall	524	55.5	. Care
1119	Straight Wall Socket 12"	. 24	.30	.60	1130	Socket †å"	24	.70	1.40
1120	Straight Wall Socket 5/8" Straight Wall Socket #1"	24	.35	.65	1432	Extra Deep Thin Wall	24	.75	1.50
1121	Straight Wall Socket th"	_ 24	.35	.65	1404	Socket 1" Extra Deep Thin Wall	24	7.000	1100
1124	Straight Wall Socket 3/4"	. 24	.40	.75	1434	Socket 110"	24	.80	1.60
1125	Straight Wall Socket #8" Straight Wall Socket #8"	. 24	.40	.75	1436	Extra Deep Thin Wall	02.0		2000000
1126 1128	Straight Wall Socket 7/8"	. 24	.40	.75	1438300	Socket I'g"	24	.90	1.75
1130	Straight Wall Socket 18"	. 24	.40	.75	1440	Extra Deep Thin Wall Socket 11/4"	24	.95	1.90
1210 1210S	12 Pt. Chr. Van. Socket & 8 Pt. Chr. Van. Socket &	" 24 " 24	.20	.40	1510	4 oz. Double Can Valve	333		45
1211	12 Pt. Chr. Van. Socket 11	" 24	.20	.40		Grinding Compound		.25	.45
1212	12 Pt. Chr. Van. Socket 3/8	" 24	.20	.40	1521	Durolite Hammer—5 oz	(15)	.85	1.70
1212S 1214	8 Pt. Chr. Van. Socket 3/8	" 24 " 24	.25	.50	1531	and the second s	(15)		
1214S	8 Pt. Chr. Van. Socket re	" 24	.25	.50	1531A	Durolite Straight Head Only		.25	.45
1216	12 Pt. Chr. Van. Socket 1/2	7 24	.20	.50	1531B	Durolite Taper Head Only.	(15)	.25	.50
1216S	8 Pt. Chr. Van. Socket 1/2	6.7	-23	,30	10011	- month angle dates			

No.	DESCRIPTION		DEALE NET		NO.	DESCRIPTION		DEALE	
1522	Durolite Hammer—8 Oz	(15)	.95	1.90	1624	12 Point Tapered Thin Nose Socket 3/4"	24	.40	.75
1533	W. SO BY STREET	(15)	125	442	1625	12 Point Tapered Thin Nose		2227	
1533A	Durolite Straight Head Only	y (56) (15)	.25	.50	1626	Socket ##"	24	.40	.75
1533B	Durolite Taper Head Only	. (56)	.30	.55		Socket † 18"	24	.40	.75
1534	Durolite Hammer-12 Oz		1.05	2.10	1628	Socket 7/8"	24	.40	.75
1534A	Durolite Straight Head Only	(15) y (56)	.30	.60	1630	12 Point Tapered Thin Nose Socket 11"	24	.40	.75
1.50 Million	Durolite Taper Head Only.	(15)	.35	.65	1631	12 Point Tapered Thin Nose Socket #6"	24	.40	.75
1534B 1541	Fiber Mallet, 5 ozs.	1000	.50	1.00	1632	12 Point Tapered Thin Nose	22	535	200
1542 1543	Fiber Mallet, 10 ozs		.70	1.35	1634	Socket 1" 12 Point Tapered Thin Nose	24	.50	.95
1544	Fiber Mallet, 11/2 lbs	55	.95	1.90	1636	Socket 1 %" 12 Point Tapered Thin Nose	24	.50	1.00
1550 1551	Bumping Hammer, 13 ozs Bumping Hammer, 10 ozs	56 56	.85	1.70 1.70	1000	Socket 11/8"	24	.60	1,20
1552 1553	Dinging Hammer Fender Bumping Hammer		1.00	2.00	1640	12 Point Tapered Thin Nose Socket 11/4"	24	.60	1.20
1554	Hickory Mallet	. 57	.50	1.00	1707	7 Pc. Ignition Set—Roll 9 Pc. Ignition Set—Roll	11	2.60 3.45	5.20
1555 1556	Flat or "Toe" Dolly Utility Dolly	57	.70	1.40	1709 1711	11 Pc. Ignition Set—Roll		4.45	8.85
1557	Small Double End Hand	d 57	.45	.90	1720L	Extra Long End Wrench	(8)		
1558	Large Double End Hane		13.50		CONTRACTOR OF	%" x ¼"	(17)	.65	1.30
1559	Dolly	. 57	.70	1.40	1721		(8)	.30	.60
1560	Heel Dolly	. 57	.65	1.30	1721L	Extra Long End Wrench	(12)	.65	1.30
1561	Curved Flat Spoon		.60	1.20	1722	Open End Wrench 18"x14".	- 8	.30	.60
1562 1563	Fender Spoon	57	.40	.80	1723	Open End Wrench 3/8"x1'a".	- 8	.30	.60 .70 .85 .85 .85 .95 .95
1564	Dolly	56	.70	1.40	1723A 1725	Open End Wrench 3/8" x1/2". Open End Wrench 1/4" x1/4".	8	.35	85
1565	Dolly	56	.70	1.40	1725A	Open End Wrench 10"x10"	- 8	.45	.85
1570 1570F	Straight File and Holder		2.20	2.30	1725B	Open End Wrench 1/2"x n".	. 8	.45	.85
1570F 1570H	File Only		1.10	2.20	1726	Open End Wrench 1/2"x5/8"	- 8	.50	.95
1571	Flexible File and Holder	. 57	3.00	6.00	1727	Open End Wrench # x56".	- 8	.50	1.95
1571F	File Only		1.15	2.30	1728 1729	Open End Wrench % x3/4".  Open End Wrench % x3/4".	8	.60	1.20
1571H	Holder Only	. 57	1.85	3.70	1731	Open End Wrench 34"x11"	. 8	.80	1.60
1576	Flange Tool	57	1.10	2.20 1.60	1731A	Open End Wrench 3/4" x7/8".	220	.80	1.60
1580 1581	Bronze Hammer, 1/2 lb Bronze Hammer, 3/4 lb		.90	1.80	1731AL	Extra Long End Wrench	(12)		2002
1582	Bronze Hammer, 1 lb	. 56		2.20	1-1000000000000000000000000000000000000	3/4" x 3/8"	(17)	1.30	2.60
1583	Bronze Hammer, 11/2 lbs	. 56	1.35	2.70	1731B	Open End Wrench 11 "x7/8".		.80	1.60
1584	Bronze Hammer, 2 lbs.		2.35	3.40 4.70			(8)		
1585 1590	Fender Repair Set	56		3.83	1732HB	Open End Wrench 3/4"x1%		.80	1,60
1592	Fender Repair Set	. 58	The second of th	9.20	1733	Open End Wrench 7/8"x1"	. 8	1.10	2.15
1593	Fender Repair Set	58	6.95	13.90	1734	Open End Wrench 7/8"x11/4	" 8	1.10	2.15
1594A	De Luxe Fender Set-In	- 52	10.10	26.16	1735	Open End Wrench 1"x11/8"	. 8	1.45	2.90
1595A	Chest		18.10	36.15	1735L	Extra Long End Wrench	(8)		
-	ton		14.70	29.40	- 575	1" x 11/8"	. (17)		2.80
1596	Fender Tools on Shadow	(58		27.75	1736	Open End Wrench 1"x11/4"	, 8 , 8	1.45	2.90
TENEA	Board		18.75	37.50	1737 1761	Open End Wrench 11/8"x11/4	11	.35	.65
1596A	Shadow Board Only		4.25	8,50	1762	Ignition Wrench 12" x 12" Ignition Wrench 12" x 12"	11	-35	.65 .65
1614	12 Pt. Tapered Thin Nos Socket 16"		.25	.50	1763	Ignition Wrench "" x 1/4"	. 11	-35	.65
1616	12 Pt. Tapered Thin Nos			200	1764	Ignition Wrench 1/4" x 1/2" Ignition Wrench 1/2" x 1/4"	. 11	.35	.65
1010	Socket 1/2"		.25	.50	1765 1766	Ignition Wrench 11 X 12	11	.35	.70
1616S	8 Point Tapered Thin Nos	se	AT THE PARTY OF TH	3432.5	1767	Ignition Wrench 10" x 3%"	. 11	.40	.65 .70 .70 .80
1618	Socket 1/2" 12 Point Tapered Thin Nos	24 se	.30	.60	1768	Ignition Wrench 3/8" x 111"	. 11	.40	.80
0.8000	Socket /h"	24	.30	.60	1769 1821	Ignition Wrench ¼" x ½" "Obstruction" End	- AA	cra	
1618S	8 Point Tapered Thin Nos Socket %"	24	.30	.60	800	Wrench 3/8"	. 8	.40	.75
1618-V	8 12 Point Extra Thin No.	se			1823	"Obstruction" End Wrench is"	. 8	.40	.75
	Socket for V-8 Ford Cor necting Rods %"	43	.40	.80	1825	"Obstruction" End			
1619	12 Point Tapered Thin Nos	se	0 680	.60		Wrench 1/3"	. 8	.45	.90
1620	Socket 12" 12 Point Tapered Thin Nos	se .		:==	1827	"Obstruction" End Wrench ""	. 8	.45	.90
100000000000000000000000000000000000000	Socket %"	_ 24	.35	.65	1829	"Obstruction" End			3345
1620S	Socket 5/8"	24	.35	.65	1000	Wrench 5/8"	8	.55	1.10
1621	12 Point Tapered Thin Nos Socket #2"	se	.35	.65	1830	"Obstruction" End Wrench 11 "	. 8	.55	1.10
1622	12 Point Tapered Thin Not	se	/ ANSWER	0.000	1831	"Obstruction" End	. 8	.55	1.10
	Socket 11"	24	.35	.65	1	Wrench 3/4"	0	.00	2.10

NO.	DESCRIPTION		DEALE NET		NO.	DESCRIPTION		EALER NET	
1881		(9)		1.00	O2051	Box Wrench 3/8"x1""	5	.45	-85
1882	Angle End Wrench	(12)	.55	1.00	O2052 O2053	Box Wrench 1/2"x/b"  Box Wrench 5/8"x1\b"  Box Wrench 3/4"x\b"  Box Wrench 1\bar{8}"x7\bar{8}"	5 5	.50 .55 .65	.95 1.10 1.25
1883		(9)	.50	1.00	O2054 O2055	Box Wrench 11 "x3/8"	5	.75	1.50
1884		(9)	.65	1.25	O2056 O2057	Box Wrench 1 h "x1"	5	1.20	2.40
1885	Angle End Wrench	(9)	.65	1.25	O2058B	Box Wrench 1%"x11/4" Box Wrench 11/6"x11/4"	5	1.35	2.70 2.70
1895	Set of 5 Angle Wrenches-	97. ZOX	.75	1.50	O2060-3	Set of 3-15° Short Box Wrenches in Bag. Nos.			2.70
1895F	Set of 5 Angle Wrenches-	9	3.35	6.70	O2060-33			1.35	2.70
	W Wrench Display Board		3.00 18.75	6.00 37.50	O2060-4	Set of 4—15° Short Box		1.30	2.55
1931-48E			24.10	65.70 48.15	O2060 A	Wrenches in Bag. Nos. 02061-4	7	1.90	3.80
	B—Plier & Special Box End Wrench Display Board		47.65	95.30	O2060-4	carton	7	1.85	3.65
	W Wrench Display Board W Handy-Twin-Hex Dis-		32.35	64.65	O2061	15° Short Box Wrench	7	.40	.80
	play Board EW Wrench Display Board		42.95 64.65	85.85 129.30	O2062	15° Short Box Wrench	7	.45	.85
	Set of 5 Box Wrenches in Carton, Nos. O2051-5	5	2.85	5.65	O2063	15° Short Box Wrench	7	,45	.90
	Set of 6 Box Wrenches in Carton. Nos. O2051-6	5	3.75	7.45	O2064	15° Short Box Wrench	7	.55	1.10
O2010-51	Set of 5-10° Long Box Wrenches in Cart. Nos.		10/22	202	O2068	Wrench 1/8"x1/6"	5	.55	1.10
O2011	O2011-15 10° Long Box Wrench—	5	2.70	5.40	O2069	Double Crescent Box Wrench 1/2 "x 1/6"	5	.60	1.20
O2012	3/8"x Te" 10° Long Box Wrench-	5	.45	.85	O2070	Wrench %"x5%"	5	.65	1.30
O2013	1/2"x16" 10° Long Box Wrench—	5	.50	.95	O2071	Double Crescent Box Wrench ††"x*§§"	5	.75	1.45
O2014	10° Long Box Wrench—	5	.55	1.05	O2072	Double Crescent Box Wrench 34"x34"	5	.85	1.65
O2015	10° Long Box Wrench—	5	.60	1.20	O2075	Set of 5 Double Crescent Box Wrenches in leather-			
02030-4	3/4"x7/8" Set of 4 Comb. End	5	.70	1.35	O2075E	ette container	5	3.65	7.30
02030-4F	Wrenches in roll	7	2.15	4.30	020/31	Box Wrenches in Fiber Carton		3.35	6.70
02030-6	Wrenches in carton Set of 6 Comb. End	7	1.90	3.80	O2081	Starter & Manifold Wrench		.70	1.35
02030-6F	—Set of 6 Comb, End	7	3.30	6.60	02099	Cross Rim Wrench		2.00	4.00
02031	Wrenches in carton	7	2.90	5.80	2085 2086	Knuckle Support Wrench Yoke Nut Wrench	16 16	2.00 4.00	4.00 8.00
02032	ra" Comb. End Wrench	7	.40	.80	2087	Retainer Spanner	16	2.35	4.65
02033 02034	1/2" Comb. End Wrench	7	.45	1.00	2088 2089	Anchor Pin Wrench	16	2.35	4.65
02035	5%" Comb. End Wrench	7	.55	1.10	2090	Brake Adjusting Wrench	. 16	1.30	2.60
02036	th" Comb. End Wrench	7	-60	1.20	2091	Steering Gear Wrench	16	1.35	2.70
O2040-3	Set of 3-45° Short Box				2092	Steering Gear Wrench	16	1.35	2.65
	Wrenches in Bag. Nos.	79	1.76	205	2093	Eccentric Adjusting Wrench		1.25	2.45
O2040-3	그리는 그 그리아 그를 하지 않는 것이 없는데 하는데 하는데 하는데 하는데 하는데 하는데 없다.	7	1.45	2.85	2094	Adjustable Water Pump		AIAU	B-44-0
O2040-4	Set of 4-45° Short Box	7	1.35	2.70	27-75M2U	Plier Straight Handle Type	18	1.00	2.00
O2040.4	Wrenches in Bag. Nos. O2041-4 F Same as above except in	7	2.05	4.05	2105	Adjustable Water Pump Plier, Curved Handle		4178.61	20000
O2040-4	carton 45° Short Box Wrench	7	1.95	3.90		Туре	(11)	1,25	2.50
1 Particle (SA)	3/8"×10"	7	.40	.80	2110 2115	Midget Ignition Plier Battery Plier	(18) 18	.75 .80	1.50 1.60
O2042	45° Short Box Wrench	7	.45	.90	2120	Pliers for Steeldraulic Brakes	(12)	1.05	2,10
O2043	45° Short Box Wrench	7	.50	1.00	02124		(8)		1.90
O2044	45° Short Box Wrench		.60	1.20	2125	5½" Brake Spring Pliers	(12)		
2049-12	12" long		1.05	2.10	2126 2161	131/2" Brake Spring Pliers Star Nut Tool	. 12	1.60	3.20 .75
2049-15	15" long	(46)	1.25	2.50	2173	Offset Screw Driver	(12)	.60	1.20
2050-12	Chev. "6" Main Bearing Box	(45)	C+000452	2.10	2190	Grease Bar	. 47	1.25*	2.50*
2050 15	Wrench 12" Long Chev. "6" Main Bearing Box			500.00md	2191	Angle Grease Bar	47	1.050	2.10*
2050-15	Wrench 15" Long	(46)	1.25	2.50	2192	Ford "V-8" Valve Tool	48	.50*	1.00*

\*10% Additional West of Billings, Denver and El Paso.

NO.

DEALERS' PAGE NET LIST

NO.

	Electric Drills	
3300 3305	Page Electric Drill (DA) 38 Electric Drill (DB) 38	Net Price 17.95 31.50
3310 3315 3320	Electric Drill (DC)	35.00 36.75 46.50
3325 3330	Electric Drill (DG) 39 Electric Drill (DH) 39	54.00 57.00

	PRODUCTION OF THE PROPERTY OF			
4128	H.D. 7/8" Socket	34	.45	.90
4130	H.D. %" Socket H.D. †#" Socket	34	-50	.95
C. C	TT D 31" Carlot		50	
4131	H.D. 11 Socket	34	.50	.95
4132	H.D. 1" Socket	34	.50	.95
4134	H.D. 1 'a" Socket	34	.55	1.10
4136	H.D. 11/8" Socket	34	.60	1.20
The state of the s	TT TO 178 SOCKEL			-
4138	H.D. 17 Socket	34	.70	1.40
4140	H.D. 11/4" Socket	34	.70	1.40
4142	H.D. 1% Socket	34	.70	1.40
4144		34	.85	1.65
	H.D. 198 SOCKET			
4146	H.D. 1% Socket H.D. 1% Socket	34	.95	1.85
4148		34	1.00	2.00
4150	H.D. 1%" Socket	34	1.05	2.10
- I	H.D. 15%" Socket	34		2.10
4152	H.D. 15% Socket		1.05	
4154	H.D. 116" Socket	34	1.35	2.70
4156	H.D. 134" Socket	34	1.45	2.90
4158	H.D. 118" Socket	34	1.65	3.30
	H.D. 17/8" Socket			
4160	H.D. 1/8 SOCKET.	34	1.65	3.30
4164	H.D. 2" Socket	34	2.00	4.00
4170	H D 2 " Socket	34	2.95	5.90
4263	Heavy Duty Slide T. Handle	34	1.45	2.90
11/20/20/20	Treaty Duty State 1-Italiane	Contract.	4-40	da . 350
4254	Heavy Duty Slide T-Handle Heavy Duty 8" Extension			2.917.5
	Adaptor	34	.90	1.80
4265	Heavy Duty 16" Extension			
1 44 10 11	Adoptor	34	1.15	2.30
1000	Adaptor			
4266	Heavy Duty Flex. Handle_	34	3.75	7.50
4267	Heavy Duty Cross Bar	34	.65	1.30
4276	Heavy Duty Ratchet	34	5.25	10.50
	II Date Detailed Diver			
4292	Heavy Duty Ratchet Ping	34	.50	1.00
4293	Heavy Duty Ratchet Plug Adaptor 1/2" x 3/4"	26	.50	1.00
4412	"Cub" 3/4" 12 Pt. Socket 3/8" Square "Cub" Socket "Cub" 3/8" 12 Pt. Universal	22	.20	-40
4412-5	3/7 Camera "Cub" Cooket	22	.20	.40
	ye square cub socket	-	169	170
4412UV	Cub 38 12 Pt. Universal	-	of the State of the	-
	Joint Socket	22	1.05	2.10
4414	"Cub" va" 12 Pt. Socket	22	.20	.40
4414-S	Te" Square "Cub" Socket "Cub" In" 12 Pt. Universal	22	.20	.40
	18 Square Cub Socket	22	.20	-40
4414UV	"Cub" in 12 Pt. Universal			
	Toint Socket	22	1.05	2.10
4416	"Cub" 1/4" 12 Pt. Socket	22	.20	.40
4416S	T/# Causes #Cub# Coalest	22		.40
A STATE OF THE PARTY OF THE PAR	1/2 Square Cub Socket	66	.20	580
4416UV	"Cub" ½" 12 Pt. Socket			
	Joint Socket "Cub" %" 12 Point Socket "Cub" %" 12 Pt. Universal	22	1.05	2.10
4418	"Cub" & " 12 Point Socket	22	.20	.40
4418UV	"Cub" &" 12 De Huinergal	-	100	
44190 A	Cub in 12 Pt. Omversar			
	Total Speker	22	1.05	2.10
4420	"Cub" 5/8" 12 Pt. Socket	22	.20	.40
4420		20.40		
	"Cub" 54" 12 Pt. Universal			
4420UV	"Cub" 5%" 12 Pt. Socket "Cub" 5%" 12 Pt. Universal		1.05	210
4420UV	"Cub" %" 12 Pt. Universal Joint Socket	22	1.05	2.10
4420UV 4422	"Cub" %8" 12 Pt. Universal Joint Socket "Cub" 14" 12 Pt. Socket		1.05	2.10
4420UV	"Cub" 58" 12 Pt. Universal Joint Socket "Cub" 14" 12 Pt. Socket "Cub" 14" 12 Pt. Universal	22		
4420UV 4422	Joint Socket "Cub"    12 Pt. Socket "Cub"    12 Pt. Universal Joint Socket	22 22	.25	.50
4420UV 4422 4422UV	Joint Socket "Cub"    12 Pt. Socket "Cub"    12 Pt. Universal Joint Socket	22 22 22	.25 1.05	,50 2.10
4420UV 4422 4422UV 4424	Joint Socket "Cub"    12 Pt. Socket "Cub"    12 Pt. Universal Joint Socket	22 22	.25	.50
4420UV 4422 4422UV	Joint Socket "Cub"   h" 12 Pt. Socket "Cub"   h" 12 Pt. Universal Joint Socket "Cub" 34" 12 Pt. Socket "Cub" 34" 12 Pt. Universal	22 22 22 22 22	.25 1.05 .25	,50 2.10 ,50
4420UV 4422 4422UV 4424	Joint Socket "Cub"       12 Pt. Socket "Cub"       12 Pt. Universal Joint Socket "Cub"       12 Pt. Socket "Cub"                     "Cub"                     "Cub"                   "Cub"                 "Cub"                 "Cub"               "Cub"               "Cub"             "Cub"             "Cub"               "Cub"             "Cub"             "Cub"             "Cub"             "Cub"             "Cub"             "Cub"             "Cub"             "Cub"           "Cub"           "Cub"           "Cub"         "Cub"         "Cub"         "Cub"         "Cub"         "Cub"         "Cub"         "Cub"         "Cub"         "Cub"       "Cub"       "Cub"       "Cub"       "Cub"       "Cub"	22 22 22	.25 1.05	,50 2.10
4420UV 4422 4422UV 4424 4424UV	Joint Socket "Cub"   1 2 Pt. Socket "Cub"   1 2 Pt. Universal Joint Socket "Cub" 34" 12 Pt. Socket "Cub" 34" 12 Pt. Universal Joint Socket Joint Socket Joint Socket	22 22 22 22 22	.25 1.05 .25	,50 2.10 ,50
4420UV 4422 4422UV 4424	Joint Socket "Cub"   1 2 Pt. Socket "Cub"   1 2 Pt. Universal Joint Socket "Cub" 34" 12 Pt. Socket "Cub" 34" 12 Pt. Universal Joint Socket Joint Socket Joint Socket	22 22 22 22 22	.25 1.05 .25 1.05	,50 2.10 ,50 2.10
4422 4422 4422 4424 4424 4424 4432	Joint Socket "Cub"   1 2 Pt. Socket "Cub"   1 2 Pt. Universal Joint Socket "Cub" 34" 12 Pt. Socket "Cub" 34" 12 Pt. Universal Joint Socket Joint Socket Joint Socket	22 22 22 22 22	.25 1.05 .25	,50 2.10 ,50
4420UV 4422 4422UV 4424 4424UV	Joint Socket "Cub"   1 2 Pt. Socket "Cub"   1 2 Pt. Universal Joint Socket "Cub" 34" 12 Pt. Socket "Cub" 34" 12 Pt. Universal Joint Socket Joint Socket Joint Socket	22 22 22 22 22	.25 1.05 .25 1.05 .35	,50 2.10 .50 2.10 .70
4422 4422 4422 4424 4424 4424 4432	Joint Socket "Cub"   h" 12 Pt. Socket "Cub"   h" 12 Pt. Universal Joint Socket "Cub" 34" 12 Pt. Socket "Cub" 34" 12 Pt. Universal Joint Socket 4½" "Cub" Extension Adaptor "Cub" Cross Bar for Flex. Handle	22 22 22 22 22	.25 1.05 .25 1.05	,50 2.10 ,50 2.10
4422 U V 4422 U V 4424 U V 4424 U V 4432 4480	Joint Socket "Cub"   h" 12 Pt. Socket "Cub"   h" 12 Pt. Universal Joint Socket "Cub" 34" 12 Pt. Socket "Cub" 34" 12 Pt. Universal Joint Socket 4½" "Cub" Extension Adaptor "Cub" Cross Bar for Flex. Handle	22 22 22 22 22 22 22	.25 1.05 .25 1.05 .35	.50 2.10 .50 2.10 .70 .20
4422 4422 4422 4424 4424 4424 4432	Joint Socket "Cub"   h" 12 Pt. Socket "Cub"   h" 12 Pt. Universal Joint Socket "Cub" 34" 12 Pt. Socket "Cub" 34" 12 Pt. Universal Joint Socket Joint Socket 4½" "Cub" Extension Adaptor "Cub" Cross Bar for Flex.	22 22 22 22 22 22	.25 1.05 .25 1.05 .35	,50 2.10 .50 2.10 .70

		_		
4482 4483	"Cub" Slide Head Speeder "Cub" Long Extension with	22	.60	1.20
	Bar	22	.55	1.10
4484	"Cub" Short Extension with Bar	22	AE	00
4485	"Cub" Long Brace Speeder	22	.45	1.50
4487	"Cub" Reversible Ratchet	22	1.50	3.00
44873/4	"Midget" Reversible Ratchet	20	1.50	3.00
1497	"Cub" Universal Adaptor	22	1.00	2.00
4501	9 Piece "Midget" Socket Set 10 Piece "Midget" Socket Set	20	1.50	3.00
4502	10 Piece "Midget" Socket Set	20	2.10	4.20
4503	13 Piece "Midget" Socket Set	20	3,50	7.00
4504	14 Piece "Midget" Socket Set	20	5.00	10.00
4508	1/4" "Midget" Socket Hex 1/4" "Midget" Socket Square	20	.15	.30
4508S	Midget Socket Square	20	.15	.30
4509 4510	A" "Midget Socket Hex	20	.15	.30
4510S	#2" "Midget" Socket Hex #3" "Midget" Socket Hex #4" "Midget" Socket Square	20	.15	.30
4511	44 Midget Socket Fiex	20	.15	.30
4512	14" "Midget" Socket Hex 3/8" "Midget" Socket Square	20	.15	.30
45128	3/8" "Midget" Socket Square	20	.15	.30
4514	"" "Midget" Socket Square	20	.15	.30
4517RS	Refrigerator Socket Set	21	6.45	12.90
	KRefrigerator Socket Set	21	5.30	10.60
4533	"Midget" 6" Extension	20	.45	.90
4535	"Midget" Slide Tee Handle	20	.65	1.30
4550	"Midget" Flex. Head Handle Socket for Kerotest	20		1.50
4590 4591	Packing Gland Socket	21	.60	1.20
4592	Packing Gland Socket	21	.45	.90
4593	Packing Gland Socket	21 21	.45	-90
4594	Packing Gland Socket	21	.45	.90
4595	Packing Gland Socket	21	.45	.90
5007UV	"Cub" Universal Joint Soc.			
	Set	23	6.45	12.90
5011	"Cub" 11 Piece Socket Set.	23	3.40	6.80
5013	"Cub" 13 Piece Socket Set	23	5.25	10.50
5014	"Cub" 14 Pce. Speedster Set	23	7.20	14.40
5020 5027	"Cub" 20 Pce. Speedster Set "Cub" 27 Pce. Speedster Set	23	9.30	18.60
3027			15.75	31.50
2420	UNLINED BRAKE BA	INL	S	
7470	Oldsmobile A B 1924-25 CDEF Rear Only	60	2.90**	6.768
7480	Essex 1925-27 to Serial No.	02	2.90	3.13
1,190	706268 Rear Only	62	2.40**	4.75*
7490	Buick Std. 1926-28, Early			
	1929, Front and Rear	62	2.55**	5.10*
	Buick Master 1926-28, Early			
7500			3.25**	6.50%
	1929, Front and Rear	62		
7510	1929, Front and Rear Chev. 490—1922-3	62	1.30**	2.55*
7510 7520	1929, Front and Rear Chev. 490—1922-3 Chev. Superior 1924	62 62	1.30** 1.30**	2.55* 2.55*
7510 7520 7530	1929, Front and Rear Chev. 490—1922-3 Chev. Superior 1924 Chev. Model K 1925	62	1.30**	2.55* 2.55*
7510 7520	1929, Front and Rear	62 62 62	1.30** 1.30** 1.20**	2.55* 2.55* 2.35*
7510 7520 7530 7540	1929, Front and Rear Chev. 490—1922-3 Chev. Superior 1924 Chev. Model K 1925 Chev. V, A, 26-28 and Pon- tiac 26-28	62 62 62	1.30** 1.30** 1.20**	2.55* 2.55* 2.35*
7510 7520 7530 7540 7550	1929, Front and Rear Chev. 490—1922-3 Chev. Superior 1924 Chev. Model K 1925 Chev. V, A, 26-28 and Pon- tiac 26-28 Chev. Model U Truck	62 62 62	1.30** 1.30**	2.55* 2.55* 2.35*
7510 7520 7530 7540	1929, Front and Rear Chev. 490—1922-3 Chev. Superior 1924 Chev. Model K 1925 Chev. V, A, 26-28 and Pon- tiac 26-28 Chev. Model U Truck Chev. 1929, Rear Only, 2	62 62 62	1.30** 1.30** 1.20**	2.55* 2.55* 2.35*
7510 7520 7530 7540 7550	1929, Front and Rear Chev. 490—1922-3 Chev. Superior 1924 Chev. Model K 1925 Chev. V, A, 26-28 and Pon- tiac 26-28 Chev. Model U Truck Chev. 1929, Rear Only, 2 Pieces Per Set, 2 Sets in Pair	62 62 62	1.30** 1.30** 1.20**	2.55* 2.55* 2.35* 2.50* 5.15*
7510 7520 7530 7540 7550 7560	1929, Front and Rear Chev. 490—1922-3 Chev. Superior 1924 Chev. Model K 1925 Chev. V, A, 26-28 and Pon- tiac 26-28 Chev. Model U Truck Chev. 1929, Rear Only, 2 Pieces Per Set, 2 Sets in Pair Dodge 22-24	62 62 62 62 62	1.30** 1.30** 1.20** 1.25** 2.60**	2.55* 2.55* 2.35* 2.50* 5.15*
7510 7520 7520 7530 7540 7550 7560	1929, Front and Rear Chev. 490—1922-3. Chev. Superior 1924 Chev. Model K 1925 Chev. V, A, 26-28 and Pontiac 26-28 Chev. Model U Truck Chev. 1929, Rear Only, 2 Pieces Per Set, 2 Sets in Pair Dodge 22-24 Dodge 4 Cylinder 25-27 3/4-	62 62 62 62 62 62	1.30** 1.30** 1.20** 1.25** 2.60** 1.55** 2.50**	2.55* 2.55* 2.35* 2.50* 5.15* 3.05* 5.00*
7510 7520 7530 7540 7550 7560 7570 7580	1929, Front and Rear Chev. 490—1922-3 Chev. Superior 1924 Chev. Model K 1925 Chev. V, A, 26-28 and Pontiac 26-28 Chev. Model U Truck Chev. 1929, Rear Only, 2 Pieces Per Set, 2 Sets in Pair Dodge 22-24 Dodge 4 Cylinder 25-27 3/4 Ton Graham Truck	62 62 62 62 62	1.30** 1.30** 1.20** 1.25** 2.60**	2.55* 2.55* 2.35* 2.50* 5.15* 3.05* 5.00*
7510 7520 7530 7540 7550 7560 7570 7580	1929, Front and Rear Chev. 490—1922-3 Chev. Superior 1924 Chev. Model K 1925 Chev. V, A, 26-28 and Pontiac 26-28 Chev. Model U Truck Chev. 1929, Rear Only, 2 Pieces Per Set, 2 Sets in Pair Dodge 22-24 Dodge 4 Cylinder 25-27 3/4- Ton Graham Truck Whippet and Willys Knight	62 62 62 62 62 62 62	1.30** 1.30** 1.20** 1.25** 2.60** 1.55** 2.50**	2.55* 2.55* 2.35* 2.50* 5.15* 3.05* 5.00*
7510 7520 7530 7540 7550 7560 7570 7580 7590	1929, Front and Rear Chev. 490—1922-3 Chev. Superior 1924 Chev. Model K 1925 Chev. W, A, 26-28 and Pontiac 26-28 Chev. Model U Truck Chev. 1929, Rear Only, 2 Pieces Per Set, 2 Sets in Pair Dodge 22-24 Dodge 4 Cylinder 25-27 3/4 Ton Graham Truck Whippet and Willys Knight Model 56	62 62 62 62 62 62	1.30** 1.30** 1.20** 1.25** 2.60** 1.55** 2.50**	2.55* 2.55* 2.35* 2.50* 5.15* 3.05* 5.00*
7510 7520 7530 7540 7550 7560 7570 7580 7590	1929, Front and Rear Chev. 490—1922-3 Chev. Superior 1924 Chev. Model K 1925 Chev. W, A, 26-28 and Pontiac 26-28 Chev. Model U Truck Chev. 1929, Rear Only, 2 Pieces Per Set, 2 Sets in Pair Dodge 22-24 Dodge 4 Cylinder 25-27 3/4 Ton Graham Truck Whippet and Willys Knight Model 56	62 62 62 62 62 62 62 62	1.30** 1.30** 1.20** 1.25** 2.60** 2.50** 2.50**	2.55* 2.55* 2.35* 2.50* 5.15* 3.05* 5.00* 4.85*
7510 7520 7530 7540 7550 7560 7570 7580 7590 7600	1929, Front and Rear Chev. 490—1922-3 Chev. Superior 1924 Chev. Model K 1925 Chev. V, A, 26-28 and Pontiac 26-28 Chev. Model U Truck Chev. 1929, Rear Only, 2 Pieces Per Set, 2 Sets in Pair Dodge 22-24 Dodge 4 Cylinder 25-27 3/4 Ton Graham Truck Whippet and Willys Knight Model 56 Ford A Brake Shoe, Not Lined, Natural Finish	62 62 62 62 62 62 62 62 62	1.30*** 1.30*** 1.20** 1.25** 2.60** 2.50** 2.50** 2.45** .25**	2.55* 2.55* 2.35* 2.50* 5.15* 3.05* 5.00* 4.85*
7510 7520 7530 7540 7550 7560 7570 7580 7590 7600 7700	1929, Front and Rear Chev. 490—1922-3 Chev. Superior 1924 Chev. Model K 1925 Chev. V, A, 26-28 and Pontiac 26-28 Chev. Model U Truck Chev. 1929, Rear Only, 2 Pieces Per Set, 2 Sets in Pair Dodge 22-24 Dodge 4 Cylinder 25-27 3/4 Ton Graham Truck Whippet and Willys Knight Model 56 Ford A Brake Shoe, Not Lined, Natural Finish	62 62 62 62 62 62 62 62	1.30** 1.30** 1.20** 1.25** 2.60** 2.50** 2.50**	2.55* 2.55* 2.35* 2.50* 5.15* 3.05* 5.00* 4.85*
7510 7520 7530 7540 7550 7560 7570 7580 7590 7600 7700	1929, Front and Rear Chev. 490—1922-3 Chev. Superior 1924 Chev. Model K 1925 Chev. V, A, 26-28 and Pontiac 26-28 Chev. Model U Truck Chev. 1929, Rear Only, 2 Pieces Per Set, 2 Sets in Pair Dodge 22-24 Dodge 4 Cylinder 25-27 3/4- Ton Graham Truck Whippet and Willys Knight Model 56 Ford A Brake Shoe, Not Lined, Natural Finish Senior Brake Lining Mach. "V" Type Mechanic's Set	62 62 62 62 62 62 62 62 62 62 62 62	1.30*** 1.30** 1.20** 1.25** 2.60** 2.50** 2.50** 2.45** 7.35	2.55* 2.55* 2.35* 2.50* 5.15* 3.05* 5.00* 4.85* 14.70
7510 7520 7530 7540 7550 7560 7570 7580 7590 7600 7700 9450 X X	1929, Front and Rear Chev. 490—1922-3 Chev. Superior 1924 Chev. Model K 1925 Chev. V, A. 26-28 and Pontiac 26-28 Chev. Model U Truck Chev. 1929, Rear Only, 2 Pieces Per Set, 2 Sets in Pair Dodge 22-24 Dodge 4 Cylinder 25-27 3/4 Ton Graham Truck Whippet and Willys Knight Model 56 Ford A Brake Shoe, Not Lined, Natural Finish Senior Brake Lining Mach. "V" Type Mechanic's Set with 12 Point Sockets.	62 62 62 62 62 62 62 62 62	1.30*** 1.30*** 1.20** 1.25** 2.60** 2.50** 2.50** 2.45** .25**	2.55* 2.55* 2.35* 2.50* 5.15* 3.05* 5.00* 4.85*
7510 7520 7530 7540 7550 7560 7570 7580 7590 7600 7700 9450 X X	1929, Front and Rear Chev. 490—1922-3 Chev. Superior 1924 Chev. Model K 1925 Chev. Wodel K 1925 Chev. V, A, 26-28 and Pontiac 26-28 Chev. Model U Truck Chev. 1929, Rear Only, 2 Pieces Per Set, 2 Sets in Pair Dodge 22-24 Dodge 4 Cylinder 25-27 3/4 Ton Graham Truck Whippet and Willys Knight Model 56 Ford A Brake Shoe, Not Lined, Natural Finish Senior Brake Lining Mach. "V" Type Mechanic's Set with 12 Point Sockets. Wrench Set with 12 Point	62 62 62 62 62 62 62 62 62 62 62 62 62 6	1.30*** 1.30** 1.20** 1.25** 2.60** 2.50** 2.50** 2.45** 7.35	2.55* 2.55* 2.35* 2.50* 5.15* 3.05* 5.00* 4.85* 14.70
7510 7520 7530 7540 7550 7560 7570 7580 7590 7600 7700 9450XX	1929, Front and Rear Chev. 490—1922-3 Chev. Superior 1924 Chev. Model K 1925 Chev. Wodel K 1925 Chev. V, A, 26-28 and Pontiac 26-28 Chev. Model U Truck Chev. 1929, Rear Only, 2 Pieces Per Set, 2 Sets in Pair Dodge 22-24 Dodge 4 Cylinder 25-27 3/4 Ton Graham Truck Whippet and Willys Knight Model 56 Ford A Brake Shoe, Not Lined, Natural Finish Senior Brake Lining Mach. "V" Type Mechanic's Set with 12 Point Sockets. Wrench Set with 12 Point	62 62 62 62 62 62 62 62 62 62 62 62 62 6	1.30*** 1.30** 1.20** 1.25** 2.60** 1.55** 2.50** 2.45** 2.45** 7.35 7.70	2.55* 2.55* 2.35* 2.50* 5.15* 3.05* 5.00* 4.85* .50* 14.70
7510 7520 7530 7540 7550 7560 7570 7580 7590 7600 7700 9450XX 9460XX	1929, Front and Rear Chev. 490—1922-3 Chev. Superior 1924 Chev. Model K 1925 Chev. Wodel K 1925 Chev. V, A, 26-28 and Pontiac 26-28 Chev. Model U Truck Chev. 1929, Rear Only, 2 Pieces Per Set, 2 Sets in Pair Dodge 22-24 Dodge 4 Cylinder 25-27 3/4 Ton Graham Truck Whippet and Willys Knight Model 56 Ford A Brake Shoe, Not Lined, Natural Finish Senior Brake Lining Mach. "V" Type Mechanic's Set with 12 Point Sockets. Wrench Set with 12 Point	62 62 62 62 62 62 62 62 62 62 62 62 62 6	1.30*** 1.30** 1.20** 1.25** 2.60** 2.50** 2.45** 7.70 6.50	2.55* 2.55* 2.35* 2.50* 5.15* 3.05* 5.00* 4.85* 14.70 15.40
7510 7520 7530 7540 7550 7560 7570 7580 7590 7600 7700 9450XX 9460XX 9910 9910S	1929, Front and Rear Chev. 490—1922-3 Chev. Superior 1924 Chev. Model K 1925. Chev. V, A, 26-28 and Pontiac 26-28 Chev. Model U Truck Chev. 1929, Rear Only, 2 Pieces Per Set, 2 Sets in Pair Dodge 22-24 Dodge 4 Cylinder 25-27 3/4 Ton Graham Truck Whippet and Willys Knight Model 56 Ford A Brake Shoe, Not Lined, Natural Finish Senior Brake Lining Mach. "V" Type Mechanic's Set with 12 Point Sockets. Wrench Set with 12 Point Sockets Hex. Socket fa" Square Socket fa"	62 62 62 62 62 62 62 62 62 62 62 41 40 40	1.30*** 1.30** 1.20** 1.25** 2.60** 2.50** 2.45** 2.45** 7.70 6.50 1.10 1.10	2.55* 2.55* 2.35* 2.50* 5.15* 3.05* 5.00* 4.85* .50* 14.70 15.40 13.00 .20 .20 .20
7510 7520 7530 7540 7550 7560 7570 7580 7590 7600 7700 9450XX 9460XX 9910 9910S	1929, Front and Rear Chev. 490—1922-3 Chev. Superior 1924 Chev. Model K 1925. Chev. V, A, 26-28 and Pontiac 26-28 Chev. Model U Truck Chev. 1929, Rear Only, 2 Pieces Per Set, 2 Sets in Pair Dodge 22-24 Dodge 4 Cylinder 25-27 3/4 Ton Graham Truck Whippet and Willys Knight Model 56 Ford A Brake Shoe, Not Lined, Natural Finish Senior Brake Lining Mach. "V" Type Mechanic's Set with 12 Point Sockets. Wrench Set with 12 Point Sockets Hex. Socket fa" Square Socket fa"	62 62 62 62 62 62 62 62 62 62 62 41 40 40	1.30*** 1.30** 1.20** 1.25** 2.60** 2.50** 2.45** 7.70 6.50 1.10 1.10	2.55* 2.55* 2.35* 2.50* 5.15* 5.00* 4.85* 5.00* 15.40 13.00 .20 .20 .20
7510 7520 7530 7540 7550 7560 7570 7580 7590 7600 7700 9450XX 9460XX 9910 9910S	1929, Front and Rear Chev. 490—1922-3 Chev. Superior 1924 Chev. Model K 1925. Chev. V, A, 26-28 and Pontiac 26-28 Chev. Model U Truck Chev. 1929, Rear Only, 2 Pieces Per Set, 2 Sets in Pair Dodge 22-24 Dodge 4 Cylinder 25-27 3/4 Ton Graham Truck Whippet and Willys Knight Model 56 Ford A Brake Shoe, Not Lined, Natural Finish Senior Brake Lining Mach. "V" Type Mechanic's Set with 12 Point Sockets. Wrench Set with 12 Point Sockets Hex. Socket fa" Square Socket fa"	62 62 62 62 62 62 62 62 62 62 62 41 40 40	1.30*** 1.30** 1.20** 1.25** 2.60** 2.50** 2.45** 7.70 6.50 10 10 10 10 110 110	2.55* 2.55* 2.35* 2.50* 5.15* 3.05* 5.00* 4.85* 14.70 15.40 13.00 .20 .20 .20 .20 .20
7510 7520 7530 7540 7550 7560 7570 7580 7590 7600 7700 9450XX 9460XX 9910 9910S	1929, Front and Rear Chev. 490—1922-3 Chev. Superior 1924 Chev. Model K 1925. Chev. V, A, 26-28 and Pontiac 26-28 Chev. Model U Truck Chev. 1929, Rear Only, 2 Pieces Per Set, 2 Sets in Pair Dodge 22-24 Dodge 4 Cylinder 25-27 3/4 Ton Graham Truck Whippet and Willys Knight Model 56 Ford A Brake Shoe, Not Lined, Natural Finish Senior Brake Lining Mach. "V" Type Mechanic's Set with 12 Point Sockets. Wrench Set with 12 Point Sockets Hex. Socket fa" Square Socket fa"	62 62 62 62 62 62 62 62 62 62 62 41 40 40	1.30*** 1.30** 1.20** 1.25** 2.60**  1.55** 2.50** 2.45**  2.45**  7.70  6.50 10 10 10 10 10 10 10 10 10 10 10 10 10	2.55* 2.55* 2.35* 2.50* 5.15* 3.05* 5.00* 4.85* 14.70 15.40 13.00 20 20 20 20 20 20 20 20
7520 7530 7540 7550 7560 7570 7580 7590 7600 7700 9450XX 9460XX 9910 9910S	1929, Front and Rear Chev. 490—1922-3 Chev. Superior 1924 Chev. Model K 1925. Chev. V, A, 26-28 and Pontiac 26-28 Chev. Model U Truck Chev. 1929, Rear Only, 2 Pieces Per Set, 2 Sets in Pair Dodge 22-24 Dodge 4 Cylinder 25-27 3/4 Ton Graham Truck Whippet and Willys Knight Model 56 Ford A Brake Shoe, Not Lined, Natural Finish Senior Brake Lining Mach. "V" Type Mechanic's Set with 12 Point Sockets. Wrench Set with 12 Point Sockets Hex. Socket fa" Square Socket fa"	62 62 62 62 62 62 62 62 62 62 62 41 40 40	1.30*** 1.30** 1.20** 1.25** 2.60** 2.50** 2.45** 2.45** 7.70 6.50 1.10 1.10 1.10 1.10 1.10 1.10 1.10 1	2.55* 2.55* 2.35* 2.50* 5.15* 3.05* 5.00* 4.85* 14.70 15.40 13.00 .20 .20 .20 .20 .20 .20 .20
7510 7520 7530 7540 7550 7560 7570 7580 7590 7600 7700 9450XX 9460XX 9910 9910S	1929, Front and Rear Chev. 490—1922-3 Chev. Superior 1924 Chev. Model K 1925. Chev. V, A, 26-28 and Pontiac 26-28 Chev. Model U Truck Chev. 1929, Rear Only, 2 Pieces Per Set, 2 Sets in Pair Dodge 22-24 Dodge 4 Cylinder 25-27 3/4 Ton Graham Truck Whippet and Willys Knight Model 56 Ford A Brake Shoe, Not Lined, Natural Finish Senior Brake Lining Mach. "V" Type Mechanic's Set with 12 Point Sockets. Wrench Set with 12 Point Sockets Hex. Socket fa" Square Socket fa"	62 62 62 62 62 62 62 62 62 62 62 41 40 40	1.30*** 1.30** 1.20** 1.25** 2.60** 2.50** 2.45** 2.45** 7.70 6.50 1.10 1.10 1.10 1.10 1.10 1.10 1.10 1	2.55* 2.55* 2.35* 2.50* 5.15* 5.00* 4.85* .50* 14.70 15.40 13.00 .20 .20 .20 .20 .20 .20 .20 .20
7510 7520 7530 7540 7550 7560 7570 7580 7590 7600 7700 9450XX 9460XX 9910 9910S	1929, Front and Rear Chev. 490—1922-3 Chev. Superior 1924 Chev. Model K 1925 Chev. Wodel K 1925 Chev. V, A, 26-28 and Pontiac 26-28 Chev. Model U Truck Chev. 1929, Rear Only, 2 Pieces Per Set, 2 Sets in Pair Dodge 22-24 Dodge 4 Cylinder 25-27 3/4 Ton Graham Truck Whippet and Willys Knight Model 56 Ford A Brake Shoe, Not Lined, Natural Finish Senior Brake Lining Mach. "V" Type Mechanic's Set with 12 Point Sockets. Wrench Set with 12 Point	62 62 62 62 62 62 62 62 62 62 62 41 40 40	1.30*** 1.30** 1.20** 1.25** 2.60** 2.50** 2.45** 2.45** 7.70 6.50 1.10 1.10 1.10 1.10 1.10 1.10 1.10 1	2.55* 2.55* 2.35* 2.50* 5.15* 3.05* 5.00* 4.85* 14.70 13.00 .20 .20 .20 .20 .20 .20 .20

NO.	DESCRIPTION	PAGE	EALE NET		NO.	DESCRIPTION		DEAL	
9917	12 Point Socket 11"	40	.10	.20	6R6	%"x6" Round Blade	13	.45	.90
9918	12 Point Socket Je"	40	.10	.20	6R8	% "x8" Round Blade		.50	1.00
9918S	8 Point Socket 16"  12 Point Socket 11"  12 Point Socket 5%"	40	.15	.25	6R10	76 "x10" Round Blade.	13	.55	1.10
9919	12 Point Socket ##"	40	.10	.20	S8SI	3/4"x1" Square Blade	4.7	- 50	1:00
9920	12 Point Socket 5/8"	40	.10	.20	8S2	(Stubby Handle Only)		.50	1.00
9920S 9921	8 Point Socket 56"	40	.15	.25	8S4	14"x4" Square Blade	13	.55	1.10
9922	12 Point Socket 11"	40	.15	.25	8S6	1/4"x6" Square Blade	13	.65	1.30
9922S	8 Point Socket 11"	40	.15	.25	8S8	1/4"x8" Square Blade	13	.70	1.35
9923	8 Point Socket ##"  12 Point Socket ##"  12 Point Socket 3/4"	40	-15	.25	8S10	1/4"x10" Square Blade	13	.70	1.40
9924	12 Point Socket 3/4"	40	.15	.25	S10SI	in"x1" Square Blade		**	
9924S	8 Point Socket 3/4"	40	-15	.25	1000	(Stubby Handle Only)		.55	1.10
9925 9926	12 Point Socket ##"	40	.15	.25	10S6 10S8	* x8" Square Blade		.75	1.60
9928	12 Point Socket 18	40	.15	.25	10510	fa"x10" Square Blade		.85	1.65
9928S	8 Point Socket 7/6"	40	.15	.25	10S12	%"x12" Square Blade	13	.85	1.70
9930	8 Point Socket 1/8"	40	.15	.30	1286	3/8"x6" Square Blade	13	1.00	1.95
9931	12 Point Socket ##	40	.15	.30	12S8	3/8"x8" Square Blade	13	1.00	2.00
9932	12 Point Socket 1"	40	.20	.35	12510	38"x10" Square Blade	13	1.15	2.25
9934	12 Point Socket 14"	40	.20	.35	12S12 12S18	3/8"x12" Square Blade	13	1.20	2.35
9936 9938	12 Point Socket 178	40	.20	.35	1486	16"x6" Square Blade	13	1.20	2.40
9940	12 Point Socket 1½"	40	.20	.35	14S8	ra"x8" Square Blade		1.25	2.50
13008	Set of 8 Drain Plug Sockets	31	2.20	4.35	14S10	i'a"x10" Square Blade	13	1.50	3.00
13010	10 Pc. Drain Plug Set		4.20	8.40	14812	1's "x12" Square Blade		1.55	3.10
13019	19 Pc. Drain Plug Set in				14S18	7a"x18" Square Blade		1.65	3,25
1000000	Metal Case		6.85	13.70	1686	1/2"x6" Square Blade	13	1.60	3.20
13019F	19 Pc. Drain Plug Set in		120200		16S8 16S10	1/2"x8" Square Blade	13	1.65	3.25
14006	Fiber Case		6.50	13.00	16S12	1/2"x10" Square Blade 1/2"x12" Square Blade	13	1.90	3.80
14000	Duro-Chrome Spark Plug Socket Wrench Set		3,70	7.40	16S18	1/2"x18" Square Blade	13	2.10	4.20
17006	Set of 6 Open End Wrenches		4.15	8.25		A-4 Pce Screw Driver Kit		3.00	6.00
17012	Set of 12 Open End Wr.		6.90	13.80		A-6Pce, Screw Driver Kit		4,30	8.55
18007	Set of 7 Obstruction					Screw Driver Display		3.60	7.20
THE REAL PROPERTY.	Wrenches—Roll	9	3.65	7.30	DLD18	Screw Driver Display	. 14	8.10	16.20
	DISPLAYS				DUE	RO-CHROME OPEN ENI		RENC	HES
41	Knock-Out Wheel Pull-				1225	TAPPET WRENCH			223
	er Display Cabinet,	Esco	0.00	06.00	D1	τ'α" × 1 α"		.40	.75
DC107	240 Pcs. Duro-Chrome Wrench Dis-		8.00	96.00	D1A D2	1/6" X 1/2" 1/2" X 1/6"		.40	.75
DCIO	play Cabinet, 107 Pieces		2.00	104.00	D3	5/8"×14"		.45	.90
DC-202	Duro-Chrome Wrench	V - V		CONTRACTOR	D4	3/4" x7/6"	-	.55	1.10
	Display Cabinet, 202 Pcs	32 10	4,35	208.70	D4A	3/4" x 18"	8	.55	1.10
	Screw Driver Display			7.20	DC4T	4-Piece Tappet Wrench Set		1.90	3.80
	Screw Driver Display	14	8.10	16.20	DC6T	6-Piece Tappet Wrench Set		2.75	5.50
DL-DB3	36—Duro-Lite Screw Driver Display Bd., 36 Pcs.	15 2	8 50	56.95	DC8T	8-Piece Tappet Wrench Set		3.80	7.60
170-C12	Card of 12 Perfect Com-	2.07		20130		OPEN END WRENC			
	mutator Cleaners	50	4.00	8.00	1021	(AUTOMOTIVE TY		.30	.60
182-C12	Counter Display of One				1021	10 X 33 70 X 1/2"		.35	.70
	Doz. 1/8" x17/8" Screw Driv-		205	4.50	1721	fa" x 3/8"	. 8	.30	.60
770610	ers with Pocket Clip		2.25	4.50 3.60	1722	「 作、終、 ここのです。 解		.30	.60
779C12	Card 12 Deflators	30	1.00	3,00	1723	76 X 16 1/5" X 17" 3/6" X 1/2" 111" X 1/2"	. 8	.35	.70
100-012	Counter Display of 12	50	3.00	6.00	1723A	3/8" x 1/2" 11" x 1/2"	. 8	.35	.70
1596	Fender Tools On Shadow	(58)			1023	38" x 1/3" 11" x 12" 11" x 12"	. 8	.35	.70 .85
	Board	(59)	18.75	37.50	1725	7/4" X 5/5"	. 8	.45	.85
1931-401	T Fender Tool Display	co. 1	10.05	EF NO	1725A	ie" x ie"	. 8	.45	.85
1031-361	Board, 40 Pcs EW—Open End Wrench	59 2	32.85	65.70	1725B	以" x 品"	- 8	.45	-85
1931-301	Display Bd., 36 Pcs.	- 10 1	18.75	37.50	1025	½" x 18"	- 8	.45	.85
1931-48E	W-Open End Wrench	1000		S200000	1026	14" x 11"	. 8	.50	.95
	Display Bd., 48 Pcs.	10 2	24.10	48.15	1726 1727	fs" x 5/8"	. 8	.50	.95
1931-66E	W-Open End Wrench	10.3	32.35	64.65	1728	2" x 3/4"	8	.60	1.20
1931-132	Display Bd., 66 Pcs EW—Open End Wrench	10.	12.00	04.00	1027	12" × 12"	. 8	.50	.95
1201-102	Display Bd., 132 Pcs.	10 6	54.65	129.30	1027C	18" × 18"	. 8	.50	.95
1931-65I	B-Plier & Special Box End		NAME OF THE OWNER, OWNE	VCV500400	1028	15" X 55"	. 8	.60	1.20
	Wrench Display Board	. 19 4	17.65	95.30	1028S 1729	5/8" x 88" 5/8" x 3/4"	. 8	.60	1.20
1931-76E	BW Box Wrench Display		10.05	or or	1029	16" × 11"	. 8	.60	1.20
-	Board, 76 Pcs	19 /	12.95	85.85	1030	11 × 7/8"	. 8	.60	1.20
	DUROLITE SCREW D	RIVE	RS		1031	88" × 78"	. 8	.80	1.60
4R2	1/8"x2" Round Blade	13	.25	.50	1731			.80	1.60
4R3	1/8"x3" Round Blade	13	.30	.55	1731A			.80	1.60
4R4	18"x4" Round Blade	13	.30	.57	1731B 1032	18 X /8	. 8	.80	1.60
S6R11/2	%"x1½" Round Blade (Stubby Handle Only)	13	.30	.60	1033A	74 × 76 18 × 76 18 × 78 18 × 18 *	. 8	.80	1.60
6R3	%"x3" Round Blade		.35	.70	1033	7/8" x 115"	. 8	.80	1.60
6R4	% "x4" Round Blade		.40	.75	1033C	†å" x 1"	. 8	1.10	2.15
					4.0				

NO.	DESCRIPTION		DEALE		NO.	DESCRIPTION	PAGI	DEAL NET	ERS'
1034	7/8" x 11/6"	8	1.10	2.15	02030-6	Set of 6 Comb. End			
1035	科" × 1 小"	8	1.10	2.15		Wrenches in roll	7	3.30	6.60
1036	11/6" x 11/4"	8 8	1.45	2.90	02030-6F	Set of 6 Comb. End Wrenches in carton	7	2.90	5.80
1037	118 X 174	(8)	1.73	2.30	02031	3/4" Comb. End Wrench .	7	.40	.80
MENUNDAY.	100 pt 10	(12)	000		02032	th" Comb. End Wrench .		.40	.80
1732HB 1733	3/4" x 1 ½"	(17)	1.10	1.60 2.15	02033	1/2" Comb. End Wrench	7	.45	1.00
1734	7/e" x 11/e"	8	1.10	2.15	02035	5/8" Comb. End Wrench	7	.55	1.10
1735	1" x 1½8"	8	1.45	2.90	02036	14" Comb. End Wrench		.60	1.20
1736 1737	1" x 1½" 1" x 1¼" 1½" x 1¼"	8	1.45	2.90	O2040-3	Set of 3-45° Short E Wrenches in Bag. N			
17006	Set of 6 Open End			0.05	Proposition of the	02041-3	7	1.45	2.85
12010	Wrenches Set of 12 Open End	9	4.15	8.25	O2040-3	F—Same as above except carton	in	1.05	0.70
17012	Wrenches	9	6.90	13.80	O2040-4	Set of 4-45° Short E	ox	1.35	2.70
	EXTRA LONG END WE					Wrenches in Bag. N	os.		
	EATRA LONG END III	(8)	-FOUNDER		00010 13	02041-4		2.05	4.05
LOCAT	3 " - 7/"	(12)	.65	1.30	O2040-41	F—Same as 02040-4 except carton		1.95	3.90
1720L	å" x ⅓"	(8)	.03	1.50	O2041	45° Short Box Wrench			
		(12)		1.00	O2042	3/8" x 1/6" 45° Short Box Wrench	7	.40	.80
1721L	€" x ¾"	(8)	.65	1.30	02042	1/2" X 16"	7	.45	.90
		1121			O2043	45° Short Box Wrench		100	200
1731AL	3/4" x 7/8"	(17)	1.30	2.60	O2044	5/8"x12" 45° Short Box Wrench	7	.50	1.00
1034AL	18" x 11c"	(12)	1.40	2.80	02011	3/4"×19"	7	.60	1.20
10015	No. of the last of	(8)			2049-12	H"x3/4" Box Wrench	(45)		2.10
1735L	1" x 11/8"	(12)	1.40	2.80	2049-15	12" long 11" x3/4" Box Wrench	(45)		2010
11331	ANGLE END WREN			200		15" long	(46)	1.25	2.50
	ANGLE END WREN	(9)	۵		2050-12	Chev, "6" Main Bearing B Wrench 12" Long	0x (45)	1.05	2.10
1881	10"	(12)	.50	1.00	2050-15	Chev. "6" Main Bearing E	ox (45)		
1882	5/8"	(12)	.50	1.00	Const	Wrench 15" Long	(46)	1.25	2.50
1004		( 9)		2.00	O2051 O2052	Box Wrench 36"x1"  Box Wrench 1/2"x1"  Box Wrench 56"x11"  Box Wrench 34"x82"  Box Wrench 18"x78"	5	.50	.95
1883	15"		.65	1.25	O2053	Box Wrench % "xit"	5	.55	1.10
1884	3/4"	(12)	.65	1,25	O2054 O2055	Box Wrench 34"x45"	5	.65	1.25
1001		(9)	115/20		O2056	Box Wrench 17 Xl	3	.90	1.80
1885	Set of 5—Roll	(12)	3.35	1.50 6.70	O2057	Box Wrench 1 th "x11/8"	5 5	1.20	2.40
1895 1895F	Set of 5—Carton	9	3.00	6.00	O2058A O2058B	Box Wrench 1% "x114" Box Wrench 11/4"x11/4"	5	1.35	2.70
	OBSTRUCTION" END W	RE	NCHE	S	O2060-3	Set of 3-15° Short E	ox		
1821	3/4"		.40	.75		Wrenches in Bag. N O2061-3		1.35	2.70
1823	18"	8	.40	.75	O2060-3	F Same as above except	in		
1825 1827	1/2"	8	.45	.90	02000 4	carton	. 7	1.30	2.55
1829	5.6*	8		1.10	U2000-4	Set of 4-15° Short E Wrenches in Bag. N			
1830 1831	78 " 1 " " " " " " " " " " " " " " " " " "	8	.55	1.10	CLASSES ON	O2061-4	7	1.90	3.80
18007	Set of 7 Obstruction				O2060-4	F—Same as 02060-4 except carton	in 7	1.85	3.65
	Wrenches—Roll	9	3.65	7.30	O2061	15° Short Box Wrench	-		
-	The second second	160 16	-	S. M. H. D. A.	00000		7	,40	.80
	DY TWIN-HEX BOX EN		VREN	CHES	O2062	15° Short Box Wrench	7	.45	.85
O2005F	Set of 5 Box Wrenches in Carton, Nos. 02051-5	5	2.85	5.65	O2063	15° Short Box Wrench		1000	-
O2006F	Set of 6 Box Wrenches in		2.03	0.00	00064	15° Short Box Wrench	7	.45	.90
2007112	Carton. Nos. 02051-6		3.75	7.45	O2064	3/4"×55"	7	,55	1.10
O2010-5	F-Set of 5-10° Long Box Wrenches in Carton. Nos.				O2068	Double Crescent Box			1.10
	02011-15		2.70	5.40	O2069	Wrench 3/2"x 1/4"	5	.55	1.10
O2011	10° Long Box Wrench			or	5260885E	Wrench 1/2"x1%"		.60	1.20
O2012	3/8"x1's"  10° Long Box Wrench	5	.45	.85	O2070	Double Crescent Box Wrench %"x5%"	5	.65	1.30
SECOND I	1/2"x fo"	5	.50	.95	O2071	Double Crescent Box			
O2013	10° Long Box Wrench	5	.55	1.05	Telephone and	Wrench 12"x31"	5	.75	1.45
O2014	10° Long Box Wrench				O2072	Double Crescent Box Wrench 3/4"x7/8"	5	.85	1.65
02015	10° Long Box Wrench	5	.60	1.20	O2075	Set of 5 Double Creso			
O2015	3/4" x7/8"	5	.70	1.35	-	Box Wrenches in Lea		3.66	7.30
02030-4	Set of 4 Comb. End		2.15	4.30	O2075F	Set of 5 Double Cresc		3.65	7.30
02030-41	Wrenches in roll F Set of 4 Comb. End		artij		CEUTSE	Box Wrenches in Fi	per		
2000	Wrenches in carton	7	1.90	3.80	15.15	Carton	5	3.35	6.70



"Tools Will Sell If You Show Them" - Duro